



STARCO Group product range, 2014

TYRES - TUBES - WHEELS - CPL. WHEELS - AXLES ETC.

A close-up photograph of a black tire and a silver metal wheel rim. The tire is on the left, and the rim is on the right. The rim has a valve stem with a white cap. The background is dark.

Agricultural
Industrial & Materials handling
Ground care
Trailer and Caravan
Various applications

starco.com

THE SKY IS NOT
THE LIMIT

STARCO EASTERN GROUP

RUSSIAN FEDERATION

STARCO RUSSIA OOO

Moscow
Tel.: +7 (495) 505-61-15
starco@starcorussia.ru

STARCO PROM OOO (OEM)

Moscow
Tel.: +7 (495) 641-31-18
oem@starcorussia.ru

STARCO OOO

STARCO ST. PETERSBURG OOO

Saint Petersburg
Tel.: +7 (812) 309-15-85
spb@starcorussia.ru

STARCO URAL OOO

Chelyabinsk
Tel.: +7 (351) 771-14-28
ural@starcorussia.ru

STARCO EKATERINBURG OOO

Ekaterinburg
Tel.: +7 (343) 379-52-00
ekat@starcorussia.ru

STARCO ROSTOV OOO

Rostov-on-Don
Tel.: +7 (863) 200-75-06
rostov@starcorussia.ru

UKRAINE

STARCO KIEV TOV

Kiev
Tel.: +38 (044) 495-56-86
kiev@starco.com.ua

BELARUS

STARCO BEL IP

Tel.: +375 17 291 80 30
info@starco.by

KAZAKHSTAN

STARCO ASIA TOO

Tel.: +7 (727) 232-86-48
sales@starco.kz

LATVIA

STARCO SIA

Tel.: +371 67620144
starco@starco.lv

ESTONIA

STARCO E OU

Tel.: +372 65 000 21
starco@starco.ee

LITHUANIA

STARCO UAB

Tel.: +370 5 2332611
info@starco.lt

INDEX



AGRICULTURAL

Agricultural - Implements, Trailers etc.	2.4
Compact tractors - Single axle tractors etc.	2.8
Front tyres for 2WD tractors	2.15
Tractor Radial Tyres	2.16
Tractor Diagonal Tyres	2.20
Telehandlers	2.22



INDUSTRIAL

Forklift Trucks	3.5
Skidsteer - Bobcat etc.	3.14
Small loaders - Dumpers etc.....	3.16
Excavators - Loaders - Backhoes - Graders etc.	3.20
Telehandlers	3.22
Trucks - Military, Industrial etc.	3.24
Container and Terminal.....	3.25



SMALL TYRES - MATERIALS HANDLING ETC.

STARCO Flex - puncture proof	4.4
Materials handling - Industrial, Small tyres.....	4.8
Solid tyres.....	4.11



TURF - GROUND CARE

Turf tyres.....	5.5
Compact tractors - Property maintenance	5.24
Snow throwers - Small winter machinery.....	5.25



TRAILER AND CARAVAN

Trailers - Caravans etc.	6.5
-------------------------------	-----



LEISURE AND FUN

ATV/Quads	7.6
Big Foot	7.10
Fun Foot	7.13
Moped	7.17
Go Kart	7.18
Ride-on karts - Toys - etc.....	7.18



VARIOUS APPLICATIONS

Wheelchairs - Mobility scooters etc.....	8.4
--	-----



TUBES - FLAPS - VALVES ETC.

Valves	9.4
O-rings.....	9.5
Flaps	9.5
Tubes.....	9.10




WHEELS - AXLES ETC.

Multi Purpose wheels	10.4
Wheels - with integral hub.....	10.6
Wheels - Agriculture, Horticulture etc.	10.8
Wheels - High speed - Trailers, caravans etc.	10.12
Alloy wheels	10.15
Parts, Accessories - for Integral wheels.....	10.16



INFO & TECHNICAL

Technical information.....	11.4
Index - Tyres by dimension	11.12
Conditions of sale.....	11.22
Symbols	11.25



Assembly and distribution centres

Germany
France
Belgium
Poland
United Kingdom
Russia



Production

China
Croatia
Switzerland
Sri Lanka
United Kingdom

Central Warehouse

Germany
Latvia
Russia

“FOR US, WHEELS AND TYRES ARE EVERYTHING”

The family-owned STARCO Group has evolved to become Europe's largest supplier of tyres, tubes, wheels and complete wheels for both the aftermarket and OEM.

Due to our passionate and trusting relationships with our many customers and suppliers, our company has continued to grow for more than 50 years.

From the smallest wheelbarrow tyre to the largest agricultural or industrial wheel, the STARCO product range complements the product ranges of the multinational suppliers and in association with them, every tyre shop that handles the STARCO product range is able to offer a comprehensive range.



YOUR STRATEGIC PARTNER

With our extensive organization and local presence, the STARCO Group is a reliable strategic partner. The strategically located STARCO assembly and distribution centres bring regional warehouse stocks and wheel assembly facilities close to our customers.

We guarantee an efficient supply of goods to both our OEM and aftermarket customers. Logistic solutions are as much a part of the service as the tyre, wheel and assembled components themselves.

Through our online ordering system all customers have access to the comprehensive STARCO catalogue including all product technical data and the ability to place and track orders throughout the logistics chain.



STARCO, A MANUFACTURER



STARCO wheel
manufacturing -
watch the movie

GROUP VISION

"To become the global market leader in special wheels"

Manufacturing and R&D is the foundation of growth in the market.

OUR MANUFACTURING PHILOSOPHY

GROUP MISSION

"To create value and become the natural choice"

Focus on adding product and sales value for the customer to create market differentiation.



With our R&D centre and five complementary manufacturing facilities we are able to provide the very best and if needed bespoke solution; produced using the latest technology and from the optimum material. Our modern factories are goal aligned to guarantee the highest service levels, using Lean principles to offer the shortest lead-times with no limits on order quantity. All manufacturing and business processes ensure that environmental and quality standards are exceeded.



STARCO MANUFACTURING

- ▶ Steel wheels with integral hub
- ▶ Steel wheels for hub fitment
- ▶ Plastic wheels with integral hub
- ▶ Puncture free PU tyres for steel wheels
- ▶ Puncture free PU tyres for plastic wheels
- ▶ Puncture free PU tyre & plastic wheel solutions
- ▶ Dual wheel systems for tractors
- ▶ Dual wheel systems for ATV's
- ▶ Dual wheel systems for miniloaders, skidsteer...
- ▶ Solid Fork Lift Truck tyres in Premium and Standard quality

WHEEL PRODUCTION

Unique spinning technology – High flexibility and low tooling investment

- ▶ Cold metal transfer welding gives the best possible weld quality
- ▶ Using the latest automotive nanotechnology pre-treatment, providing excellent paint adhesion
- ▶ E-coat treatment ensures optimal rust-prevention in compliance with the most demanding automotive standards and even on our pressed wheels
- ▶ Automated injection moulding combined with our patented PU spinning process allows innovative design and competitive prices
- ▶ ISO9001 & 14001



SOLID TYRE PRODUCTION


- ▶ World's first Lean solid tyre production facility with single piece flow of product
- ▶ Compound development and testing capabilities ensures optimal quality
- ▶ Compound mixing with automated material handling guarantees product consistency

STARCO TECHNICAL GROUP



Watch the movie
about STARCO quality

- ▶ Finite Element Analysis & 3D Modelling
- ▶ Tyre and wheel design capability ensuring a complete solution on any steel wheel configuration
- ▶ Able to offer standard product range but also customized for specific requirements



- ▶ Test facility to validate and improve design
 - ▶ Corner fatigue test machine to validate wheels up to 50"
 - ▶ Wheel dynamometer
 - ▶ Leakage testing
 - ▶ Field testing with strategic partners
 - ▶ Links to independent laboratories to ensure expert knowledge and latest standards



Field test



Dynamometer

SUPPLIER TO MAIN MANUFACTURERS

- relationships brings knowledge and experience

For most OE manufacturers, the wheel and tyre is only a part of a bigger machine in which they have invested years of expertise and technological development.

Yet the very mobility of the machine means that wheels and tyres are the components that bring the product to life and give its mobility a meaning.

As a strategic partner to OE manufacturers, STARCO engineers and logistics specialists offer the best experience and product knowledge available in

sourcing, designing, manufacturing and delivering the optimal wheel solution.

From the design concept, through manufacturing and logistics, the OE Manufacturer can rest assured that a STARCO wheel solution is more than an afterthought.



ETC.....



AGRICULTURAL

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical



Agricultural - Implements, Trailers etc.....	2.4-2-7
Complete wheel assemblies.....	2.8-2.10
Compact tractors - Single axle tractors etc.....	2.11-2.14
Tractor - 2WD, Front tyres.....	2.15
Tractor Radial Tyres.....	2.16-2.19
Tractor Diagonal Tyres.....	2.20-2.21
Telehandlers.....	2.22

AGRICULTURAL - IMPLEMENTS, TRAILERS ETC.

Tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
4"											
3.00-4	4PR	ST-32	DIN 7777 90/90	Set	129549	260	83	170	16	3.30	2.10
4.00-4	4PR	ST-32	TR87	Set	130828	304	114	155	16	2.75	3.00
6"											
3.50-6	4PR	ST-11	TR87	Set	129686	330	92	270	16	3.75	2.50
	4PR	ST-32	TR87	Set	130774	332	95	165	16	3.00	2.50
4.00-6	4PR	ST-11	TR87	Set	129907	340	102	305	16	4.50	2.50
13x6.50-6	4PR	ST-31	TR13	Set	130477	336	163	210	16	1.90	4.50
15x6.00-6	4PR	ST-31	TR13	Set	130521	358	154	260	16	2.10	4.50
	61B (4PR)	STARCO HT	TR13	Set	393520	368	158	257	50	2.10	4.50
	70A6 (6PR)	ST-31	TR13	Set	130545	360	154	335	30	3.10	4.50
220/50-6	73A8	Trelleborg T510	TR13	Set	268859	370	222	365	40	2.80	7.00
8"											
3.50-8	4PR	ST-11	TR87	Set	129723	366	87	220	16	3.50	2.50
	4PR	ST-32	TR13	Set	130804	385	91	190	16	2.75	2.50
4.80/4.00-8 4.80/4.00-8	4PR	ST-32	TR13	Set	130002	425	110	225	16	2.80	2.50
	6PR	Trelleborg T522	TT	Tyre	125886	415	114	350	30	5.80	2.50
5.00-8	6PR	Trelleborg T522	TT	Tyre	126005	460	130	455	30	4.90	3.00D
16x6.50-8	72A4 (6PR)	ST-31	TR13	Set	130590	420	168	355	20	2.90	5.375
	72B (6PR)	STARCO HT	TR13	Set	393537	420	166	355	50	2.90	5.375
16x9.50-8	76B (6PR)	STARCO HT	TT	Tyre	387338	416	224	400	50	2.30	7.0
18x8.50-8	4PR	ST-31	TR13	Set	130637	444	216	370	16	1.50	7.00
	81B (6PR)	STARCO HT	TR13	Set	393551	462	222	462	50	2.80	7.0
10"											
7.50-10	12PR	ST-155	TT	Tyre	135564	644	208	1075	30	5.00	5.50
12"											
7.00-12	6PR	ST-155	TT	Tyre	135526	667	200	830	30	3.50	4.25
10.0/75-12	10PR	Trelleborg T446	TL	Tyre	263571	705	277	1590	30	5.50	7.00
10.0/80-12	120/107A8 (10PR)	ST-155	TL	Tyre	137858	708	252	1400	40	3.90	7.00
23x6.00-12	80A8 (6PR)	ST-33	TR13	Set	130705	584	154	450	40	3.00	4.00
200/95-12	101/89A8	Trelleborg AF302	TL	Tyre	332840	684	198	825	40	4.50	4.25
250/60-12	110/98A6	STARCO SG Flotation	TL	Tyre	363806	602	250	1060	30	2.30	8
300/65-12	8PR	Trelleborg T446	TL	Tyre	125756	686	304	1500	30	3.40	9.00
	122/110A8 (8PR)	STARCO SG Flotation	TL	Tyre	335780	682	290	1500	40	3.40	9.00
13"											
260/90-13	121/109A8	Trelleborg AF302	TL	Tyre	332857	798	258	1450	40	4.40	6.00
14.5"											
24x8.00-14.5 200/60-14.5	10PR	Kenda K401 Farm Rib	TL	Tyre	331904	616	198	950	16	5.10	6.75
200/60-14.5	10PR	Trelleborg T536	TT	Tyre	125435	609	203	1140	30	6.80	6.75
	106A8/102B (10PR)	STARCO RIB	TL	Tyre	335797	616	208	950	40	4.80	6.75
250/65-14.5	123A8/120B (12PR)	STARCO RIB	TL	Tyre	335803	685	256	1550	40	4.80	8.00
300/55-14.5	116/104A8	STARCO SG Flotation	TL	Tyre	335834	682	290	1250	40	2.80	9.50
	132/120A8	STARCO SG Flotation	TL	Tyre	357096	687	290	2000	40	4.40	9.50

>>>



Trelleborg T510

AGRICULTURAL - IMPLEMENTS, TRAILERS ETC.

Tyres



       										
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar
15"										
11L-15	144A5 (8PR)	Galaxy 350 IMP Master	TL	Tyre	472942			2800	25	2.50 8
	10PR	Kenda K401 Farm Rib	TL	Tyre	282077	765	236	1320	16	3.05 8.00
165-15	4PR	Trelleborg T510	TL	Tyre	125299	637	171	730	30	2.80 4.00
15.3"										
10.0/75-15.3	135A8 (18PR)	ST-155	TL	Tyre	358178	780	280	2180	40	7.10 9.00
11.5/80-15.3	145A8 (18PR)	ST-155	TL	Tyre	350004	760	274	2900	40	7.10 9.00
12.5/80-15.3	142A8 (14PR)	ST-155	TL	Tyre	133201	889	307	2650	40	4.30 9.00
260/75-15.3 10.0/75-15.3	123/111A8	STARCO SG Flotation	TL	Tyre	375069	780	270	1550	40	3.90 9
	123A8/120B (10PR)	STARCO AW	TL	Tyre	375885	780	280	1550	40	3.90 9.00
	130A8/127B (14PR)	STARCO AW	TL	Tyre	375892	780	280	1900	40	5.50 9.00
	131/119A8 (14PR)	STARCO SG Flotation	TL	Tyre	375076	780	270	1950	40	5.50 9.00
	144A8/140B (22PR)	STARCO AW	TL	Tyre	435817	780	280	2800	40	8.40 9.0
300/80-15.3 11.5/80-15.3	131A8/128B (10PR)	STARCO AW	TL	Tyre	375908	870	290	1950	40	3.50 9.00
	138/126A8 (14PR)	STARCO SG Flotation	TL	Tyre	449685	862	290	2360	40	3.60 9.00
	139A8/136B (14PR)	STARCO AW	TL	Tyre	375915	870	292	2430	40	4.70 9.00
	143A8/140B (18PR)	STARCO AW	TL	Tyre	461724	870	292	2725	40	6.00 9.00

>>>

GALAXY  **TRELLEBORG** **KENDA** **STARCO**



Kenda K401 Farm Rib

Trelleborg AF302

Galaxy 350 IMP Master

Trelleborg T446

Trelleborg T522

Trelleborg T536

AGRICULTURAL - IMPLEMENTS, TRAILERS ETC.

Tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
15.5"											
280/60-15.5	115/103A8	Trelleborg T421	TL	Tyre	309286	730	260	1215	40	2.40	AG8.00
	128A8 (14PR)	Trelleborg T478	TT	Tyre	125695	730	280	1800	40	4.00	AG8.00
400/60-15.5	145/132A8	STARCO SG Flotation	TL	Tyre	334936	872	400	2900	40	3.60	AG13.00
	145A8 (14PR)	ST-155	TL	Tyre	134475	882	390	2900	40	3.60	13.00
	145/132A8 (14PR)	STARCO AW	TL	Tyre	321486	870	396	2900	40	3.60	13.00
	18PR	ST-155	TL	Tyre	291420	875	405	3450	40	5.80	13
16"											
10.5/65-16	130A8 (14PR)	ST-155	TT	Tyre	282213	760	254	1900	40	5.20	8.0
14.0/65-16 ^{355/65-16}	142A8 (14PR)	ST-155	TL	Tyre	153780	880	353	2650	40	4.00	11.00
180/90-16	100/88A8	Trelleborg AF302	TL	Tyre	332864	730	178	800	40	3.75	4.00
190/90-16 ^{6.50-16}	108/96A8	Trelleborg AF302	TL	Tyre	332871	748	190	1000	40	5.00	4.50
200/90-16	111/98A8	Trelleborg AF302	TL	Tyre	332888	766	197	1090	40	4.75	5.00
210/95-16	120/107A8	Trelleborg AF302	TL	Tyre	332895	805	214	1400	40	5.50	5.50
260/70-16 ^{10.5/65-16}	134/122A8	Trelleborg AW305	TL	Tyre	332901	776	265	2120	40	7.20	9.00
340/55-16	140/127A8	Trelleborg AW305	TL	Tyre	332918	780	343	2500	40	4.90	11.00
	140A8/137B (12PR)	STARCO AW	TL	Tyre	335810	778	328	2500	40	4.90	11.0
360/70-16	137/124A8	Trelleborg AW305	TL	Tyre	332925	910	357	2300	40	4.10	11.00
17"											
380/55-17 ^{15.0/55-17}	138/134A8	STARCO AW	TL	Tyre	433783	850	384	2360	40	2.80	13.00
	138/125A8 (12PR)	STARCO SG Flotation	TL	Tyre	336190	872	376	2360	40	2.80	13.00
480/45-17 ^{19.0/45-17}	146A8/142B (14PR)	STARCO AW	TL	Tyre	335711	870	466	3000	40	3.00	16.00
	146/134A8 (14PR)	STARCO SG Flotation	TL	Tyre	270319	863	455	3000	40	3.20	16.00
500/50-17	149A8/146B (14PR)	STARCO AW	TL	Tyre	492933	926	502	3250	40	2.80	16.00
	149/136A8 (14PR)	STARCO SG Flotation	TL	Tyre	492940	924	503	3250	40	2.80	16.00
	152A8 (14PR)	ST-46	TL	Tyre	336121	940	500	3550	40	3.50	
	155A6 (14PR)	ST-155	TL	Tyre	313351	945	500	3875	30	3.80	16.00
	155A8/151B (18PR)	STARCO AW	TL	Tyre	459035			3875	40		16.00
	155/142A8 (18PR)	STARCO SG Flotation	TL	Tyre	459028			3875	40		16.00
520/50-17	159/147A8	Trelleborg T306	TL	Tyre	332970	952	516	4375	40	3.90	16.00
	159/147B	STARCO SG Flotation	TL	Tyre	270586	965	530	4375	50	4.00	16.00
	162A8/159B	STARCO AW	TL	Tyre	336923	970	520	4750	40	4.00	16.00
18"											
10.5/80-18	138A6 (10PR)	ST-155	TL	Tyre	350363	885	275	2360	30	5.00	9.00
12.5/80-18	148A6/142A8 (16PR)	ST-155	TT	Tyre	371993	965	308	3150	30		W9
13.0/65-18	143A8 (16PR)	ST-155	TT	Tyre	310411	890	336	2725	40	5.00	11.00
15.0/70-18	14PR	ST-155	TL	Tyre	291482	990	391	3150	40	4.90	13
315/80-18 ^{12.5/80-18}	143/130A8 (12PR)	ST-155	TL	Tyre	270500	961	308	2725	40	3.20	9.0
425/70-18	155/143B	STARCO SG Flotation	TL	Tyre	270593	1052	465	3875	50	3.50	13.00
19.5"											
455/65-19.5 ^{18-19.5}	162/150B (16PR)	STARCO MP Dumper II	TL	Tyre	300641	1095	445	4750	50	4.20	13.00

>>>



STARCO RT AGRITREAD

- High speed road use
- Field use
- Retreaded tyres, build on carcasses from premium tyre brands only
- A safe, durable and economic option
- STARCO engineered



Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
20"											
16.0/70-20	16PR	ST-155	TL	Tyre	291499	1075	418	4375	40	5.50	14
22.5"											
385/65R22.5	160F/00	STARCO RT Agritread ML	TL	Tyre	363813	1072	380	4500	80	9.00	11.75
	160F/00	STARCO RT Agritread SL	TL	Tyre	363820	1072	380	4500	80	9.00	11.75
500/60-22.5	165/152A8	STARCO MP Dumper II	TL	Tyre	293103	1172	516	5150	40	3.40	16.00
550/45-22.5	159/147A8	STARCO SG Flotation	TL	Tyre	335728	1080	545	4375	40	2.80	16.00
550/55-22.5	166/154A8	STARCO MP Dumper II	TL	Tyre	293097	1192	537	5300	40	2.80	16.00
550/60-22.5	165/152B	STARCO SG Flotation	TL	Tyre	269979	1237	541	5150	50	2.80	16.00
600/40-22.5	169A8/166D	ST-46	TL	Tyre	506418	1100	600	5800	40	6.00	20.00
26"											
23.1-26	16PR	ST-95	TL	Tyre	119359	1560	595	4270	30	2.20	DW20A

TRELLEBORG **STARCO**



Did you know...

That STARCO is the preferred supplier of dual wheel systems to John Deere



Trelleborg AF302 / AW305

Trelleborg T306

Trelleborg T421


Trelleborg T478

AGRICULTURAL - IMPLEMENTS, TRAILERS ETC.

Complete wheel assemblies - with bore

Tyre	LI/SI/PR	Tread pattern	57 07562+	Wheel	Colour	ET mm		km/h	kg		
12"											
10.0/80-12	120/107A8 (10PR)	Deli S-316	419909	7.00x12 H2	Silver	5/94/140 Ø18.5 R14		0	40	1400	
14.5"											
200/60-14.5	106A8/102B (10PR)	STARCO RIB	365459	6.75x14.5 H2	Red	5/94/140 Ø18.5 R14		0	VG	40	950
250/65-14.5	123A8/120B (12PR)	STARCO RIB	365466	AG8.00x14.5 H2	Silver	6/161/205 Ø21.5 R16		-10	VG	40	1550
15.3"											
12.5/80-15.3	142A8 (14PR)	Deli SG-316	401614	9.00x15.3	Silver	6/161/205 Ø21.5 R16		0	40	2650	
260/75-15.3	123/111A8	STARCO SG Flotation	388311	8.00x15.3 H2	Silver	6/161/205 Ø21.5 R16		0	40	1550	
	123/111A8	STARCO SG Flotation	396804	9.00x15.3	Silver	5/94/140 Ø18.5 R14		0	40	1550	
300/80-15.3	123A8/120B (10PR)	STARCO AW	415833	9.00x15.3 H2	Silver	6/161/205 Ø21.5 R16		0	40	1550	
	130A8/127B (14PR)	STARCO AW	415840	9.00x15.3 H2	Silver	6/161/205 Ø21.5 R16		0	40	1900	
	131/119A8 (14PR)	STARCO SG Flotation	395838	9.00x15.3 H2	Silver	6/161/205 Ø21.5 R16		0	40	1950	
	131A8/128B (10PR)	STARCO AW	394787	9.00x15.3 H2	Silver	6/161/205 Ø21.5 R16		0	40	1950	
	132/120A8 (10PR)	STARCO SG Flotation	459455	9.00x15.3 H2	Silver	6/161/205 Ø21.5 R16		0	40	2000	
	139A8/136B (14PR)	STARCO AW	416038	9.00x15.3 H2	Silver	6/161/205 Ø21.5 R16		0	40	2430	
15.5"											
400/60-15.5	145/132A8 (14PR)	STARCO AW	426037	13.00x15.5 H2	Silver	6/161/205 Ø21.5 R16		-15	VG	40	2900
	145/132A8 (14PR)	STARCO SG Flotation	425986	13.00x15.5 H2	Silver	6/161/205 Ø21.5 R16		-15	VG	40	2900
16"											
14.0/65-16	142A8 (14PR)	ST-155	372808	11LBx16 H2	Silver	6/161/205 Ø21.5 R16		0	VG	40	2650
340/55-16	140A8/137B (12PR)	STARCO AW	372792	11LBx16 H2	Silver	6/161/205 Ø21.5 R16		0	VG	40	2500

>>>



STARCO AW

- ▶ Excellent performance
- ▶ For a wide range of applications
- ▶ Excellent reliability
- ▶ Long lifetime
- ▶ High load capacity at low tyre pressure
- ▶ STARCO engineered


AGRICULTURAL - IMPLEMENTS, TRAILERS ETC.

Complete wheel assemblies - with bore

 EAN-13    ET   KG											
Tyre	LI/SI/PR	Tread pattern	57 07562+	Wheel	Colour	ET mm		km/h	kg		
17"											
380/55-17	138/134A8	STARCO AW	449227	13.00x17 H2	Silver	6/161/205	Ø21.5 R16	0	VG	40	2360
	138/125A8 (12PR)	STARCO SG Flotation	373058	13.00x17 H2	Silver	6/161/205	Ø21.5 R16	-45		40	2360
	138/125A8 (12PR)	STARCO SG Flotation	426006	13.00x17 H2	Silver	6/161/205	Ø21.5 R16	0	VG	40	2360
	138/125A8 (12PR)	STARCO SG Flotation	477862	13.00x17 H2	Silver	6/161/205	Ø21.5 R16	0	VG	40	2360
480/45-17	146A8/142B (14PR)	STARCO AW	372839	16.00x17 H2	Silver	6/161/205	Ø21.5 R16	-35	VG	40	3000
	146A8/142B (14PR)	STARCO AW	392202	16.00x17 H2	Silver	6/161/205	Ø21.5 R16	0	VG	40	3000
	146/134A8 (14PR)	STARCO SG Flotation	417011	16.00x17 H2	Silver	6/161/205	Ø21.5 R16	0	VG	40	3000
	146/134A8 (14PR)	STARCO SG Flotation	373096	16.00x17 H2	Silver	8/221/275	Ø21.5 R16	0	VG	40	3000
520/50-17	159/147B	STARCO SG Flotation	373133							50	4375
	159/147B	STARCO SG Flotation	417059	16.00x17 H2	Silver	6/161/205	Ø21.5 R16	0	VG	50	4375
	159/147B	STARCO SG Flotation	417066	16.00x17 H2	Silver	6/161/205	Ø21.5 R16	0	VG	50	4375
	159/147B	STARCO SG Flotation	373140	16.00x17 H2	Silver	8/221/275	Ø21.5 R16	0	VG	50	4375
	162A8/159B	STARCO AW	372907	16.00x17 H2	Silver	6/161/205	Ø21.5 R16	-70	VG	40	4750
	162A8/159B	STARCO AW	372891	16.00x17 H2	Silver	6/161/205	Ø21.5 R16	-35	VG	40	4750
	162A8/159B	STARCO AW	372884	16.00x17 H2	Silver	6/161/205	Ø21.5 R16	0		40	4750
	162A8/159B	STARCO AW	372921	16.00x17	Silver	8/221/275	Ø21.5 R16	-35		40	4750
	162A8/159B	STARCO AW	372914	16.00x17 H2	Silver	8/221/275	Ø21.5 R16	0	VG	40	4750
	18"										
315/80-18	143/130A8 (12PR)	Deli SG-316	402314	W11x18 H2	Silver	6/161/205	Ø21.5 R16	0		40	2725

>>>

Deli Tire **STARCO**



Deli S/SG-316

AGRICULTURAL - IMPLEMENTS, TRAILERS ETC.

Complete wheel assemblies - with bore


 EAN-13    ET   KG										
Tyre	LI/SI/PR	Tread pattern	57 07562+	Wheel	Colour		ET mm	km/h	kg	
22.5"										
385/65R22.5	160F/00	STARCO RT Agritread ML	371832	AG11.75x22.5 H2	Silver	10/281/335 Ø27 R18.0	0	80	4500	
	160F/00	STARCO RT Agritread SL	371849	AG11.75x22.5 H2	Silver	10/281/335 Ø27 R18.0	0	80	4500	
550/45-22.5	159/147A8	STARCO SG Flotation	373256	AG16.00x22.5 H2	Silver	6/161/205 Ø21.5 16.0	-50	40	4375	
	159/147A8	STARCO SG Flotation	373249	AG16.00x22.5 H2	Silver	6/161/205 Ø21.5 R16	0	VG	40	4375
	159/147A8	STARCO SG Flotation	373270	AG16.00x22.5 H2	Silver	8/221/275 Ø21.5 R16	-50	40	4375	
	159/147A8	STARCO SG Flotation	373263	AG16.00x22.5 H2	Silver	8/221/275 Ø21.5 R16	0	VG	40	4375
	159/147A8	STARCO SG Flotation	373294	AG16.00x22.5 H2	Silver	10/281/335 Ø27 R18	-50	VG	40	4375
	159/147A8	STARCO SG Flotation	373287	AG16.00x22.5 H2	Silver	10/281/335 Ø27 R18	0	VG	40	4375
	159/147A8	STARCO SG Flotation	373287	AG16.00x22.5 H2	Silver	10/281/335 Ø27 R18	0	VG	40	4375
550/60-22.5	165/152B	STARCO SG Flotation	373317	AG16.00x22.5 H2	Silver	6/161/205 Ø21.5 16.0	-50	50	5150	
	165/152B	STARCO SG Flotation	373300	AG16.00x22.5 H2	Silver	6/161/205 Ø21.5 R16	0	VG	50	5150
	165/152B	STARCO SG Flotation	373331	AG16.00x22.5 H2	Silver	8/221/275 Ø21.5 R16	-50	50	5150	
	165/152B	STARCO SG Flotation	373324	AG16.00x22.5 H2	Silver	8/221/275 Ø21.5 R16	0	VG	50	5150
	165/152B	STARCO SG Flotation	373355	AG16.00x22.5 H2	Silver	10/281/335 Ø27 R18	-50	VG	50	5150
	165/152B	STARCO SG Flotation	387055	AG16.00x22.5 H2	Silver	10/281/335 Ø27 R18	-15	VG	50	5150
	165/152B	STARCO SG Flotation	373348	AG16.00x22.5 H2	Silver	10/281/335 Ø27 R18	0	VG	50	5150

STARCO



STARCO SG FLOTATION

- Superior tread bracing for wide and even footprint
- Unique carcass construction for optimal use
- Low ground bearing pressure prevent soil compaction
- Designed for high level of self-cleaning
- Good traction on soft soil and grass
- STARCO engineered



COMPACT TRACTORS - SINGLE AXLE TRACTORS ETC.

Traction tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
4"											
3.00-4	4PR	Kenda K357	TL	Tyre	129532	280	93	170	16	4.25	2.25
4.00-4	4PR	Kenda K357	TL	Tyre	329666	310	97	155	16	2.80	2.10
5"											
3.50-5	31A6 (4PR)	ST-41	TT	Tyre	376745	330	103	109	30	2.30	3.00
6"											
3.50-6	4PR	Kenda K357	TL	Tyre	129662	340	94	165	16	2.90	3.50
6-6	2PR	Conti AS Farmer	TT	Tyre	132785	425	145	110	25	1.00	4.00E
13x4.00-6	2PR	Carlisle XTrac	TL	Tyre	301358	318	102	127	16	1.50	3.25
13x5.00-6	4PR	ST-45	TL	Tyre	130422	325	124	200	40	2.75	3.50
7"											
3.50-7	4PR	ST-40	TT	Tyre	359816						
4.00-7	2PR	ST-40	TT	Tyre	308913						
8"											
3.00-8	2PR	ST-40	TT	Tyre	308982						
3.50-8	4PR	Kenda K357	TL	Tyre	129709	384	90	190	16	2.80	2.50
4.80/4.00-8 4.80/4.00-8	4PR	Kenda K357	TL	Tyre	129976	416	120	155	16	2.20	2.50
	4PR	Kenda K376	TT	Tyre	329260	438	110	155	16	2.20	2.50
16x6.50-8	4PR	ST-45	TL	Tyre	128269	369	165	280	40	1.90	5.375
	4PR	Kenda K357	TL	Tyre	330099	425	163	280	16	1.90	5.375
	4PR	Carlisle Tru Power	TL	Tyre	264608	406	170	282	16	1.93	5.375
	6PR	ST-45	TL	Tyre	356495						
17x8.00-8	4PR	Kenda K359	TL	Tyre	265421	453	188	370	16	1.50	5.375
18X7.00-8	4PR	Conti AS Farmer	TL	Tyre	133560	460	178	325	25	2.00	5.50A
18x8.00-8	4PR	Kenda K359	TL	Tyre	270647	440	210	370	16	1.52	7.00
18x8.50-8	4PR	ST-45	TL	Tyre	377162	457	213	371		1.50	7.00
18x9.50-8	4PR	Kenda K357	TL	Tyre	330082	473	234	470	16	1.65	7.00
20x10.00-8	4PR	Carlisle Super Lug	TL	Tyre	269269	511	246	541	16	1.52	7.00
21x11.00-8	4PR	Kenda K359	TL	Tyre	330143	522	283	650	16	1.50	9.00
	4PR	Carlisle AT101 Chevron	TL	Tyre	264851	538	277	651	16	1.52	8.50

>>>

CARLISLE KENDA



ST-40

Kenda K357



TRACTION TYRES

- ▶ Widest programme in the market
- ▶ From 4" up to 46"



ST-41



ST-45



Carlisle AT101 Chevron



Carlisle Super Lug



Carlisle XTrac



Conti AS Farmer



Kenda K376

Carlisle Tru Power
Kenda K359

COMPACT TRACTORS - SINGLE AXLE TRACTORS ETC.

Traction tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
10"											
4.00-10	4PR	Kenda K365	TT	Tyre	330075	495	111	170	16	2.25	3.50B
5.00-10	4PR	ST-40	TT	Tyre	153292	528	136	280	16	2.80	3.50B
	4PR	Kenda K365	TT	Tyre	332048	542	126	250	16	2.20	3.50B
18x8.50-10	4PR	Carlisle Tru Power	TL	Tyre	264707	460	193	378	16	1.52	6.00
20x8.00-10	4PR	Kenda K378	TT	Tyre	330488	520	196	410	16	1.60	6.00
	10PR	Kenda K378	TT	Tyre	332161	526	196	800	16	6.30	6.00
21x11.00-10	4PR	Carlisle AT101 Chevron	TL	Tyre	264844	531	264	628	16	1.50	8.50
12"											
4.00-12	4PR	Trelleborg T63	TL	Tyre	125916	530	112	300	30	2.80	3.00D
	4PR	ST-40	TT	Tyre	134444	526	109	300	30	2.75	3.00
5-12	4PR	Bridgestone FSLM	TT	Tyre	132761	550	123	220	30	2.40	4JA
	4PR	Titan Tru Power	TL	Tyre	151533	528	127	224	30	2.40	4.00
5.00-12	4PR	ST-40	TT	Tyre	153308	584	146	300	16	2.80	4.00
	4PR	Kenda K365	TT	Tyre	332055	580	132	255	16	2.00	4.00
5.70-12	4PR	Carlisle Trac Chief	TL	Tyre	265322	569	145	660	8	4.10	4.50
6-12	4PR	Carlisle Tru Power	TL	Tyre	264486	577	145	268	16	1.93	5.00
	4PR	Trelleborg T63	TL	Tyre	125206	582	146	230	30	2.00	4.00
6.00-12	4PR	Kenda K365	TT	Tyre	332062	620	154	325	16	1.75	4.00
6.5/80-12	4PR	ST-45	TT	Tyre	134642	588	163	490		2.40	5.00
	6PR	ST-45	TT	Tyre	356716	588	163	650		3.60	5.00
7.00-12	95/83A8 (6PR)	STARCO AS Dumper II	TL	Tyre	371061	685	198	690	40	3.10	5.00
11.0/65-12	114/101A6 (8PR)	ST-44	TL	Tyre	370293	700	273	1180	30	2.90	9.75
23x8.50-12	4PR	Carlisle Tru Power	TL	Tyre	264998	569	208	507	16	1.52	7.00
	4PR	Trelleborg T463	TL	Tyre	125602	569	217	650	30	2.40	7.00I
	84A3 (4PR)	ST-45	TL	Tyre	126098	574	213	500	15	1.50	7.00
	6PR	ST-45	TL	Tyre	278384	574	213	650	15	2.30	7.00
	10PR	Trelleborg T463	TL	Tyre	190235	572	210	1042	30	3.70	7.00
23x10.50-12	4PR	ST-45	TL	Tyre	133904	584	236	280	40	1.40	8.50
	4PR	Carlisle Tru Power	TL	Tyre	264950	592	254	610	16	1.38	8.50I
	4PR	Trelleborg T463	TL	Tyre	125565	579	264	740	30	2.00	8.50I
	6PR	ST-45	TL	Tyre	133911	592	244	800	30	2.25	8.50
	91A5 (8PR)	ST-45	TL	Tyre	314259	570	263	615	25	1.40	8.5
24x12.00-12	4PR	Carlisle AT101 Chevron	TL	Tyre	265070	605	310	774	16	1.40	8.50I
	99A3 (4PR)	Kenda K472 Chevron Bar	TL	Tyre	270975	600	302	775	15	1.40	8.50
26x12.00-12	4PR	ST-45	TL	Tyre	132372	645	295	809	30	1.40	10.50
	4PR	Trelleborg T411	TL	Tyre	125664	662	318	545	30	2.00	10.50I
	4PR	Trelleborg T463	TL	Tyre	125657	639	317	930	30	2.70	10.50I
	6PR	Carlisle Tru Power	TL	Tyre	265230	650	312	1024	16	2.07	8.50I
	8PR	Trelleborg T463	TL	Tyre	151137	658	322	1390	30	3.40	10.50
	102A8 (8PR)	ST-45	TL	Tyre	132389	648	307	850	40	3.30	10.50I
	10PR	ST-45	TL	Tyre	134079	665	290	1400	40	3.60	10.50

>>>



STARCO AS Dumper II

Trelleborg T63

Carlisle Tru Power
Titan Tru Power

BKT Tracmaster AS

Bridgestone FSLM

Carlisle AT101 Chevron

COMPACT TRACTORS - SINGLE AXLE TRACTORS ETC.

Traction tyres

      											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
14"											
4.50-14	4PR	ST-45	TT	Tyre	134536	600	124	185	25	1.00	3.00
5-14	4PR	Bridgestone FSLM	TT	Tyre	132778	605	128	250	16	2.50	4.00JA
6-14	4PR	ST-44	TT	Tyre	290522	655	157	300	30	2.00	5
	4PR	Bridgestone FSLM	TT	Tyre	134895	653	155	305	16	2.00	5.00JA
6.00-14	6PR	ST-44	TT	Tyre	271859	674	167	487	40	2.90	4.50
7-14	4PR	ST-44	TT	Tyre	290539	690	170	375	30	1.80	5
	4PR	Bridgestone FSLM	TT	Tyre	134901	687	170	370	16	1.80	5.00JA
15"											
5.00-15	6PR	ST-45	TT	Tyre	152677	655	140	560		3.50	4.00
6.5/80-15	6PR	ST-45	TT	Tyre	134666	678	163	750	30	3.60	5.00
7.5L-15	8PR	ST-44	TT	Tyre	376752	765	210	1215	40	5.00	6
29x12.50-15	4PR	Trelleborg T411	TT	Tyre	125701	742	310	880	16	1.40	10.00LB
	6PR	Carlisle Tru Power	TL	Tyre	265292	744	295	748	50	2.07	10.00
29x13.50-15	4PR	Trelleborg T411	TT	Tyre	125718	742	351	960	16	1.40	10.00LB
31x15.50-15	8PR	BKT Tracmaster AS	TL	Tyre	366838	810	405	1250			13.00
	8PR	Carlisle Tru Power	TL	Tyre	265315	798	384	1256	16	3.10	13.00
	8PR	Trelleborg T412	TL	Tyre	261492	810	380	1400	30	3.20	13.00
	121/117B (10PR)	ST-45	TL	Tyre	271842	792	391	1450	50	4.10	13
185/65-15	89A6/85A8 (4PR)	ST-44	TL	Tyre	370347	640	185	580	30	2.80	
240/70-15 28x9.00-15	6PR	Conti AC30	TT	Tyre	309378	710	234				
400/50-15 31x15.5-15	121/108A8 (10PR)	STARCO AS Dumper II	TL	Tyre	363790	780	380	1450	40	3.00	13.00
690x180-15	100A8	Trelleborg Traction	TL	Tyre	268934	685	179	800	40	3.30	4.50E
15.3"											
255/75-15.3 10.0/75-15.3	119/107A8	STARCO AS Dumper	TL	Tyre	137865	760	264	1360	40	3.10	9.00
295/80-15.3	131/119A8 (10PR)	STARCO AS Dumper	TL	Tyre	137902	845	290	1950	40	3.40	9.00
16"											
4.00-16	2PR	Conti AS Farmer	TL	Tyre	134482	628	114	260	30	1.50	3.00
6.00-16	6PR	ST-44	TT	Tyre	137940	735	169	690	30	2.75	4.50
	8PR	ST-44	TT	Tyre	309026	725	170	925	30	4.00	4.50
7-16	4PR	ST-44	TT	Tyre	290546	740	183	387	30	1.60	6
	4PR	Bridgestone FSLM	TT	Tyre	134918	738	179	405	16	1.90	5.00JA
7.50-16	8PR	ST-44	TT	Tyre	137971	805	200	850	40	3.70	6.00
8-16	4PR	Bridgestone FSLM	TT	Tyre	132877	785	197	475	16	1.60	5.00JA
	6PR	ST-44	TT	Tyre	290553	785	200	615	30	1.90	6

TRELLEBORG

CARLISLE

KENDA

STARCO



Carlisle Trac Chef

Carlisle Trac Chef

Conti AC30

Conti AS Farmer



Trelleborg T411

Trelleborg T412

Trelleborg T463

Trelleborg Traction

Kenda K365

Kenda K378

Kenda K472 Chevron Bar

COMPACT TRACTORS - SINGLE AXLE TRACTORS ETC.

Traction tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
16"											
9.5-16	6PR	Carlisle Farm Specialist R-1	TL	Tyre	367286	851	254	732		2.10	8
12.4-16	4PR	Bridgestone FSLM	TT	Tyre	201559						
	6PR	Titan Tru Power	TL	Tyre	370484	958	315	827	16	1.70	11
16.1"											
35x19.00-16.1	12PR	Titan Flo Trac Lug	TL	Tyre	132259	889	452	1900	50	3.80	16
16.5"											
35x12.00-16.5	4PR	Titan Tru Power	TL	Tyre	370491	886	300	1114	16	1.70	9.75
17"											
19.0/45-17	144A8 (14PR)		TL	Tyre	387918	865	465	2800	40	2.80	16
380/55-17	138/125A8 (12PR)	STARCO AS Dumper	TL	Tyre	259642	870	370	2360	40	2.80	13.00
18"											
7.50-18	8PR	ST-44	TT	Tyre	309064	838	209	1400	30	4.25	5.50F
8-18	4PR	Bridgestone FSLM	TT	Tyre	132891	840	207	515	16	1.60	6.00W
	85A6 (4PR)	Bridgestone FSLH	TT	Tyre	387222	840	197	515	30	1.60	W6
	6PR	ST-44	TT	Tyre	290560	840	200	670	30	1.90	6
315/80-18 12.5/80-18	148/136A8 (16PR)	STARCO AS Dumper	TL	Tyre	146683	1001	298	3150	40	4.90	11.00
	148/135A8 (16PR)	STARCO AS Dumper II	TL	Tyre	293110	990	313	3150	40	4.30	9.00
425/50-18	150/134A8	STARCO AS Dumper II	TL	Tyre	334189	882	410	3350	40	3.50	14.00
20"											
7.50-20	6PR	ST-44	TT	Tyre	317076	910	205	760	40	2.10	5.50F
8.00-20	6PR	ST-44	TT	Tyre	386911	965	235	925	30	2.10	6
8.3-20	96A6 (6PR)	ST-44	TT	Tyre	386928	890	211			2.40	7.00
9.5-20	6PR	ST-44	TT	Tyre	290614	955	240	850	30	2.20	8
405/70-20	154/142A8 (14PR)	STARCO AS Dumper	TL	Tyre	146690	1099	399	3750	40	3.50	13.00
22"											
9.5-22	6PR	ST-44	TT	Tyre	290638	1000	245	900	30	2.20	8
24"											
8.3-24	108A6 (8PR)	Starmaxx TR-60	TT	Tyre	449609	995	211	1000	30	3.20	W7
9.5-24	8PR	Deestone D409	TT	Tyre	292427	1048	241	850	40	2.10	W8
	112A6 (8PR)	Starmaxx TR-60	TT	Tyre	449593	1050	241	1120	30	2.80	W8
11.2-24	125A5 (4PR)	Galaxy Gator Grip R-1	TL	Tyre	391120	1082	282	1650	25	1.20	10.00
	116A6 (8PR)	Starmaxx TR-60	TT	Tyre	449586	1105	284	1250	30	2.40	W10
12.4-24	115A6 (6PR)	Starmaxx TR-60	TT	Tyre	449555	1160	315	1215	30	1.70	W11
13.6-24	123A6 (8PR)	Starmaxx TR-60	TT	Tyre	449548	1200	345	1550	30	2.00	DW12
14.9-24	123A6 (6PR)	Starmaxx TR-60	TT	Tyre	449562	1265	378	1550	30	1.40	W13

KENDA **CARLISLE** **starmaxx®** **STARCO**

GALAXY



STARCO MP Dumper II



Bridgestone FSLM

Carlisle Farm Specialist R-1

Deestone D409

Galaxy Gator Grip R-1

Starmaxx TR-60

Titan Flo Trac Lug

Titan Tru Power

TRACTOR - 2WD


Front tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
10"											
4.00-10	4PR	ST-32	TR13	Set	299181	472	107	280	40	3.50	3.00
12"											
4.00-12	4PR	ST-32	TT	Tyre	134437	536	119	300	40	2.80	3.00
	6PR	ST-32	TL	Tyre	356235	525	112	385		4.25	3.00
15"											
5.00-15	6PR	ST-32	TT	Tyre	231563	668	161	425	40	2.80	5.50
	6PR	ST-34	TT	Tyre	291260	655	142	355	40	3.80	4
7.5L-15SL	6PR	Carlisle Farm Specialist F2	TT	Tyre	366449	739	203	649	30	3.00	6
16"											
4.00-16	2PR	Conti T7	TT	Tyre	309163						
4.50-16	4PR	ST-34	TT	Tyre	291284	655	122	290	40	3.10	3
5.00-16	6PR	ST-34	TT	Tyre	291291	680	140	400	40	4.20	4
5.50-16	6PR	ST-32	TT	Tyre	278377	732	160	475	40	3.80	4.50
	6PR	ST-34	TT	Tyre	134598	720	158	425	40	3.70	4
6.00-16	6PR	ST-32	TT	Tyre	138060	724	175	690	40	3.25	4.50
	6PR	ST-34	TT	Tyre	134611	752	167	560	30	3.30	4.00
	88A6/80A8 (6PR)	Galaxy 303	TT	Tyre	467283	735	165	560	30	3.30	4.50E
6.50-16	6PR	ST-32	TT	Tyre	134673	760	175	615	40	3.10	5.50
	91A6 (6PR)	ST-34	TT	Tyre	134680	760	175	615	30	3.10	4.50
7.50-16	6PR	ST-34	TT	Tyre	291338	820	205	600	40	2.80	5,5
	8PR	ST-32	TT	Tyre	138084	821	209	875	40	2.70	6.00
9.00-16	10PR	ST-32	TT	Tyre	138114	871	226	1250	40	3.90	6.00
10.00-16	8PR	ST-32	TT	Tyre	138008	917	251	1215	40	2.80	6.5
	10PR	ST-32	TT	Tyre	278353	917	251	1320	40	3.30	6.50
11.00-16	8PR	ST-32	TT	Tyre	138015	963	287	1320	40	2.50	10.00
18"											
7.50-18	8PR	ST-32	TT	Tyre	138091	866	218	1215	40	3.30	6.00
	8PR	ST-34	TT	Tyre	134949	857	205	945	30	3.70	5.50
19"											
4.00-19	4PR	ST-32	TT	Tyre	138022	720	114	280	40	3.40	3.00
	6PR	ST-32	TT	Tyre	356419	712	112	445		4.80	3.00
6.00-19	6PR	ST-34	TT	Tyre	134628	814	165	515	40	3.30	4,5
	8PR	ST-32	TT	Tyre	137957	823	178	775	40	4.50	4.00
20"											
6.50-20	6PR	ST-34	TT	Tyre	291376	865	175	580	40	3.10	4,5
7.50-20	6PR	ST-34	TT	Tyre	134765	915	205	710	40	2.80	5,5

GALAXY **CARLISLE**



Did you know...
That STARCO every year extends it's products range within Agricultural, Horticultural and Industrial segments



Conti T7

Carlisle Farm Specialist F2

Galaxy 303

RADIAL TYRES 80- AND 85-SERIES

Galaxy Earth-Pro Radial R-1W

												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	mm	kg	km/h	bar	
20"												
280/85R20	112A8/112B	Galaxy Earth-Pro R-1W	TL Tyre		494500	984	288	2913	1120	40	1.60	W10
320/85R20	119A8/119B	Galaxy Earth-Pro R-1W	TL Tyre		508009	1045	329	3093	1360	40	1.60	W11
24"												
250/85R24	109A8/109B	Galaxy Earth-Pro R-1W	TL Tyre		508016	1036	246	3067	1030	40	1.60	W8
280/85R24 ^{11.2R24}	115A8/115B	Galaxy Earth-Pro R-1W	TL Tyre		443331	1090	270	3255	1215	40	1.60	W10
320/85R24 ^{12.4R24}	122A8/122B	Galaxy Earth-Pro R-1W	TL Tyre		443423	1148	336	3456	1500	40	1.60	W11
340/85R24 ^{13.6R24}	125A8/125B	Galaxy Earth-Pro R-1W	TL Tyre		443430	1181	356	3561	1650	40	1.60	W12
380/85R24 ^{14.9R24}	131A8/131B	Galaxy Earth-Pro R-1W	TL Tyre		443447	1252	386	3768	1950	40	1.60	W12
420/85R24 ^{16.9R24}	137A8/137B	Galaxy Earth-Pro R-1W	TL Tyre		443454	1324	418	3881	2300	40	1.60	W15
28"												
280/85R28	118A8/118B	Galaxy Earth-Pro R-1W	TL Tyre		508030	1190	280	3554	1320	40	1.60	W9
320/85R28 ^{12.4R28}	124A8/124B	Galaxy Earth-Pro R-1W	TL Tyre		443461	1246	325	3765	1600	40	1.60	W11
340/85R28 ^{13.6R28}	127A8/127B	Galaxy Earth-Pro R-1W	TL Tyre		443478	1295	360	3867	1750	40	1.60	W12
380/85R28 ^{14.9R28}	133A8/133B	Galaxy Earth-Pro R-1W	TL Tyre		443485	1357	380	4071	2060	40	1.60	W12
420/85R28 ^{16.9R28}	139A8/139B	Galaxy Earth-Pro R-1W	TL Tyre		443492	1425	418	4148	2430	40	1.60	W15
30"												
380/85R30 ^{14.9R30}	135A8/135B	Galaxy Earth-Pro R-1W	TL Tyre		443508	1408	380	4118	2180	40	1.60	W12
420/85R30 ^{16.9R30}	140A8/140B	Galaxy Earth-Pro R-1W	TL Tyre		390536	1468	432	4325	2500	40	1.60	W15
460/85R30 ^{18.4R30}	145A8/145B	Galaxy Earth-Pro R-1W	TL Tyre		443515	1534	475	4632	2900	40	1.60	W16
32"												
320/85R32	126A8/126B	Galaxy Earth-Pro R-1W	TL Tyre		508047	1357	325	4017	1700	40	1.60	W11
34"												
380/85R34	137A8/137B	Galaxy Earth-Pro R-1W	TL Tyre		478821	1510	380	4455	2300	40	1.60	W12
420/85R34 ^{16.9R34}	142A8/142B	Galaxy Earth-Pro R-1W	TL Tyre		443522	1585	420	4611	2650	40	1.60	W15
460/85R34 ^{18.4R34}	147A8/147B	Galaxy Earth-Pro R-1W	TL Tyre		443539	1637	479	4846	3075	40	1.60	W16
36"												
320/85R36	128A8/128B	Galaxy Earth-Pro R-1W	TL Tyre		508078	1458	325	4316	1800	40	1.60	W11
340/85R36	132A8/132B	Galaxy Earth-Pro R-1W	TL Tyre		508092	1495	345	4425	2000	40	1.60	W12
38"												
340/85R38 ^{13.6R38}	133A8/133B	Galaxy Earth-Pro R-1W	TL Tyre		443546	1543	345	4625	2060	40	1.60	W12
380/80R38	142A8/142B	Galaxy Earth-Pro R-1W	TL Tyre		508108	1578	375	4721	2650	40	2.40	W12
420/85R38 ^{16.9R38}	144A8/144B	Galaxy Earth-Pro R-1W	TL Tyre		443553	1680	415	5002	2800	40	1.60	W15
460/85R38 ^{18.4R38}	149A8/149B	Galaxy Earth-Pro R-1W	TL Tyre		443560	1747	455	5241	3250	40	1.60	W16
520/85R38 ^{20.8R38}	155A8/155B	Galaxy Earth-Pro R-1W	TL Tyre		443577	1850	525	5547	3875	40	1.60	DW16
42"												
320/80R42	141A8/141B	Galaxy Earth-Pro R-1W	TL Tyre		508115	1580	319	4676	2575	40	3.20	W10
480/80R42	151A8/151B	Galaxy Earth-Pro R-1W	TL Tyre		443584	1835	479	5396	3450	40	1.60	DW16
520/85R42 ^{20.8R42}	157A8/157B	Galaxy Earth-Pro R-1W	TL Tyre		390192	1951	516	5724	4125	40	1.60	DW16
46"												
320/90R46	148A8/148B	Galaxy Earth-Pro R-1W	TL Tyre		508146	1744	319	5258	3150	40	3.60	W10
380/90R46	165A8/165B	Galaxy Earth-Pro R-1W	TL Tyre		508153	1863	380	5514	5150	40	4.90	W12
480/80R46	158A8/158B	Galaxy Earth-Pro R-1W	TL Tyre		443591	1936	479	5816	4250	40	1.60	DW16
520/85R46 ^{20.8R46}	158A8/158B	Galaxy Earth-Pro R-1W	TL Tyre		443607	2049	516	6024	4250	40	1.60	DW16

GALAXY



Galaxy Earth-Pro
Radial R-1W

GALAXY EARTH-PRO RADIAL R-1W

Galaxy tyres are engineered for maximum performance in the demanding agricultural workplace. Easy on the environment, but tough on the job!

Galaxy Earth Pro R-1W offers premium tread depths and a modernly designed radial carcass construction.



- ▶ Steep angle in center for smooth ride, long wear and mud clearing
- ▶ Shallow angle at shoulder, for high traction
- ▶ Improved hillside stability
- ▶ Highly versatile, modern design
- ▶ Pads between lugs act as mud breakers
- ▶ Reinforced lug and bead areas
- ▶ Improved tread compound
- ▶ Full R-1W tread depth, for high grip and long lifetime
- ▶ Excellent cost efficiency

GALAXY

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

RADIAL TYRES 70-SERIES

Galaxy Earth-Pro Radial R-1W

												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	mm	kg	km/h	bar	
20"												
280/70R20	116A8/116B	Galaxy Earth-Pro R-1W	TL	Tyre	508160	912	278	2706	1250	40	2.40	W10
24"												
320/70R24	116A8/116B	Galaxy Earth-Pro R-1W	TL	Tyre	443614	1094	319	3250	1250	40	1.60	W10
360/70R24	122A8/122B	Galaxy Earth-Pro R-1W	TL	Tyre	444918	1152	357	3424	1500	40	1.60	W11
380/70R24	125A8/125B	Galaxy Earth-Pro R-1W	TL	Tyre	444970	1190	380	3523	1650	40	1.60	W12
420/70R24	130A8/130B	Galaxy Earth-Pro R-1W	TL	Tyre	444987	1248	418	3675	1900	40	1.60	W13
28"												
320/70R28	119A8/119B	Galaxy Earth-Pro R-1W	TL	Tyre	443621	1189	319	3551	1360	40	1.60	W10
360/70R28	125A8/125B	Galaxy Earth-Pro R-1W	TL	Tyre	443638	1251	357	3722	1650	40	1.60	W11
380/70R28	127A8/127B	Galaxy Earth-Pro R-1W	TL	Tyre	443645	1293	380	3837	1750	40	1.60	W12
420/70R28	133A8/133B	Galaxy Earth-Pro R-1W	TL	Tyre	443652	1349	418	3991	2060	40	1.60	W13
480/70R28	140A8/140B	Galaxy Earth-Pro R-1W	TL	Tyre	443669	1421	479	4188	2500	40	1.60	W15
30"												
420/70R30	134A8/134B	Galaxy Earth-Pro R-1W	TL	Tyre	443676	1398	418	4146	2120	40	1.60	W13
480/70R30	141A8/141B	Galaxy Earth-Pro R-1W	TL	Tyre	443683	1478	479	4365	2575	40	1.60	W15
520/70R30	145A8/145B	Galaxy Earth-Pro R-1W	TL	Tyre	443690	1536	516	4525	2900	40	1.60	W16
34"												
480/70R34	143A8/143B	Galaxy Earth-Pro R-1W	TL	Tyre	443706	1580	479	4686	2725	40	1.60	W15
520/70R34	148A8/148B	Galaxy Earth-Pro R-1W	TL	Tyre	444994	1640	516	4872	3150	40	1.60	W16
38"												
480/70R38	145A8/145B	Galaxy Earth-Pro R-1W	TL	Tyre	443713	1681	479	5005	2900	40	1.60	W15
520/70R38	150A8/150B	Galaxy Earth-Pro R-1W	TL	Tyre	443720	1749	516	5191	3350	40	1.60	W16
580/70R38	155A8/155B	Galaxy Earth-Pro R-1W	TL	Tyre	443737	1827	577	5406	3875	40	1.60	W18
710/70R38	171A8/171B	Galaxy Earth-Pro R-1W	TL	Tyre	508177	1958	716	5768	6150	40	2.40	DW23
42"												
710/70R42	173A8/173B	Galaxy Earth-Pro R-1W	TL	Tyre	508184	2050	716	6080	6500	40	2.40	DW23

GALAXY



Did you know...

That STARCO GS has the most efficient and reliable dual wheels system



Galaxy Earth-Pro
Radial R-1W

RADIAL TYRES 70-SERIES

Starmaxx TR-110

												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	mm	kg	km/h	bar	
16"												
240/70R16	104A8/101B	Starmaxx TR-110	TL	Tyre	444192	742	244	2219	900	40	2.40	W8
260/70R16	109A8/106B	Starmaxx TR-110	TL	Tyre	444208	770	258	2302	1030	40	1.60	W8
280/70R16	112A8/112B	Starmaxx TR-110	TL	Tyre	442891	805	282	2390	1120	40	2.40	W9
18"												
280/70R18	114A8/114B	Starmaxx TR-110	TL	Tyre	454054	849	282	2568	1180	40	2.40	W9
20"												
320/70R20	113A8/113B	Starmaxx TR-110	TL	Tyre	450735	983	318	2919	1150	40	1.60	W10
360/70R20	117B	Starmaxx TR-110	TL	Tyre	450766	1042	357	3116	1285	50	1.90	11
24"												
360/70R24	122A8/119B	Starmaxx TR-110	TL	Tyre	444215	1152	357	3433	1500	40	1.60	W11
380/70R24	125A8/125B	Starmaxx TR-110	TL	Tyre	442815	1190	380	3562	1650	40	1.90	W12
34"												
480/70R34	143A8/140B	Starmaxx TR-110	TL	Tyre	442808	1580	480	4708	2725	40	1.90	W15L

 **starmaxx®**

RADIAL TYRES 65-SERIES

Starmaxx TR-110

												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	mm	kg	km/h	bar	
24"												
440/65R24	125B	Starmaxx TR-110	TL	Tyre	450957	1184	440	3552	1650	50	1.90	14
480/65R24 ^{14.9R24}	133D/136A8	Starmaxx TR-110	TL	Tyre	458694	1236	475	3716	2060	65	1.60	W15
540/65R24 ^{16.9R24}	140D/143A8	Starmaxx TR-110	TL	Tyre	458700	1310	530	3930	2500	65	1.60	W16
28"												
440/65R28	131A8/128B	Starmaxx TR-110	TL	Tyre	454092	1284	440	3866	1950	40	1.90	DW14L
480/65R28 ^{14.9R28}	136D/139A8	Starmaxx TR-110	TL	Tyre	458717	1337	475	4035	2240	65	1.60	W15
540/65R28 ^{16.9R28}	149D/152A8	Starmaxx TR-110	TL	Tyre	458724	1412	530	4248	3250	65	2.40	W16
30"												
540/65R30 ^{16.9R30}	150D/153A8	Starmaxx TR-110	TL	Tyre	458731	1461	530	4390	3350	65	2.40	W16
34"												
540/65R34 ^{16.9R34}	145D/148A8	Starmaxx TR-110	TL	Tyre	458748	1568	530	4698	2900	65	1.60	W16
600/65R34 ^{18.4R34}	151D/154A8	Starmaxx TR-110	TL	Tyre	458755	1646	586	4897	3450	65	1.60	DW20
38"												
540/65R38 ^{16.9R38}	147D/150A8	Starmaxx TR-110	TL	Tyre	458762	1672	530	4966	3075	65	1.60	W16
600/65R38 ^{18.4R38}	159D/162A8	Starmaxx TR-110	TL	Tyre	458779	1747	586	5229	4375	65	2.40	DW20
650/65R38 ^{20.8R38}	163D/166A8	Starmaxx TR-110	TL	Tyre	458786	1841	652	5510	4875	65	2.40	DW20

 **starmaxx®**



Starmaxx TR-110

DIAGONAL TYRES

        												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	mm	kg	km/h	bar	
16"												
6.50-16	91A6	Starmaxx TR-60	TT	Tyre	483733	760	175		615	30	3.10	4.50E
24"												
11.2-24	116A6 (8PR)	Starmaxx TR-60	TT	Tyre	449586	1105	284	3293	1250	30	2.40	W10
12.4-24	115A6 (6PR)	Starmaxx TR-60	TT	Tyre	449555	1160	315	3457	1215	30	1.70	W11
	128A6 (12PR)	Starmaxx TR-60	TT	Tyre	487168	1160	315	3457	1800	30	3.50	W11
13.6-24	123A6 (8PR)	Starmaxx TR-60	TT	Tyre	449548	1200	345	3576	1550	30	2.00	DW12
14.9-24	123A6 (6PR)	Starmaxx TR-60	TT	Tyre	449562	1265	378	3770	1550	30	1.40	W13
26"												
18.4-26	146A6 (12PR)	Starmaxx TR-60	TT	Tyre	449531	1450	467	4321	3000	30	2.30	W16
28"												
11.2-28	118A6 (8PR)	Starmaxx TR-60	TT	Tyre	449579	1205	284	3591	1320	30	2.40	W10
12.4-28	117A6 (6PR)	Starmaxx TR-60	TT	Tyre	449524	1260	315	3755	1285	30	1.70	W11
13.6-28	121A6 (6PR)	Starmaxx TR-60	TT	Tyre	449517	1310	345	3904	1450	30	16.00	W11
14.9-28	125A6 (6PR)	Starmaxx TR-60	TT	Tyre	449500	1365	378	4068	1650	30	1.40	W13
16.9-28	135A6 (8PR)	Starmaxx TR-60	TT	Tyre	449494	1435	429	4276	2180	30	1.70	W15

>>>



DIAGONAL TYRES

												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	mm	kg	km/h	bar	
30"												
14.9-30	131A6 (8PR)	Starmaxx TR-60	TT	Tyre	449487	1415	378	4217	1950	30	1.80	W13
16.9-30	137A6 (8PR)	Starmaxx TR-60	TT	Tyre	449470	1485	429	4425	2300	30	1.70	W15
18.4-30	134A6 (6PR)	Starmaxx TR-60	TT	Tyre	449463	1550	467	4619	2120	30	1.10	W16
32"												
12.4-32	124A6 (8PR)	Starmaxx TR-60	TT	Tyre	449456	1360	315	4053	1600	30	2.30	W11
34"												
16.9-34	139A6 (8PR)	Starmaxx TR-60	TT	Tyre	449449	1585	429	4723	2430	30	1.70	W15
	148A6 (14PR)	Starmaxx TR-60	TT	Tyre	487151	1585	429	4723	3150	30	2.40	W15
18.4-34	141A6 (8PR)	Starmaxx TR-60	TT	Tyre	449432	1650	467	4917	2575	30	1.40	W16
	156A6 (14PR)	Starmaxx TR-60	TT	Tyre	487144	1650	467	4917	4000	30	2.40	W16
36"												
12.4-36	126A6 (8PR)	Starmaxx TR-60	TT	Tyre	449425	1465	315	4366	1700	30	2.30	W11
13.6-36	125A6 (6PR)	Starmaxx TR-60	TT	Tyre	449418	1515	345	4515	1650	30	1.60	W12
38"												
13.6-38	131A6 (8PR)	Starmaxx TR-60	TT	Tyre	449401	1565	345	4664	1950	30	2.00	W12
16.9-38	141A6 (8PR)	Starmaxx TR-60	TT	Tyre	449395	1685	429	5021	2575	30	1.70	W15
18.4-38	143A6 (8PR)	Starmaxx TR-60	TT	Tyre	449388	1750	467	5215	2725	30	1.40	W16

starmaxx®

DEESTONE



Did you know...
That STARCO also develops tyres inhouse - eg. SG Flotation, ALPTRAK, TURF TRAK and others



Starmaxx TR-60

TELEHANDLERS

Tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
18"											
12.5/80-18	14PR	Galaxy Super High Lift	TL	Tyre	458410	978	307	2120	40	4.20	9
19.5"											
455/65-19.5 18-19.5	162/150B (16PR)	STARCO MP Dumper II	TL	Tyre	300641	1095	445	4750	50	4.20	13.00
20"											
405/70-20	154/142A8 (14PR)	STARCO AS Dumper	TL	Tyre	146690	1099	399	3750	40	3.50	13.00
22.5"											
15-22.5	12PR	Galaxy Beefy Baby	TL	Tyre	458601	1092	389	5275	10	5.50	12.25
	20PR	Galaxy Beefy Baby	TL	Tyre	458618	1090	386	6530	7	8.60	11.75
18-22.5	18PR	Galaxy Beefy Baby	TL	Tyre	458625	1171	452	4300	40	5.20	14
500/60-22.5	165/152A8	STARCO MP Dumper II	TL	Tyre	293103	1172	516	5150	40	3.40	16.00
	161/149A8 (12PR)	STARCO MP Dumper	TL	Tyre	266435	1168	489	4625	40	2.20	AG16.00
550/55-22.5	166/154A8	STARCO MP Dumper II	TL	Tyre	293097	1192	537	5300	40	2.80	16.00
24"											
13.00-24	14PR	Galaxy Giraffe XLW L-2	TL	Tyre	458564	1282	349	6300	10	5.50	8
15.5/80-24	12PR	ST-70	TL	Tyre	380926	1234	409	2900	40	3.00	13.00
	12PR	Galaxy Super High Lift	TL	Tyre	458588	1240	394	2900	30	3.00	W12
17.5L-24	12PR	Galaxy Super High Lift	TL	Tyre	458595	1265	445	3450	40	2.70	DW15
405/70-24	152/140B (14PR)	ST-44	TL	Tyre	261881	1189	397	3550	50	3.50	13.00
25"											
15.5-25	12PR	Galaxy Giraffe XLW L-2	TL	Tyre	458571	1277	394	2649	40	4.00	12

GALAXY STARCO



GALAXY GIRAFFE XLW

- ▶ Wide, flat tread design - superior stability and wear
- ▶ Solid centre - for good on road performance and tread life
- ▶ Open shoulder area - good traction in off road conditions
- ▶ Versatile / multi surface tyre





STARCO AS DUMPER

- ▶ High quality
- ▶ Long lifetime
- ▶ Cost effective
- ▶ Excellent traction and self cleaning
- ▶ For dumpers, loaders, digger-loaders etc.



STARCO
AS Dumper

STARCO MP DUMPER

- ▶ High quality
- ▶ Long lifetime
- ▶ Cost effective
- ▶ Multi purpose use
- ▶ Improved tread wear on hard ground and roadways
- ▶ For dumpers, loaders, digger-loaders etc.



STARCO
MP Dumper

GALAXY BEEFY BABY R-4

- ▶ Most durable R4 tyre on the market
- ▶ Lowest "cost per hour" of any R4 tyre available
- ▶ Side wall and rim shield protectors
- ▶ Wear resistant compound



GALAXY SUPER HIGH LIFT R-1

- ▶ Heavy lug R-1 design – toughness of a construction tyre combined with traction and self-cleaning of a tractor tyre
- ▶ Flat, wide tread for stability on backhoes and high-lifting loaders
- ▶ 45 degree design - smooth ride - good cleaning and traction on soft soils



SOK



DUAL WHEELS FOR TOOL CARRIERS, UTILITY VEHICLES, LIGHT TRUCKS ETC.

- ▶ Increased traction - improved vehicle performance and economy
- ▶ Reduced ground pressure - go further - conserve soil structure
- ▶ Improved stability - run safely on steep slopes
- ▶ Extended vehicle capabilities - get more out your investment
- ▶ Quick and easy fitment - save time and money
- ▶ "Plus" clamps - for quicker and easier adjustment of clamping tension



SWISS BASED PRODUCTION – HIGH QUALITY PROCESSES MAKE HIGH QUALITY PRODUCTS!

- ▶ CNC drilling and milling
- ▶ CNC spin forming
- ▶ Robot welding and plasma cutting
- ▶ High precision calibration
- ▶ Surface treatment processes including shotblasting and latest very high solids technology final coloured coat - ensuring a high quality and durable finish



NEED WHEELS TO SUIT YOUR ROW SPACING?
► We can supply you with wheels made to exactly match your requirements



ROW CROP CARE

Wheels and duals for all current row spacings

PRODUCT ADVANTAGES

- Tapered spacer rings - crops pass between the wheels undamaged - full yields
- Plus system - quick, precise and easy fitting and adjustment of clamping tension
- AW Light track - for use with existing wheels

BENEFITS OF ROW CROP DUALS

- Reduced ground pressure - no compression of plant or roots - increased yields
- Increased traction - reduced slippage - conserves the soil structure
- Potential for more working hours / increased time window



SWISS BASED PRODUCTION – HIGH QUALITY PROCESSES MAKE HIGH QUALITY PRODUCTS!

- CNC drilling and milling
- CNC spin forming
- Robot welding and plasma cutting
- High precision calibration
- Surface treatment processes including shotblasting and latest very high solids technology final coloured coat - ensuring a high quality and durable finish

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical



INDUSTRIAL

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical



Forklift Trucks - Pneumatic tyres	3.5-3.6
Forklift Trucks - Solid tyres	3.7-3.13
Skidsteer - Bobcat etc.	3.14-3.15
Small loaders - Dumpers etc.....	3.16-3.19
Excavators - Loaders - Backhoes - Graders etc.....	3.20-3.21
Telehandlers	3.22-3.23
Trucks - Military, Industrial etc.....	3.24
Container and Terminal.....	3.25

KENDA K610 KINETICS

- premium pneumatic forklift truck tyre



The K610 is a very tough, reliable tyre giving excellent value for money!

PRODUCT BENEFITS

- ▶ Designed to work long hours with total reliability
- ▶ Multiple layers of sidewall reinforcement - increasing resistance to impacts
- ▶ Centre of tread area has a large contact area - excellent steering stability and precision
- ▶ Excellent traction
- ▶ Shoulder areas have lower net to gross contact area - providing flexibility and ease of steering
- ▶ Extra carcass belt - improved and even footprint pressure, increased resistance to penetrations
- ▶ Excellent durability and longevity



KENDA

FORKLIFT TRUCKS

Pneumatic tyres - Premium quality

        												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	kg	km/h	bar	
8"												
5.00-8	10PR	Kenda K610 Kinetics	JS2	Set	272566	468	140	1415	1090	25	10.00	3.00
18x7-8 180/70-8	16PR	Kenda K610 Kinetics	JS2	Set	272573	462	168	2145	1650	25	10.00	4.33
9"												
6.00-9	12PR	Kenda K610 Kinetics	JS2	Set	272580	543	160	1885	1450	25	10.00	4.00
10"												
6.50-10	12PR	Kenda K610 Kinetics	JS2	Set	272597	590	182	2145	1650	25	9.00	5.00
23x9-10 225/75-10	20PR	Kenda K610 Kinetics	JS2	Set	272825	590	235	3445	2650	25	10.00	6.50
12"												
7.00-12	14PR	Kenda K610 Kinetics	TR75A	Set	272610	680	191	2755	2120	25	9.00	5.00
	16PR	Kenda K610 Kinetics	TR75A	Set	272627	680	191	2910	2240	25	10.00	5.00
23x10-12 250/60-12	20PR	Kenda K610 Kinetics	JS2	Set	272634	600	245	3770	2900	25	10.00	8.00
27x10-12 255/75-12	24PR	Kenda K610 Kinetics	JS2	Set	272658	685	250	5038	3875	25	10.35	8.00
15"												
7.00-15	14PR	Kenda K610 Kinetics	TR177A	Set	272665	756	200	3275	2520	25	8.80	5.50
7.50-15	16PR	Kenda K610 Kinetics	TR75A	Set	272672	785	215	3900	3000	25	10.00	6.00
8.15-15 225/75-15 + 28x9-15	14PR	Kenda K610 Kinetics	TR75A	Set	272689	710	230	3900	3000	25	10.00	7.00
8.25-15	14PR	Kenda K610 Kinetics	TR75A	Set	272696	841	247	4225	3250	25	8.00	7.00
250-15 250/70-15	20PR	Kenda K610 Kinetics	TR77A	Set	272702	742	240	5040	3875	25	10.00	7.00
300-15 315/70-15	20PR	Kenda K610 Kinetics	TR177A	Set	272719	840	290	6500	5000	25	9.00	8.00
16"												
7.50-16	12PR	Kenda K610 Kinetics	TR177A	Set	272726	805	215	3630	2790	25	8.00	6.00
20"												
9.00-20	14PR	Kenda K610 Kinetics	V3-02-22	Set	272733	1015	265	5850	4500	25	9.00	7.00
10.00-20	16PR	Kenda K610 Kinetics	V3-02-22	Set	272740	1080	294	6500	5000	25	9.00	7.50
11.00-20	18PR	Kenda K610 Kinetics	V3-02-22	Set	272757	1110	305	7800	6000	25	10.00	8.00
12.00-20	24PR	Kenda K610 Kinetics	V3-02-22	Set	272771	1145	325	9710	7470	25	10.35	8.50
24"												
12.00-24	24PR	Kenda K610 Kinetics	V3-02-22	Set	272795	1245	320	9750	7500	25	10.35	8.50
14.00-24	28PR	Kenda K610 Kinetics	V3-02-22	Set	272818	1360	380	12595		10	10.35	10.00

KENDA



Kenda K610 Kinetics

FORKLIFT TRUCKS

Pneumatic tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	kg	km/h	bar
8"											
4.00-8	8PR	ST-91	TR13	Set	388038	422	109	540	535	7.25	3.00D
5.00-8	8PR	ST-91	JS2	Set	388397	465	137	1080	832	16	8.10 3,00
15x4 1/2-8	12PR	ST-91 HD	JS2	Set	388168	385	122	800		25	10.00 3.25
18x7-8	16PR	ST-91	JS2	Set	388410	465	168	2145	1650	25	10.00 4.33R
9"											
6.00-9	10PR	ST-91	JS2	Set	388427	531	155	1689	1300	16	8.80 4.00
21x8-9	14PR	ST-91	JS2	Set	388441	552	170	2120	1800	25	10.00 6.00
10"											
6.50-10	10PR	ST-91	JS2	Set	388458	587	173	1920	1480	16	8.10 5,00
7.50-10	12PR	ST-91	JS2	Set	388465	655	208	2570	1980	16	8.50 5,50
12"											
7.00-12	14PR	ST-91	TR75A	Set	388557	678	188	2970	2285	16	10.20 5,00
13"											
21x4	4PR	Heidenau L28	TT	Tyre	147642	565	121	750	570	25	4.75 3.11F
23x5	8PR	Heidenau L28	TT	Tyre	147673	635	155	1400		25	7.50 3.75P
	10PR	ST-91	TT	Tyre	384818	563	155	1135		25	5.50 3.75
15"											
5.50-15	8PR	ST-91 HD	JS2	Set	388052	665	144	1780	1370	25	7.00 4.50E
6.00-15	10PR	ST-91 HD	JS2	Set	388090	697	157	2175	1675	25	8.25 4.50E
7.50-15	14PR	ST-91	TR77	Set	388595	775	201	3373	2595	16	9.20 6,00
8.25-15	14PR	ST-91	TR77	Set	388663	856	239	4266	3280	16	8.50 6,5

HEIDENAU



Did you know...

That STARCO has established it's own solid tyre production in Sri Lanka



Heidenau L28

FORKLIFT TRUCKS Solid tyres - Premium quality



Dimension	Tread pattern	57 07562+	mm	mm	kg	kg	km/h
8"							
4.00-8	STARCO Tusker	271361	400	102	950	730	25 3.00
	STARCO Tusker NonMark	271675	400	102	950	730	25 3.00
5.00-8	STARCO Tusker	271200	448	120	1400	1090	25 3.00
	STARCO Tusker NonMark	271514	448	120	1400	1090	25 3.00
	STARCO Tusker EasyFit	271217	448	120	1400	1090	25 3.00
	STARCO Tusker EasyFit NonMark	271521	448	120	1400	1090	25 3.00
15x4 1/2-8	STARCO Tusker	271378	377	114	1030	800	25 3.00
	STARCO Tusker NonMark	271682	377	114	1030	800	25 3.00
	STARCO Tusker EasyFit	271385	377	114	1030	800	25 3.00
	STARCO Tusker EasyFit NonMark	271699	377	114	1030	800	25 3.00
16x6-8	STARCO Tusker	271392	419	149	1450	1120	25 4.33
	STARCO Tusker NonMark	271705	419	149	1450	1120	25 4.33
	STARCO Tusker EasyFit	271408	419	149	1450	1120	25 4.33
	STARCO Tusker EasyFit NonMark	271712	419	149	1450	1120	25 4.33
18x7-8	STARCO Tusker	271224	452	153	2120	1650	25 4.33
	STARCO Tusker NonMark	271538	452	153	2120	1650	25 4.33
	STARCO Tusker EasyFit	271231	452	153	2120	1650	25 4.33
	STARCO Tusker EasyFit NonMark	271545	452	153	2120	1650	25 4.33
9"							
6.00-9	STARCO Tusker	271248	517	143	1900	1450	25 4.00
	STARCO Tusker NonMark	271552	517	143	1900	1450	25 4.00
	STARCO Tusker EasyFit	271255	517	143	1900	1450	25 4.00
	STARCO Tusker EasyFit NonMark	271569	517	143	1900	1450	25 4.00
21x8-9	STARCO Tusker	271262	517	177	2725	2120	25 6.00
	STARCO Tusker NonMark	271576	517	177	2725	2120	25 6.00
	STARCO Tusker EasyFit	271279	517	177	2725	2120	25 6.00
	STARCO Tusker EasyFit NonMark	271583	517	177	2725	2120	25 6.00
10"							
6.50-10	STARCO Tusker	271286	572	163	2360	1800	25 5.00
	STARCO Tusker NonMark	271590	572	163	2360	1800	25 5.00
	STARCO Tusker EasyFit	271293	572	163	2360	1800	25 5.00
	STARCO Tusker EasyFit NonMark	271606	572	163	2360	1800	25 5.00
23x9-10	STARCO Tusker	271439	582	196	3450	2650	25 6.50
	STARCO Tusker NonMark	271729	582	196	3450	2650	25 6.50
	STARCO Tusker EasyFit	271446	582	196	3450	2650	25 6.50
	STARCO Tusker EasyFit NonMark	271736	582	196	3445	2650	25 6.50
200/50-10	STARCO Tusker	278254	455	193	2430	1900	25 6.50
	STARCO Tusker NonMark	278261	455	193	2430	1900	25 6.50
	STARCO Tusker EasyFit	278278	455	193	2430	1900	25 6.50
	STARCO Tusker EasyFit NonMark	278285	455	193	2430	1900	25 6.50

>>>

STARCO




STARCO Tusker

STARCO Tusker
NonMark

STARCO TUSKER

FLT solid tyres



PRODUCT BENEFITS

- ▶ High steering precision
- ▶ Increased endurance
- ▶ Low tyre stress
- ▶ Excellent shock absorption
- ▶ Better operator comfort
- ▶ STARCO engineered



THREE LAYER DESIGN

The excellent characteristics of the STARCO Tusker tyre lie in the three-layer design. These three layers work together resulting in a tyre that is perfect for fork lift truck applications.

1. Tread layer


Natural rubber compound - Wear and tear resistant - Reduced chunking and chipping - Low heat build up

2. Resilient layer

Low hysteresis compound - Optimal elasticity and shock absorption for a more comfortable ride - Low heat build up

3. Bead layer

Tough natural rubber compound - Integral steel bands and bead ring reinforcement



FORKLIFT TRUCKS

Solid tyres - Premium quality




Dimension	Tread pattern	57 07562+	mm	mm	kg	kg	km/h
12"							
7.00-12	STARCO Tusker	271309	645	175	2900	2240	25 5.00
	STARCO Tusker NonMark	271613	645	175	2900	2240	25 5.00
	STARCO Tusker EasyFit	271316	645	175	2900	2240	25 5.00
	STARCO Tusker EasyFit NonMark	271620	645	175	2900	2240	25 5.00
27x10-12	STARCO Tusker	272856	670	234	3875	3000	25 8.00
	STARCO Tusker NonMark	278193	670	236	3875	3000	25 8.00G
	STARCO Tusker EasyFit	278209	670	234	3875	3000	25 8.00
	STARCO Tusker EasyFit NonMark	278216	670	236	3875	3000	25 8.00G
15"							
8.25-15	STARCO Tusker	271347	785	215	4750	3650	25 6.50
	STARCO Tusker NonMark	271651	749	212	4750	3650	25 6.50
	STARCO Tusker EasyFit	271354	785	215	4750	3650	25 6.50
	STARCO Tusker EasyFit NonMark	271668	749	212	4750	3650	25 6.50
28x9-15	STARCO Tusker	271323	697	220	3750	2900	25 7.00
	STARCO Tusker NonMark	271637	697	220	3750	2900	25 7.00
	STARCO Tusker EasyFit	271330	697	220	3750	2900	25 7.00
	STARCO Tusker EasyFit NonMark	271644	693	221	3875	3000	25 7.00
250-15	STARCO Tusker	271415	720	225	4750	3750	25 7.00
	STARCO Tusker NonMark	271743	720	225	4750	3750	25 7.00
	STARCO Tusker EasyFit	271422	720	225	4750	3750	25 7.00
	STARCO Tusker EasyFit NonMark	271750	720	225	4750	3750	25 7.00
300-15	STARCO Tusker	272863	803	249	5800	4500	25 8.00
	STARCO Tusker NonMark	278223	803	249	5800	4500	25 8.00
	STARCO Tusker EasyFit	278230	803	249	5800	4500	25 8.00
	STARCO Tusker EasyFit NonMark	278247	803	249	5800	4500	25 8.00
355/65-15 32x12,1-15	STARCO Tusker	278292	813	295	7750	6000	25 9.75
	STARCO Tusker EasyFit	278315	811	300	7750	6000	25 9.75

STARCO

LARGE CONTACT AREA

The greater the area of the tyre surface that is in contact with the ground, the greater its load carrying capability. But a wide tyre without voids between the treads would be subjected to extreme stress when negotiating tight turns, resulting in excessive wear and tear.

The STARCO Tusker tyre has a higher net-to-gross contact area in the centre band of the tyre surface – resulting in a tyre that can carry heavy loads without undue stress on the rubber compounds, whilst offering the optimal manoeuvrability and steering precision.



STARCO Tusker

STARCO Tusker
NonMark

STARCO UNICORN

Solid tyres

TWO-LAYER DESIGN


The secret to the characteristics of the STARCO Unicorn tyre lies in the two-layer design. These two layers work together resulting in a tyre that has a perfect balance between service life per tyre and a high level of performance and comfort, making it the perfect single day shift tyre choice.

1. Tread layer

Natural rubber compound - Wear and tear resistant - Reduced chunking and chipping - Low heat build-up

2. Base layer



Tough natural rubber compound and bead-ring reinforcement



LARGE CONTACT AREA

Compared to other FLT tyres, STARCO Unicorn has a greater tread depth, reducing heat build-up and enhancing the inherent heat dissipation of the tyre. Similarly, a reduction of the number of open lugs and gaps, together with a square type shoulder design, gives the STARCO Unicorn tyre a higher net-to-gross ground contact ratio.

Open lugs give increased flexibility under load and maneuvering and promote better self-cleaning of the tyre in mud and snow conditions.



PRODUCT BENEFITS

- ▶ Designed as a Standard tyre
- ▶ Single-shift tyre – designed to perform
- ▶ Cost effective performance
- ▶ Good grip in rough environments
- ▶ High endurance
- ▶ Good shock absorption
- ▶ Good operator comfort
- ▶ STARCO engineered



Info & Technical

Wheels - Axles etc.

Tubes etc.

Various

Leisure and Fun

Trailer and Caravan

Turf - Ground care

Small tyres - Materials
handling etc.

Industrial

Agricultural

FORKLIFT TRUCKS

Solid tyres

      								
Dimension	Tread pattern	57 07562+	mm	mm	kg	kg	km/h	
4"								
3.00-4	ST-93	388823	250	85	260	195	25	2.10
	STARCO Makhna	289533	258	78	257	195	25	2.10
4.00-4	ST-93	388847	306	105	535	410	25	2.50C
	STARCO Makhna	289557	298	96	530	412	25	2.50
5"								
3.50-5	ST-93 NonMark	388878						2.50
8"								
4.00-8	STARCO Makhna	289571	397	102	950	730	25	3.00D
5.00-8	STARCO Unicorn	455419	442	111	1400	1090	25	3.00
	STARCO Unicorn EasyFit	455525	442	111	1400	1090	25	3.00
15x4 1/2-8	STARCO Unicorn	455518	370	110	1030	800	25	3.00
	STARCO Unicorn EasyFit	455341	370	110	1030	800	25	3.00
16x6-8	STARCO Unicorn	458052	415	140	1450	1120	25	4.33
	STARCO Unicorn EasyFit	458069	415	140	1450	1120	25	4.33
18x7-8	STARCO Unicorn	455426	443	145	2120	1650	25	4.33
	STARCO Unicorn EasyFit	455532	443	145	2120	1650	25	4.33
9"								
6.00-9	STARCO Unicorn	449135	513	132	1900	1450	25	4.00
	STARCO Unicorn EasyFit	448619	513	132	1900	1450	25	4.00
10"								
6.50-10	STARCO Unicorn	455556	565	153	2300	1800	25	5.00
	STARCO Unicorn EasyFit	455433	565	153	2300	1800	25	5.00
23x9-10	STARCO Unicorn	458076	573	185	3150	2430	25	6.50
	STARCO Unicorn EasyFit	458083	573	185	3150	2430	25	6.50
12"								
7.00-12	STARCO Unicorn	455457	630	168	2900	2240	25	5.00
	STARCO Unicorn EasyFit	455563	630	168	2900	2240	25	5.00
23x10-12 250/60-12	ST-93	389257	578	234	3770	2900	25	8.00
	ST-93 NonMark	389264	589	240	3600	2770	25	8.00G
	ST-93 EasyFit	389233	578	234	3770	2900	25	8.00
	ST-93 EasyFit NonMark	389240	589	240	3600	2770	25	8.00G
13"								
23x5	ST-93	389349	628	140	1495	1150	25	3.75P

>>>



Makhna

Unicorn

ST-93

ST-93

NonMark

FORKLIFT TRUCKS

Solid tyres




Dimension	Tread pattern	57 07562+	mm	mm	kg	kg	km/h
15"							
7.00-15	ST-93	389462	734	175	3545	2725	25 5.50
	ST-93 EasyFit	389455	734	175	3545	2725	25 5.5
	STARCO Unicorn	458090	728	176	3550	2725	25 5.50
	STARCO Unicorn EasyFit	458106	730	177	3550	2725	25 5.5
7.50-15	ST-93	389486	755	197	3900	3000	25 6.00
	ST-93 EasyFit	389479	755	197	3900	3000	25 6.0
	STARCO Unicorn	458113	760	200	3550	2725	25 5.5
	STARCO Unicorn EasyFit	458120	760	200	3550	2725	25 5.5
8.15-15 225/75-15	ST-93	389509	681	209	3770	2900	25 7.00
	ST-93 EasyFit	389493	681	209	3770	2900	25 7.00
28x9-15	STARCO Unicorn	455495	682	206	3450	2650	25 7
	STARCO Unicorn EasyFit	455570	682	206	3450	2650	25 7
250-15	STARCO Unicorn	455587	701	220	4750	3650	25 7
	STARCO Unicorn EasyFit	455501	701	220	4750	3650	25 7
300-15	STARCO Unicorn	458137	808	245	5800	4500	25 8.0
	STARCO Unicorn EasyFit	458168	808	245	5800	4500	25 8.0

STARCO




STARCO MAKHNA

- ▶ Low tyre stress
- ▶ High endurance
- ▶ Excellent shock absorption
- ▶ STARCO engineered



Standard fitment tyres fit on off-centre-split and centre-split rims.



EasyFit tyres fit on multi-piece basic rims - no lock ring, flange or advance band needed

SKIDSTEER - BOBCAT ETC.

Tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
12"											
23x8.50-12	6PR	Kenda K395 Power Grip HD	TL	Tyre	129105	572	216	820	10	3.50	7.00
	8PR	Kenda K395 Power Grip HD	TL	Tyre	129112	561	214	915	8	4.25	7.00
	12PR	Kenda K395 Power Grip HD	TL	Tyre	150628	575	214	975	10	6.90	7.00
26x12.00-12	10PR	Kenda K395 Power Grip HD	TL	Tyre	265698	670	304	1650	10	4.50	10.50
15"											
27x8.50-15	6PR	Kenda K395 Power Grip HD	TL	Tyre	146348	674	227	710	10	3.50	7.00
	8PR	Kenda K395 Power Grip HD	TL	Tyre	129488	660	222	1145	10	4.25	7.00
27x10.50-15	103B (8PR)	ST-60	TL	Tyre	146324	691	259	875	50	4.10	8.50
35x15-15	167A2 (32PR)	Galaxy Beefy Baby	TL	Tyre	473338	895	378	5450	10	10.34	10.5
15.3"											
10.0/75-15.3	10PR	ST-72	TL	Tyre	380940	774	258	1500	40	3.90	9.00
11.5/80-15.3	14PR	ST-72	TL	Tyre	380964	868	292	2430	40	4.75	9
16.5"											
10-16.5	8PR	Kenda K395 Power Grip HD	TL	Tyre	128085	768	274	1880	10	3.90	8.25
	8PR	Galaxy Beefy Baby	TL	Tyre	458885	798	259	1588	8	3.10	8.25
	8PR	Galaxy Beefy Baby III	TL	Tyre	457956	769	258	1878	40	4.13	8.25
	8PR	Galaxy Muddy Buddy	TL	Tyre	457932	779	255	1878	8	4.14	8.25
	10PR	Kenda K395 Power Grip HD	TL	Tyre	146232	785	274	2170	10	5.00	8.25
	10PR	Kenda K601 Rock Grip HD	TL	Tyre	150994	783	271	2170	10	5.20	8.25
	10PR	Galaxy Hulk	TL	Tyre	449081	800	272	1588	8	2.76	8.25
	10PR	Galaxy XD 2010	TL	Tyre	458847	769	255	2140	10	5.20	8.25

>>>

GALAXY BEEFY BABY R-4

- ▶ Most durable R4 tyre on the market
- ▶ Lowest "cost per hour" of any R4 tyre available
- ▶ Side wall and rim shield protectors
- ▶ Wear resistant compound
- ▶ OEM fitment on JCB, CNH, John Deere



Kenda K395 Power Grip HD

Galaxy Beefy Baby

Galaxy Beefy Baby III

Galaxy Hulk

Galaxy Muddy Buddy

Galaxy XD 2010

SKIDSTEER - BOBCAT ETC.

Tyres

KENDA K395 POWER GRIP HD

- ▶ Heavy duty sidewalls
- ▶ Protected against abrasions, tears and punctures
- ▶ Rim Guard
- ▶ Special lug design improves wear and increases lifetime



KENDA K601 ROCK GRIP HD

- ▶ Heavy duty sidewalls
- ▶ Protected against abrasions, tears and punctures
- ▶ Rim Guard




       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
16.5"											
12-16.5	10PR	Kenda K395 Power Grip HD	TL	Tyre	128177	855	318	2540	10	4.50	9.75
	10PR	Kenda K601 Rock Grip HD	TL	Tyre	151007	850	328	2540	10	4.50	9.75
	10PR	Galaxy Beefy Baby	TL	Tyre	458649	841	315	1910	10	2.80	9.75
	10PR	Galaxy Beefy Baby III	TL	Tyre	457963	828	300	2540	40	4.48	9.75
	10PR	Galaxy Muddy Buddy	TL	Tyre	457949	830	302	2540	8	4.48	9.75
	10PR	Galaxy XD 2010	TL	Tyre	458632	838	314	1915	10	2.80	10
	12PR	Kenda K395 Power Grip HD	TL	Tyre	146270	860	316	2900	10	5.20	9.75
	12PR	Kenda K601 Rock Grip HD	TL	Tyre	151014	860	316	2900	16	5.60	9.75
	12PR	Galaxy Hulk	TL	Tyre	458670	836	305	1910	10	2.80	9.75
33x15.50-16.5	12PR	ST-60 HD	TL	Tyre	385105	838	394	2295	25	4.80	12
17.5"											
14-17.5	14PR	ST-60	TL	Tyre	146287	952	341	3875	10	5.50	10.50
	14PR	Galaxy Beefy Baby	TL	Tyre	458656	926	353	3875	10	5.50	11
18"											
12.5/80-18	14PR	Galaxy Hulk	TL	Tyre	457925	966	305	4763	40	4.30	W9
19.5"											
15-19.5	14PR	ST-60 HD	TL	Tyre	146294	998	381	4570	8	4.90	11.75
	14PR	Galaxy Beefy Baby	TL	Tyre	458663	983	398	3290	7	2.75	11.75

GALAXY KENDA STARCO



Kenda K601 Rock Grip HD



STARCO MP LOADER

PRODUCT BENEFITS

- ▶ Good traction
- ▶ Great stability
- ▶ For rough or hard surfaces
- ▶ Tear and cut resistant rubber compound gives long life
- ▶ STARCO engineered



SMALL LOADERS - DUMPERS ETC.

Tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
10"											
5.0-10	8PR	Trelleborg T462	TL	Tyre	381435	537	144	670	30	5.20	4.00
12"											
5.70-12	4PR	Carlisle Trac Chief	TL	Tyre	265322	569	145	660	8	4.10	4.50
	8PR	ST-60	TL	Tyre	269092	647	146	850	8	5.20	4.50
7.00-12	95/83A8 (6PR)	STARCO AS Dumper II	TL	Tyre	371061	685	198	690	40	3.10	5.00
23x8.50-12	6PR	Titan Trac Loader	TL	Tyre	147178	575	214	775	20	2.40	7.00
	109/97A8 (8PR)	STARCO MP Loader	TL	Tyre	380001	580	205	1030	40	3.40	7.00
23x10.50-12	107/94A8 (8PR)	STARCO AS Loader	TL	Tyre	380216	580	268	975	40	2.50	8.50
26x12.00-12	113/100A8 (8PR)	STARCO AS Loader	TL	Tyre	380209	654	318	1150	40	2.10	10.5
250/60-12	110/98A6	STARCO SG Flotation	TL	Tyre	363806	602	250	1060	30	2.30	8
300/65-12	122/110A8 (8PR)	STARCO SG Flotation	TL	Tyre	335780	682	290	1500	40	3.40	9.00
14"											
25x8.50-14	6PR	Carlisle Trac Chief	TL	Tyre	265186	655	213	969	16	3.60	7.00
14.5"											
300/55-14.5	132/120A8	STARCO SG Flotation	TL	Tyre	357096	687	290	2000	40	4.40	9.50
15"											
7.00-15	6PR	Titan Loader Chevron	TL	Tyre	147383	754	203	1440	8	4.00	5.50
28x8.50-15	6PR	Titan Trac Loader	TL	Tyre	369389	711	213	1306	8	3.10	7
31x15.50-15	8PR	Carlisle Tru Power	TL	Tyre	265315	798	384	1256	16	3.10	13.00
	121/117B (10PR)	ST-45	TL	Tyre	271842	792	391	1450	50	4.10	13
400/50-15 31x15.5-15	121/108A8 (10PR)	STARCO AS Dumper II	TL	Tyre	363790	780	380	1450	40	3.00	13.00
15.3"											
10.0/75-15.3	10PR	ST-72	TL	Tyre	380940	774	258	1500	40	3.90	9.00
11.5/80-15.3	14PR	ST-72	TL	Tyre	380964	868	292	2430	40	4.75	9
255/75-15.3 10.0/75-15.3	119/107A8	STARCO AS Dumper	TL	Tyre	137865	760	264	1360	40	3.10	9.00
295/80-15.3	131/119A8 (10PR)	STARCO AS Dumper	TL	Tyre	137902	845	290	1950	40	3.40	9.00
17"											
380/55-17	138/125A8 (12PR)	STARCO AS Dumper	TL	Tyre	259642	870	370	2360	40	2.80	13.00
18"											
10.5-18	126G (10PR)	ST-72	TL	Tyre	380278	905	270	1700	90	3.75	9
10.5/80-18	131/119A8 (10PR)	ST-44	TL	Tyre	146591	885	274	1950	40	3.70	W9
12.5-18	128G (10PR)	ST-72	TL	Tyre	380155	990	325	1800	90	3.00	11
	16PR	ST-72	TL	Tyre	380179						
12.5/80-18	12PR	Deestone D302 Dumper Power	TL	Tyre	146669	965	308	2650	40	3.70	9.00

>>>

DEESTONE

CARLISLE

KENDA

STARCO



SMALL LOADERS - DUMPERS ETC.

Tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
18"											
315/80-18 12.5/80-18	148/136A8 (16PR)	STARCO AS Dumper	TL	Tyre	146683	1001	298	3150	40	4.90	11.00
	148/135A8 (16PR)	STARCO AS Dumper II	TL	Tyre	293110	990	313	3150	40	4.30	9.00
425/50-18	150/134A8	STARCO AS Dumper II	TL	Tyre	334189	882	410	3350	40	3.50	14.00
19.5"											
18-19.5	18PR	ST-72	TL	Tyre	380971	1104	460	5150	50	7.25	14
455/65-19.5 18-19.5	162/150B (16PR)	STARCO MP Dumper II	TL	Tyre	300641	1095	445	4750	50	4.20	13.00
20"											
10.5-20	10PR	ST-72	TL	Tyre	380339	955	270	1800	90	3.75	9
12.5-20	12PR	ST-72	TL	Tyre	380315	1040	325	2000	90	3.50	11
14.5-20	12PR	ST-72	TL	Tyre	380353	1116	360	2240	90	3.00	11.00
43X16.00-20	4PR	Titan Trac Loader	TL	Tyre	369402						
335/80R20 12.5R20	147K	Conti MPT81	TL	Tyre	388250	1032	320	3075	110	6.50	11
365/80R20 14.5R20	152K	Conti MPT81	TL	Tyre	388267	1089	365	3550	110	6.00	11
405/70-20	154/142A8 (14PR)	STARCO AS Dumper	TL	Tyre	146690	1099	399	3750	40	3.50	13.00
22.5"											
500/60-22.5	165/152A8	STARCO MP Dumper II	TL	Tyre	293103	1172	516	5150	40	3.40	16.00
	161/149A8 (12PR)	STARCO MP Dumper	TL	Tyre	266435	1168	489	4625	40	2.20	AG16.00
550/55-22.5	166/154A8	STARCO MP Dumper II	TL	Tyre	293097	1192	537	5300	40	2.80	16.00
24"											
15.5/80-24	12PR	ST-70	TL	Tyre	380926	1234	409	2900	40	3.00	13.00
16.5/85-24	156A8/162A5 (12PR)	ST-70	TT	Tyre	380995	1300	422	4000	40	3.00	W13
405/70-24	152/140B (14PR)	ST-44	TL	Tyre	261881	1189	397	3550	50	3.50	13.00

DEESTONE

STARCO



Watch the
STARCO MP
and AS Dumper
movie

STARCO MP DUMPER

- ▶ High quality
- ▶ Long lifetime
- ▶ Cost effective
- ▶ Multi purpose use
- ▶ Improved tread wear on hard ground and roadways
- ▶ For dumpers, loaders, digger-loaders etc.
- ▶ STARCO engineered

STARCO AS DUMPER

- ▶ High quality
- ▶ Long lifetime
- ▶ Cost effective
- ▶ Excellent traction and self cleaning
- ▶ For dumpers, loaders, digger-loaders etc.
- ▶ STARCO engineered



AS Dumper

MP Dumper

ST-44

ST-70

ST-72

Continental MPT81

Titan Trac Loader

STARCO AS LOADER

- premium tyres for mini loaders and compact tractors

PRODUCT BENEFITS

- ▶ Engineered to provide excellent traction
- ▶ High flotation
- ▶ Excellent self-cleaning properties
- ▶ Outstanding performance on soft and muddy surfaces
- ▶ STARCO engineered



Did you know...

Did you know that STARCO have four sales and distribution points in South Africa

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

EXCAVATORS - LOADERS - BACKHOES - GRADERS ETC.

Tyres

      											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
18"											
10.5/80-18	10PR	Deestone D302 Dumper Power	TL	Tyre	146584	912	262	1900	40	3.70	9.00
	10PR	Galaxy Beefy Baby	TL	Tyre	458427	926	274				9
12.5/80-18	12PR	Deestone D302 Dumper Power	TL	Tyre	146669	965	308	2650	40	3.70	9.00
	14PR	Galaxy Beefy Baby	TL	Tyre	458434	991	307	3200	10	3.50	9
	14PR	Galaxy Super High Lift	TL	Tyre	458410	978	307	2120	40	4.20	9
320/80-18 12.5/80-18	12PR	Galaxy Super Industrial Lug	TL	Tyre	458403	978	310	2120	40	3.20	9
20"											
8.25-20	122B (14PR)	Galaxy EX-1 Excavator	TT	Tyre	418575	964	235	1500	50	6.80	7.00
9.00-20	140B (14PR)	Galaxy EX-1 Excavator	TT	Tyre	418582	1021	264	2500	50	7.00	7.00
10.00-20	16PR	ST-73	V3-06-3	Set	388137	1055	278	4160	40	7.40	7.50
	148B (16PR)	Galaxy EX-1 Excavator	TT	Tyre	415079	1059	284	3150	50	7.50	8.00
11.00-20	16PR	Deestone DC-1 Compactor	TT	Tyre	146621	1093	311	5450	10	7.30	8.00
	148B (16PR)	Galaxy EX-1 Excavator	TT	Tyre	418568	1085	298	3150	50	7.50	8.00
400/70-20	144A8	Galaxy Super Industrial Lug	TL	Tyre	458496	1075	394	2800	40	3.20	W13
22.5"											
600/40-22.5	169A8/166D	ST-46	TL	Tyre	506418	1100	600	5800	40	6.00	20.00
24"											
13.00-24	12PR	Deestone D310 DG-2	TT	Tyre	281469	1304	316	2725	40	3.00	8.00
14.00-24	14PR	Galaxy Giraffe XLW L-2	TL	Tyre	312132	1349	200				9.00
16.9-24	10PR	Deestone D314 DR-4	TL	Tyre	281513	1298	404	2900	40	2.20	15.00
	12PR	Galaxy EZ Rider	TL	Tyre	458441	1285	437	3243	40	2.62	W15
	12PR	Galaxy Super Industrial Lug	TL	Tyre	458502	1300	440	2900	40	2.90	15
17.5L-24	12PR	Deestone D314 DR-4	TL	Tyre	281537	1241	445	3150	40	2.60	15.00
	12PR	Galaxy Super Industrial Lug	TL	Tyre	458519	1242	460	3150	40	2.60	W15
19.5L-24	10PR	Galaxy EZ Rider	TL	Tyre	458458	1321	483	2994	40	1.93	W16
	12PR	Galaxy EZ Rider	TL	Tyre	458465	1313	490	4309	40	2.34	W16
21L-24	12PR	Galaxy EZ Rider	TL	Tyre	458489	1370	531	3878	40	2.21	18
25"											
15.5-25	12PR	Deestone D318 DL-2	TL	Tyre	292731	1277	394	5600	10	4.00	12.00
	149B (12PR)	Deestone D313 DL-3	TL	Tyre	281490	1314	416	3250	50	2.50	12.00
17.5-25	16PR	Galaxy Premium Rock Lug E-3/L-3	TL	Tyre	483542	1349	445	7303	8	4.76	14
	158B (16PR)	Deestone D313 DL-3	TL	Tyre	281520	1361	443	4250	50	3.03	14.00
17.5R25	167B/182A2	STARCO AP Loader XT	TL	Tyre	328881	1405	494	5450	50	5.25	14.00
20.5-25	20PR	Deestone D313 DL-3	TL	Tyre	281568	1493	518	9500	10	4.50	17.00
	20PR	Deestone D318 DL-2	TL	Tyre	292748	1492	518	9500	10	4.50	17.00
	20PR	Deestone D320 DE-7	TL	Tyre	292755	1491	532	6000	50	3.30	17.00
20.5R25	177B/193A2	STARCO AP Loader XT	TL	Tyre	328898	1561	577	7300	50	5.25	17.00

>>>



AP Loader

ST-46

ST-73

STARCO AP Loader XT

Armour L5/E5



Deestone
DC-1 Compactor

Deestone D302
Dumper Power

Deestone D312

Deestone D313 DL-3

Deestone D314 DR-4
Advance R-4D

Deestone D318 DL-2

Galaxy Beefy Baby

EXCAVATORS - LOADERS - BACKHOES - GRADERS ETC.

Tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
25"											
23.5-25	20PR	Armour L5/E5	TL	Tyre	317007	1615	595	10900	10	3.80	19.50
	20PR	Deestone D319 DE-3	TL	Tyre	292762	1628	594	7300	50	3.00	19.50
	20PR	Galaxy Premium Rock Lug E-3/L-3	TL	Tyre	483535	1613	612	10886	8	3.72	19.5
	177B (20PR)	Deestone D313 DL-3	TL	Tyre	281582	1635	587	7300	50	3.00	19.50
23.5R25	185B/201A2	STARCO AP Loader XT	TL	Tyre	328904	1696	663	9250	50	5.25	19.50
26.5-25	188B (28PR)	Deestone D313 DL-3	TL	Tyre	292779	1778	665	10000	50	3.50	22.00
26.5R25	193B/209A2	STARCO AP Loader XT	TL	Tyre	329789	1839	747	11500	50	5.20	22.00
26"											
18.4-26	12PR	Deestone D312	TT	Tyre	281155	1466	500	2650	40	2.20	16.00
23.1-26	12PR	Galaxy Diamond Tread	TL	Tyre	458687	1507	573	4309	40	1.70	DW20
480/80-26 18.4-26	156A8	Galaxy Super Industrial Lug	TL	Tyre	458526	1425	467	4000	40	2.50	W16
28"											
16.9-28	10PR	Galaxy EZ Rider	TL	Tyre	458472	1415	432	3085	40	2.21	W15
	152A8 (12PR)	Deestone D314 DR-4	TL	Tyre	299358	1410	429	3550	40	2.60	15.00
	14PR	Galaxy Jumbo Hulk	TL	Tyre	458540	1404	439	3878	40	3.03	W12
440/80-28 16.9-28	152A8	Galaxy Super Industrial Lug	TL	Tyre	458533	1410	429	3550	40	2.60	W15
30"											
16.9-30	14PR	Galaxy Jumbo Hulk	TL	Tyre	458557	1458	440	8981	40	3.00	DW15

DEESTONE

GALAXY

STARCO

STARCO AP LOADER XT

- ▶ Radial OTR tyres
- ▶ Versatile tread pattern for a broad range of applications
- ▶ Excellent traction
- ▶ Stable and comfortable ride
- ▶ Steel cord protection, to avoid penetrations and punctures
- ▶ STARCO engineered



Galaxy Diamond Tread

Galaxy EX-1 Excavator

Galaxy EZ Rider

Galaxy Jumbo Hulk

Galaxy Premium Rock Lug E-3/L-3

Galaxy Super High Lift

Galaxy Super Industrial Lug

TELEHANDLERS

Tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
18"											
12.5/80-18	14PR	Galaxy Super High Lift	TL	Tyre	458410	978	307	2120	40	4.20	9
19.5"											
455/65-19.5 18-19.5	162/150B (16PR)	STARCO MP Dumper II	TL	Tyre	300641	1095	445	4750	50	4.20	13.00
20"											
405/70-20	154/142A8 (14PR)	STARCO AS Dumper	TL	Tyre	146690	1099	399	3750	40	3.50	13.00
22.5"											
15-22.5	12PR	Galaxy Beefy Baby	TL	Tyre	458601	1092	389	5275	10	5.50	12.25
	20PR	Galaxy Beefy Baby	TL	Tyre	458618	1090	386	6530	7	8.60	11.75
18-22.5	18PR	Galaxy Beefy Baby	TL	Tyre	458625	1171	452	4300	40	5.20	14
500/60-22.5	165/152A8	STARCO MP Dumper II	TL	Tyre	293103	1172	516	5150	40	3.40	16.00
	161/149A8 (12PR)	STARCO MP Dumper	TL	Tyre	266435	1168	489	4625	40	2.20	AG16.00
550/55-22.5	166/154A8	STARCO MP Dumper II	TL	Tyre	293097	1192	537	5300	40	2.80	16.00
24"											
13.00-24	14PR	Galaxy Giraffe XLW L-2	TL	Tyre	458564	1282	349	6300	10	5.50	8
15.5/80-24	12PR	ST-70	TL	Tyre	380926	1234	409	2900	40	3.00	13.00
	12PR	Galaxy Super High Lift	TL	Tyre	458588	1240	394	2900	30	3.00	W12
17.5L-24	12PR	Galaxy Super High Lift	TL	Tyre	458595	1265	445	3450	40	2.70	DW15
405/70-24	152/140B (14PR)	ST-44	TL	Tyre	261881	1189	397	3550	50	3.50	13.00
25"											
15.5-25	12PR	Galaxy Giraffe XLW L-2	TL	Tyre	458571	1277	394	2649	40	4.00	12





Did you know...

That STARCO since 1999 has had an in-house R&D department for tyres and wheels engineering



Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

TRUCKS - MILITARY, INDUSTRIAL ETC.

Tyres

												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar		
14.5"												
9-14.5	122F (12PR)	Deestone D902	TL	Tyre	265797	711	241	1500	80	6.90	7.00	
15"												
6.70-15C	98/96L (6PR)	Camac CD110	TT	Tyre	255842	714	180	750	120	3.25	5J	E
7.00-15	116/114L (12PR)	ST-182	TT	Tyre	146829	754	197	1250	120	5.50	5.50	
	116/114L (12PR)	ST-183	TT	Tyre	146836	748	198	1250	120	6.00	5.50K	
7.50-15	12PR	ST-183	TT	Tyre	146867	787	216	1360	120	6.00	6.00	
	14PR	ST-182	TT	Tyre	383934	780	215	1450	130	7.30	6.00	
16"												
6.00-16	95/92L (6PR)	Camac CD110	TT	Tyre	255866			690	120			E
	96L (6PR)	Deestone D502	TT	Tyre	146744	728	166	710	120	3.20	4.50	E
6.00-16C	95/92J (6PR)	Camac CJ110	TT	Tyre	255880	730	170	690	100	3.25	4.50	E
6.50-16	111/106L (12PR)	ST-182	TT	Tyre	146775	755	182	1090	120	6.60	4.5	
7.00-16	118/114M (14PR)	ST-182	TL	Tyre	378084			1320	130			E
7.50-16	112L (8PR)	Deestone D503	TT	Tyre	146898	826	216	1120	120	4.25	6.0	E M&S
	122/121M (14PR)	ST-182	TT	Tyre	378114			1500	130			E
	122/121M (14PR)	ST-183	TT	Tyre	378138			1500	130			E
8.25-16	14PR	ST-182	TT	Tyre	146966	846	230	1700	120	6.00	6.50	
	14PR	ST-183	TT	Tyre	146973	815	232	1700	120	6.00	6.00	
20"												
8.25-20	14PR	ST-183	TT	Tyre	146980	976	229	2240	100	6.60	6.50	
	136/132J (14PR)	ST-182	TT	Tyre	388113	972	230	2240	100	6.60	6.50	
9.00-20	14PR	ST-182	TT	Tyre	147017	1018	264	5670	100	7.80	7.00	
	141/138J (14PR)	ST-183	TT	Tyre	147000	1026	264	2575	100	6.60	7.00	
10.00-20	16PR	ST-182	TT	Tyre	146577	1052	280	6610	100	8.00	7.50	
	16PR	ST-183	TT	Tyre	146560	1056	280	3000	100	7.90	7.50	
11.00-20	16PR	ST-182	TT	Tyre	146614	1082	288	7200	100	8.00	8.00	
	16PR	ST-183	TT	Tyre	146607	1087	294	3350	100	7.90	8.00	
12.00-20	16PR	ST-182	TT	Tyre	377063	1137	322	7830	100	8.00	8.50	
	18PR	ST-183	TT	Tyre	146652	1120	315	3750	100	7.90	8.50	

DEESTONE



CONTAINER AND TERMINAL

Tyres

Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
22.5"											
280/75R22.5	172A5/168A8	Galaxy Terminal Master	TL	Tyre	483658	996	275	6300	25	10.00	7,50
24"											
12.00-24	20PR	Galaxy HM 350E	TT	Tyre	469867	1245	315	9315	10	10.00	8.50
14.00-24	28PR	Galaxy HM 300E	TL	Tyre	449821	1368	375	12500	25	10.00	10
	28PR	Galaxy Super Trac	TT	Tyre	449784	1368	375	12500	25	10.00	10
25"											
16.00R25		Galaxy Container Handler	TL	Tyre	483641	1525	434	15190	25	10.00	11,25
18.00-25	40PR	Galaxy HM 400S	TL	Tyre	449838	1647	519	20815	16	10.00	13.0
	40PR	Galaxy Portstar Plus	TL	Tyre	449791	1673	498	21250	25	10.00	13
	40PR	Galaxy Super Grip	TL	Tyre	449814	1617	498	21250	25	10.00	13
18.00R25	214A5	Galaxy Harbor King	TL	Tyre	471051	1655	505	21200	25	10.00	13.00
33"											
18.00-33	40PR	Galaxy HM 450E	TL	Tyre	449807	1877	516	24375	25	10.00	13.00

GALAXY

GALAXY PORT TYRES

- ▶ Maximum durability
- ▶ Exceptional mileage performance
- ▶ Lower cost-per-hour
- ▶ Vehicle versatility
- ▶ Increased ground contact on smooth surfaces
- ▶ Special pattern styles design for special application



Galaxy Terminal Master

Galaxy HM 300E

Galaxy HM 350E



Galaxy Super Trac

Galaxy Container Handler

Galaxy HM 400S

Galaxy Portstar Plus

Galaxy Super Grip

Galaxy Harbor King

Galaxy HM 450E



SMALL TYRES - MATERIALS HANDLING ETC.



STARCO Flex - puncture proof	4.4-4.7
Materials handling - Industrial, Small tyres	4.8-4.11
Solid tyres.....	4.11
Complete wheel assemblies.....	4.12

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

STARCO FLEX LITE

Integrated wheel units

    									
Tyre	Tread pattern	57 07562+	Colour	C mm	C1 mm	C2 mm	D mm	D1 mm	Wheel type
10"									
34-10E 3.50-6, 4.00-6	STARCO FLEX lite ST-18 Yellow	359090	Black	94			16	16	0-0 Integrated
	STARCO FLEX lite ST-18 Yellow	359106	Black	101.5			14.2	14.2	0-0 Integrated
	STARCO FLEX lite ST-18 Yellow	359120	Black	100			20	20	0-0 Integrated
12"									
39-12E 4.00-8	STARCO FLEX lite ST-18 Yellow	359069	Black	100			12.7	12.7	0-0 Integrated
	STARCO FLEX lite ST-18 Yellow	359083	Black	101.5			14.2	14.2	0-0 Integrated
	STARCO FLEX lite ST-18 Yellow	361277	Black	100			20	20	0-0 Integrated

STARCO




Watch the movie
STARCO FLEX lite



STARCO FLEX LITE FOR:

- ▶ Domestic use
- ▶ Less demanding professional use
- ▶ Wheelbarrows
- ▶ Sack trucks



GG · G0

STARCO FLEX PRO

Polyurethane tyres - Puncture proof



Dimension	LI/SI/PR	Tread pattern	57 07562+	mm	mm	kg	km/h
4"							
9x3.50-4		STARCO FLEX PRO ST-30	259284	228	87		2.10
26-4C 3.00-4		STARCO FLEX PRO ST-31 Yellow	307213	260	80	200	5 2.10
		STARCO FLEX PRO ST-31	262116	260	80	200	5 2.10
26-4D 3.00-4		STARCO FLEX PRO ST-27 Yellow	353562	260	80	200	5 2.10
		STARCO FLEX PRO ST-27	262086	260	80	200	5 2.10
6"							
26-6C	48A1	STARCO FLEX PRO ST-31 Yellow	357805	250	85	180	5 2.50
	48A1	STARCO FLEX PRO ST-31	262123	250	85	180	5 2.50A
26-6D		STARCO FLEX PRO ST-27 Yellow	277257				
	48A1	STARCO FLEX PRO ST-27 Yellow	353586	260	85	180	5 2.50
	48A1	STARCO FLEX PRO ST-27	262093	260	85	180	5 2.50
30-6D 4.00-4	52A1	STARCO FLEX PRO ST-27 Yellow	307220	290	100	200	5 2.50
	52A1	STARCO FLEX PRO ST-27	262147	290	100	200	5 2.50
8"							
34-8A 4.00-6	50A1	STARCO FLEX PRO ST-11 Yellow	316444	330	100	190	5 2.50
	50A1	STARCO FLEX PRO ST-11	262161	330	100	190	5 2.50
37-8A 3.50-8	53A1	STARCO FLEX PRO ST-11	262178	360	90	206	5 2.50
39-8A 4.00-8	55A1	STARCO FLEX PRO ST-11	262888	380	90	218	5 2.50
	55A1	STARCO FLEX PRO ST-11 Yellow	262192	380	90	218	5 2.50

STARCO



STARCO FLEX PRO FOR:

- Professional use
- Sack trucks
- Wheelbarrows
- Livestock feeding trucks



Watch the movie
STARCO FLEX Pro



Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.


Info & Technical

STARCO FLEX PRO


Complete wheel assemblies

     												
Dimension	Tread pattern	57 07562+		Colour	C mm	C1 mm	C2 mm	D mm	D1 mm			Wheel type
4"												
26-4C 3,00-4	STARCO FLEX PRO ST-31 Yellow	386249	ER 2.10Ax4	Red	75	22	47	20	20	==		Steel/1-piece
	STARCO FLEX PRO ST-31 Yellow	373461	GO 2.10Ax4	Red				35	35	0		Steel/1-piece
	STARCO FLEX PRO ST-31	415963	GK 2.10-4	Red	95			13	13	8=8		Steel/Split
	STARCO FLEX PRO ST-31	373454	GO 2.10Ax4	Red				35	35	0		Steel/1-piece
26-4D 3,00-4	STARCO FLEX PRO ST-27 Yellow	373447	GO 2.10Ax4	Red				35	35	0		Steel/1-piece
	STARCO FLEX PRO ST-27	386201	ER 2.10Ax4	Red	75	22	47	20	20	==		Steel/1-piece
	STARCO FLEX PRO ST-27	371177	GO 2.10Ax4	Red				35	35	0		Steel/1-piece
6"												
26-6C	STARCO FLEX PRO ST-31 Yellow	386263	ER 2.50Ax6	Red	75			20	20	==		Steel/1-piece
	STARCO FLEX PRO ST-31 Yellow	361949	GO 2.50Ax6	Red	71			35	35	0		Steel/1-piece
	STARCO FLEX PRO ST-31	361956	GO 2.50Ax6	Red	71			35	35	0		Steel/1-piece
26-6D	STARCO FLEX PRO ST-27 Yellow	361932	GO 2.50Ax6	Red	71			35	35	0		Steel/1-piece
	STARCO FLEX PRO ST-27	391175	GK 2.50Ax6	Red	120			17	17	8=8		Steel/1-piece
	STARCO FLEX PRO ST-27	268224	ER 2.50Ax6	Red	75			20	20	==		Steel/1-piece
	STARCO FLEX PRO ST-27	361925	GO 2.50Ax6	Red	71			35	35	0		Steel/1-piece
30-6D 4,00-4	STARCO FLEX PRO ST-27 Yellow	373485	GO 2.50Ax6	Red	71			35	35	0		Steel/1-piece
	STARCO FLEX PRO ST-27	371580	GO 2.50Ax6	Red	71			35	35	0		Steel/1-piece
8"												
34-8A 4,00-6	STARCO FLEX PRO ST-11 Yellow	373508	GO 2.50Ax8	Red				35	35	0		Steel/1-piece
	STARCO FLEX PRO ST-11	384979	EK 2.50Ax8	Red	69	42	35	20	25	8=8		Steel/1-piece
	STARCO FLEX PRO ST-11	373492	GO 2.50Ax8	Red				35	35	0		Steel/1-piece
39-8A 4,00-8	STARCO FLEX PRO ST-11	268262	GK 2.50Ax8	Red	100			12.7	12.7	8=8		Steel/1-piece
	STARCO FLEX PRO ST-11	269672	GR 2.50Ax8	Red	75			20	20	==		Steel/1-piece
	STARCO FLEX PRO ST-11	386089	EK 2.50Ax8	Red	69	42	35	20	25	8=8		Steel/1-piece
	STARCO FLEX PRO ST-11	361963	GO 2.50Ax8	Red				35	35	0		Steel/1-piece
	STARCO FLEX PRO ST-11 Yellow	359359	GK 2.50Ax8	Red	100			12.7	12.7	8=8		Steel/1-piece
	STARCO FLEX PRO ST-11 Yellow	361970	GO 2.50Ax8	Red				35	35	0		Steel/1-piece

STARCO



**STARCO FLEX
- NO MORE
PUNCTURES!**



STARCO FLEX LITE

- ▶ STARCO Flex lite is recommended on smooth surface and semi-rough terrain, mainly for private user or lighter professional service
- ▶ STARCO Flex Lite is supplied as wheel and tyre in one unit in a PP/PU construction
- ▶ It comes as standard in Yellow/Black, but other colors are possible on order (larger scale)
- ▶ The Flex system in the construction makes an easy ride, making the wheel suitable for a wider range of application and area for lighter use
- ▶ Handling and performance characteristics comparable to traditional pneumatics
- ▶ STARCO Flex Lite is proven in practice for less demanding professional use
- ▶ STARCO engineered



STARCO FLEX PRO

- ▶ STARCO Flex Pro is recommended on more smooth surface, but still workable on soft and semi-uneven sites
- ▶ STARCO Flex Pro fitted on STARCO PP wheel – for light application, but with the puncture free features and no risk for rusty wheels under any conditions
- ▶ STARCO Flex Pro fitted on STARCO steel wheel – for more demanding application, but with the puncture free features and no risk for rusty wheels, due to our Automotive standard E-coat system
- ▶ Handling and performance characteristics comparable to traditional pneumatics
- ▶ STARCO Flex Pro is proven in practice for many professional applications
- ▶ STARCO engineered



MATERIALS HANDLING - INDUSTRIAL

Small tyres

      											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
3"											
2.50-3	4PR	ST-11	TT	Tyre	384184						
	4PR	Kenda K301	TL	Tyre	330419	211	66	110	16	3.50	1.75
	4PR	Trelleborg T510	TT	Tyre	125633	210	70	125	25	3.00	1.50
3.8"											
200x50	2PR	ST-11	DIN 7768 60/20	Set	130675	194	48	75	16	1.80	1.25
	2PR	ST-11	TT	Tyre	130651	194	48	75	16	3.50	1.50
	6PR	Aero	TT	Tyre	268958	190	54	200	100	4.00	1.20
4"											
2.50-4	4PR	Kenda K301	DIN 7777 90/90	Set	330136	216	58	100	16	3.50	2.10
2.80/2.50-4	4PR	ST-14	DIN 7777 90/90	Set	130729						2.10
	4PR	ST-80	TR87	Set	153230	227	72	135	16	3.50	2.10
	4PR	Aero	TT	Tyre	270715	230	61	195		4.20	2.10
3.00-4	4PR	Deli S-302	DIN 7777 90/90	Set	325354	227	72	135	16	3.50	2.25
	4PR	Deli S-378	TR87	Set	331430	227	72	135	16	3.50	2.10
	26A4 (2PR)	ST-28	DIN 7777 90/90	Set	129518	265	85	115	16	2.40	2.10
		ST-11	DIN 7777 90/90	Set	130743	264	95	95	20	2.50	2.10
	39A6 (2PR)	Deli S-310	TL	Tyre	316291	262	86	136	30	2.40	2.50
	4PR	ST-11	DIN 7777 90/90	Set	129556	264	81	170	16	4.25	2.10
	4PR	ST-28	TL	Tyre	129525	269	86	170	16	4.25	2.10
	4PR	ST-28	DIN 7777 90/90	Set	129570	269	86	170	16	4.25	2.10
	6PR	ST-28	DIN 7777 90/90	Set	129594	269	86	195	16	5.20	2.25
	6PR	Aero Condor	TT	Tyre	268965	260	83	350	80	4.00	2.10
4.00-4	6PR	Trelleborg T991	TT	Tyre	125732	265	90	135	30	5.00	2.10
	2PR	ST-28	TL	Tyre	259147						
		ST-11	TL	Tyre	129761	307	103	245	16	4.10	1.85
	4PR	ST-11	DIN 7777 90/90	Set	134383	307	103	245	16	4.10	1.85
	4PR	ST-28	TL	Tyre	129754	304	104	245	16	4.25	2.25
	4PR	ST-28	DIN 7777 90/90	Set	129815	304	104	245	16	4.25	2.25
	57A4 (4PR)	ST-15	DIN 7777 90/90	Set	129792	312	109	230	20	3.50	2.50
		ST-28	DIN 7777 90/90	Set	129839	306	104	280	16	5.20	2.50
	6PR	Trelleborg T991	TT	Tyre	125848	310	110	190	30	4.25	2.50C
	6PR	Vredestein V76	TT	Tyre	134390	310	100	405	25	7.50	2.50C
4.10-4	8PR	Aero	TT	Tyre	268972	300	100	400	100	5.00	2.50
	4PR	Trelleborg T510	TT	Tyre	125930	270	112	165	30	2.80	2.10C
	4PR	ST-17	TL	Tyre	130880	265	103	160	16	3.50	2.10
4.10/3.50-4	4PR	ST-29	TL	Tyre	261362	265	103	160	16	3.50	2.50
	4PR	ST-29	DIN 7777 90/90	Set	130897	265	103	160	16	3.50	2.10
5"											
4.00-5	4PR	ST-19	TT	Tyre	376493	330	110	215	16	3.30	3.00
4.10/3.50-5	4PR	ST-17	TL	Tyre	130910	292	86	180	16	3.50	2.75
	4PR	ST-29	TL	Tyre	300740	298	96	175	16	3.50	3.00
5.00-5	6PR	Aero	TT	Tyre	268989	353	122	584	192	3.50	3.50
	10PR	Aero	TT	Tyre	270760	345	115	975	192	5.70	0
350x135	4PR	Aero	TT	Tyre	270739	350	120	650		4.50	0

>>>



MATERIALS HANDLING - INDUSTRIAL

Small tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
6"											
2.00-6	2PR	ST-11	TT	Tyre	331171	256	52	58	15	2.50	1.75
2.50-6	4PR	ST-19	TR13	Set	133997	278	66	150	10	4.90	1.75
3.50-6	2PR	ST-11	TR13	Set	129648	330	102	175	16	2.00	2.5
			TL	Tyre	129631	332	94	175	16	2.00	2.50
	4PR	ST-11	TR13	Set	129679	326	96	200	15	3.00	2.50
			TL	Tyre	129655	332	94	270	16	3.80	2.50
4.00-6	2PR	ST-11	TL	Tyre	129846	358	104	220	16	2.00	2.50
			TL	Tyre	129853	340	102	305	16	4.50	2.50
	57A4 (4PR)	ST-11	TR13	Set	129891	355	100	230	20	3.50	2.50
	66A5 (4PR)	ST-16	TR13	Set	395005	345	101	300	25	3.40	2.38
4.10/3.50-6	6PR	Aero	TT	Tyre	308890			260	80	3.00	
	6PR	Trelleborg T991	TT	Tyre	125855	360	107	290	25	6.00	2.50A
	4PR	ST-17	TL	Tyre	130200	315	91	200	16	3.50	2.50
	4PR	ST-21	TT	Tyre	151175	315	86	200	16	3.50	2.50
	4PR	ST-29	TR87	Set	192178						
			TL	Tyre	130927	315	91	200	16	3.50	2.50
	57J (6PR)	Trelleborg T533	TT	Tyre	125961	315	94	230	100	4.50	2.50A
	4PR	ST-29	TL	Tyre	131054	353	123	260	16	4.60	3.50
5.30/4.50-6	4PR	ST-29	TL	Tyre	131054	353	123	260	16	4.60	3.50
6.00-6	6PR	Aero	TT	Tyre	269320	431	155	795	192	2.90	4.00
15x6.00-6	6PR	Aero	TT	Tyre	270708	380	160	885	192	3.50	0
140-6	6PR	Trelleborg T539	TT	Tyre	125251	321	135	310	16	5.90	4.50C
	10PR	Trelleborg T510	TT	Tyre	125275	338	138	780	25	9.50	4.50

>>>

Deli Tire KENDA

STARCO MULTIPURPOSE WHEEL SYSTEM

- Combine wheel and bushings - to cover for virtually any needs for wheelbarrows, sack trucks and other materials handling equipment
- Easy to stock - a few components allow for many diverse solutions
- High quality plastic or steel wheels - a safe solution
- Designed and manufactured by STARCO
- Also fitted at many OEM's



Deli S310
Vredenstein V76

Deli S-378

Aero / Aero Condor

Trelleborg T533

MATERIALS HANDLING - INDUSTRIAL

Small tyres

													
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar			
8"													
2.25-8 12 1/2x2 1/4	2PR	Kenda K124	TT	Tyre	152172	303	43	40	40	2.80	1.75		
	2PR		TT	Tyre	133232								
2.50-8	4PR	ST-19	TR13	Set	355306	325	65	91	15	2.50	1.75		
3.00-8	32A4 (2PR)	ST-16	TT	Tyre	261379	380	90	112	20	2.50	2.50		
	4PR	ST-11	TR13	Set	129600	358	84	95	16	4.25	2.50		
3.50-8	4PR	ST-11	TL	Tyre	300702	370	88	190	16	2.50	2.50		
	4PR	ST-11	TR13	Set	129716	371	90	170	16	4.25	2.50		
4.00-8	4PR	Trelleborg T991	TT	Tyre	125862	425	114	270	30	3.80	2.50A		
	6PR	Trelleborg T991	TT	Tyre	125879	415	114	350	30	5.80	2.50A		
	8PR	Trelleborg T523	TT	Tyre	125909	426	111	345	100	6.30	2.50A		
4.80/4.00-8 4.80/4.00-8	2PR	ST-11	TR13	Set	129938	400	100	200	16	2.10	2.50		
	2PR	STARCO WB-04	TL	Tyre	337272	385	100	155	30	1.50	3.00		
	4PR	ST-16	TR13	Set	129990	399	102	305	16	4.25	2.50		
	4PR	STARCO WB-02	TL	Tyre	337296	388	100	230	30	2.80	3.00		
	4PR	STARCO WB-04	TL	Tyre	337319	388	100	230	30	2.80	3.00		
	67A4 (4PR)	ST-11	TR13	Set	130026	409	104	307	20	3.50	2.50		
	6PR	ST-11	TL	Tyre	130088	399	102	340	16	5.20	2.50		
	6PR	ST-11	TR13	Set	130125	399	102	340	16	5.20	2.50		
	6PR	ST-16	TR13	Set	130101	399	102	340	16	5.20	2.50		
	6PR	ST-21	TT	Tyre	130132	417	108	340	16	4.10	2.50		
	6PR	ST-29	TL	Tyre	130156	408	103	340	16	4.25	2.50		
	71M (8PR)	Kenda K385	TT	Tyre	329222	405	122	345	130	6.20	3.75		
	5.00-8	78J	Trelleborg T523	TT	Tyre	126012	450	138	425	100	7.00	3.00D	
		6PR	ST-15	TT	Tyre	130231	462	142	820	16	6.20	3.00	
		6PR	Trelleborg T991	TT	Tyre	125992	460	130	455	30	4.90	3.00D	
		77M (6PR)	Kenda K385	TT	Tyre	329543	470	140	412	130	5.20	3.00	
		112A2 (6PR)	ST-16	TT	Tyre	130972	462	142	1120	10	6.00	3.75	
		118A2 (8PR)	ST-16	TT	Tyre	131009	466	142	1320	10	7.00	3.00	
		89M (10PR)	Kenda K385	TT	Tyre	329536	473	142	580	130	8.40	3.00	
		126A2 (10PR)	ST-16	TT	Tyre	280264	462	131	1700	10	6.90	3.00	
		126A2 (10PR)	ST-16	TL	Tyre	355757	462	142	1700	10	6.90	3.75	
12 1/2x2 1/4 2.25-8			Deli S-115	AV Schrader	Set	313696	315	50	40		2.80	1.75	
190-8	6PR	Kenda K383 Power Turf	TL	Tyre	153216	418	182	420	30	3.10	5.50A		
	8PR	Trelleborg T537	TT	Tyre	125404	424	175	575	25	5.90	5.50A		

>>>



Trelleborg T991 / T523

Deli S-369



Deli S-115

Kenda K124

Kenda K313

Kenda K383 Power Turf
Trelleborg T537

Kenda K385

MATERIALS HANDLING - INDUSTRIAL

Small tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
9"											
6.00-9	6PR	ST-15	TT	Tyre	130293	526	161	1100	10	5.20	4.00
	6PR	ST-16	TT	Tyre	131092	546	170	1300	16	5.00	3.00
	85M (6PR)	Kenda K385	TT	Tyre	329567	540	175	515	130	4.10	4.00
	118A2 (6PR)	ST-16	TL	Tyre	292960	546	170	1320	10	5.00	4.50
	10PR	ST-15	TT	Tyre	130323	526	169	2100	10	7.00	4.00
	10PR	Trelleborg T991	TT	Tyre	126050	545	165	805	30	7.00	4.00E
	10PR	ST-16	TT	Tyre	131115	545	160	2100	10	7.60	4.00
	95M (10PR)	Kenda K385	TT	Tyre	329581	550	178	690	130	7.00	4.00
	126A2 (10PR)	ST-16	TL	Tyre	292977	546	170	1700	10	7.00	4.50
	143A2 (14PR)	ST-16	TL	Tyre	292991	543	170	2720	10	7.00	4.50
10"											
2.50-10	4PR	Kenda K313	TT	Tyre	134017	388	62	115	100	2.50	1.50
3.50-10	59M (6PR)	ST-20	TT	Tyre	375878	437	88	243	130		2.50
7.50-10	12PR	ST-155	TT	Tyre	135564	644	208	1075	30	5.00	5.50
	14PR	Trelleborg T523	TT	Tyre	126074	660	215	2180	25	9.00	5.50F
9.00-10	14PR	Trelleborg T991	TL	Tyre	126081	730	248	2660	30	8.30	6.00

Deli Tire **KENDA** **STARO**

MATERIALS HANDLING - INDUSTRIAL

Solid tyres

     							
Dimension	Tread pattern		57 07562+	mm	mm	kg	km/h
3"							
8x2.5 8x2 1/2	Solid Round		125114	195	70	230	16 1.50
4"							
10x3	Solid Round		125022	235	70	275	16 2.10
12x4	Solid Round		125039	280	80	330	16 2.10
200x70	Solid Flat		125077	200	70	250	16 2.10
8"							
380/80-8	Solid Round		189635				2.50



Solid Flat


Solid Round

COMPLETE WHEEL ASSEMBLIES

with pneumatic tyres

    									
Tyre	LI/SI/PR	Tread pattern	57 07562+	Wheel	Colour	C mm	D mm		Wheel type
3"									
2.50-3	4PR	Veloce V-5501	390932	GK 1.50-3	Red	85	13	8=8	Steel/Split
	4PR	Veloce V-5501	390680	GG 1.50-3	Red	85	20	0-0	Steel/Split
	4PR	Veloce V-5501	385709	EK 1.50-3	Red	42	20	8=8	Steel/Split
	4PR	Veloce V-5501	385563	EG 1.50-3	Red	60	25	0-0	Steel/Split
3.8"									
200x50	2PR	Deli S-379	446424	GR 1.25x3.75	Silver	60	20	==	Steel/1-piece
4"									
3.00-4	4PR	Deli S-310	433462	GO 2.10Ax4	Red		35	0	Steel/1-piece
	4PR	Deli S-310	399454	EK 2.10-4	Red	67	20	8=8	Steel/Split
	4PR	ST-11	361178	GO 2.10Ax4	Red		35	0	Steel/1-piece
4.00-4	4PR	ST-11	373379	GO 2.10Ax4	Red		35	0	Steel/1-piece
	4PR	ST-28	373386	GO 2.10Ax4	Red		35	0	Steel/1-piece
	57A4 (4PR)	Deli S-320	415048	GR 2.10Ax4	Red	95	20	==	Steel/1-piece
	57A4 (4PR)	Deli S-320	415031	EK 2.10-4	Red	67	20	8=8	Steel/Split
	6PR	Kenda K373	412368	GK 2.10x4	Red	95	13	8=8	Steel/1-piece
	6PR	Deli S-310	492964	GK 2.10-4	Red	75	25	8=8	Steel/Split
6"									
3.50-6	4PR	Deli S-379	392967	GK 2.50Ax6	Red	120	17	8=8	Steel/1-piece
	4PR	Deli S-379	394350	GG 2.50Ax6	Red		25.3	0-0	Steel/1-piece
	4PR	ST-11	373409	GO 2.50Ax6	Red	71	35	0	Steel/1-piece
4.00-6	4PR	ST-11	373393	GO 2.50Ax6	Red	71	35	0	Steel/1-piece
	57A4 (4PR)	Deli S-379	415109	EK 2.50Ax6	Red	67	20	8=8	Steel/1-piece
8"									
3.50-8	4PR	ST-11	373416	GO 2.50Ax8	Red		35	0	Steel/1-piece
4.80/4.00-8	67A4 (4PR)	ST-11	373430	GK 2.50Ax8	Silver	128	10	8=8	Steel/1-piece
	67A4 (4PR)	ST-11	361154	GO 2.50Ax8	Red		35	0	Steel/1-piece
	67A4 (4PR)	Deli S-369	416045						
	67A4 (4PR)	Deli S-369	394367	GG 2.50Ax8	Red	120	25	0-0	Steel/1-piece
	67A4 (4PR)	Deli S-369	393018	EG 2.50Ax8	Red	85	25	0-0	Steel/1-piece
	67A4 (4PR)	Deli S-379	415130	GK 2.50Ax8	Red	100	12.7	8=8	Steel/1-piece

Deli Tire KENDA



Deli S-379 / Veloce V-5501

Deli S-369

Deli S310 / Kenda K373

Deli S-320


COMPLETE WHEEL ASSEMBLIES

with solid tyres


 EAN-13     								
Tyre	LI/SI/PR	Tread pattern	57 07562+	Wheel	Colour	C mm	D mm	Wheel type
4"								
300x90-4		Solid Half round	414690	GK 2.10-4	Red	120	13	8=8 Steel/Split
		Solid Half round	414683	EK 2.10-4	Red	67	20	8=8 Steel/Split



Did you know...
That STARCO has more than 700 employees, in 22 countries



Did you know...
That STARCO is a family owned company - now by 2nd generation - and was founded in 1961



Solid Half Round

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical



TURF - GROUND CARE



Ride on mowers - Small horticultural machinery	5.5-5.14
Professional mowers - Large horticultural machinery	5.15-5-20
Golf carts	5.21
Rib tyres	5.22
Slick tyres	5.23
Compact tractors - Property maintenance	5.24
Snow throwers - Small winter machinery	5.25

STARCOSHOP

- Access anytime from anywhere!

We are always happy to receive your call. However, STARCOshop allows you to retrieve information and place orders at any time of the day, week, month and year. Whenever most convenient for you. This is why we have released the most comprehensive set of technical data for the widest range of products available anywhere.



VISIT STARCOSHOP

STARCOshop is available in many countries already. Please visit the STARCOshop on the general address below.

starcoshop.com

ESSENTIAL FACILITIES AT YOUR FINGERTIPS

- ▶ Quick and simple or super advanced search and filtering options
- ▶ Search in an extended range of tyres, wheels, complete wheels and much more, selected specifically for your local market
- ▶ Get access to a wide set of technical informations for all products
- ▶ Favorite lists and multi baskets allows you to quickly reorder the products you use the most
- ▶ Complete order history
- ▶ Always updated customer specific gross and net prices
- ▶ Availability indicators

1

- ▶ Search by item no. or technical specifications
- ▶ Press the link "Detailed search" to make complex selections
- ▶ See comprehensive technical product data

2

- ▶ Add products to your basket
- ▶ Quickly select products from your list of favorites
- ▶ Save shopping baskets for quick reordering

3

- ▶ Select between standard delivery addresses or write a specific address
- ▶ You can attach a note for STARCO if you need to
- ▶ Press submit, and your order is on the way

RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Turf tyres

      											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
4"											
4.10/3.50-4	2PR	ST-50	TL	Tyre	130187	264	97	120	16	2.10	2.10
	4PR	ST-50	TL	Tyre	278469	264	97	120	16	2.10	2.50
	4PR	Kenda K500 Super Turf	TL	Tyre	130194	272	95	160	16	3.50	2.75
	6PR	Trelleborg T539	TT	Tyre	125954	270	86	210	16	6.90	2.10
8x3.00-4	4PR	ST-50	TL	Tyre	289762	206	72	57	16	2.40	2.10
9x3.50-4	4PR	Kenda K372	TL	Tyre	330464	229	94	105	16	3.50	2.10
11x4.00-4	2PR	Kenda K383 Power Turf	TL	Tyre	128115	263	96	100	16	1.70	2.10
	4PR	ST-50	TL	Tyre	278476	290	102	150	20	3.20	2.75
	4PR	Kenda K500 Super Turf	TL	Tyre	128122	271	103	150	16	2.10	2.75
	2PR	Carlisle Turf Pro	TL	Tyre	264523	292	122	116	16	1.52	3.25
100/100-4	60A8	Trelleborg T539	TL	Tyre	355955	304	98	250	40	6.00	2.50
5"											
11x4.00-5	4PR	ST-50	TL	Tyre	128139	288	105	150	16	3.20	3.00
	4PR	Kenda K500 Super Turf	TL	Tyre	128153	276	100	150	16	3.25	3.00
6"											
13x5.00-6	2PR	Kenda K383 Power Turf	TL	Tyre	329604	320	115	135	16	1.40	3.50
	4PR	ST-50	TL	Tyre	130415	336	124	200	16	2.80	3.50
	4PR	ST-50	TR13	Set	130439	328	130	200	16	2.80	3.50
	4PR	Kenda K500 Super Turf	TL	Tyre	128191	322	122	200	16	2.75	3.50
	4PR	Trelleborg T539	TL	Tyre	367422	322	117	200	30	2.80	3.50
	6PR	ST-50	TL	Tyre	368382	327	126	255		4.10	3.50
13x6.00-6	2PR	ST-50	TL	Tyre	349985	319	118	135	16	1.40	3.50

>>>

CARLISLE KENDA

KENDA K500 SUPER TURF

- Turf tyres for professionals
- Factory fitted to the main American mowers
- Great wear characteristics, resistant to punctures
- Increased tread depth, more rubber at the contact surface
- Rounded shoulders reduce damage to the turf



Kenda K372

Kenda K500 Super Turf

Trelleborg T539

Kenda K383 Power Turf


Carlisle Turf Pro

RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Turf tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
6"											
13x6.50-6	4PR	ST-50	TL	Tyre	130453	328	154	210	16	1.90	4.50
	4PR	ST-50	TR13	Set	130460	328	154	210	16	1.90	4.50
	6PR	ST-50	TL	Tyre	368351	330	163	260	40	2.80	5.00
14x5.50-6	2PR	Kenda K383 Power Turf	TL	Tyre	151083	344	127	140	16	1.00	3.50
15x5.50-6	4PR	Kenda K500 Super Turf	TL	Tyre	128214	365	136	260	16	2.10	4.00
	6PR	Kenda K500 Super Turf	TL	Tyre	389561	366	142	335	16	3.20	4.00
15x6.00-6	2PR	Kenda K383 Power Turf	TL	Tyre	128221	364	151	166	16	0.90	4.50
	4PR	ST-50	TR13	Set	130514	364	151	260	16	2.10	4.50
	4PR	ST-50	TL	Tyre	130507	372	158	260	16	2.10	4.50
	4PR	Kenda K500 Super Turf	TL	Tyre	128238	374	158	259	16	2.10	4.50
	4PR	Kenda K505 Turf	TL	Tyre	270661	369	157	260	16	2.07	4.50
	4PR	Trelleborg T539	TL	Tyre	125282	366	155	272	15	2.00	4.50C
	6PR	ST-50	TL	Tyre	153247	380	162	330	16	3.10	4.50
	6PR	ST-50	TR13	Set	130538	380	162	330	16	3.10	4.50
	6PR	Kenda K500 Super Turf	TL	Tyre	389578	372	156	315	16	3.20	4.5
	100/65-6	24A8	Trelleborg T539	TL	Tyre	268842	286	96	90	40	1.60
140-6	6PR	ST-59	TT	Tyre	133348	340	135	300	30	5.60	4.50
8"											
4.80/4.00-8 4.80/4.00-8	4PR	ST-50	TL	Tyre	129945	416	126	305	16	2.90	2.50
	6PR	ST-50	TL	Tyre	314778						
13x5.00-8	28A4 (2PR)	STARCO Turf Grip	TL	Tyre	283050	330	122	100	20	0.80	4.00
13x6.00-8	4PR	ST-50	TL	Tyre	368405	378	151	200		1.20	5.00
16x6.00-8	2PR	STARCO Turf Grip	TL	Tyre	259420	394	158	150	20	0.80	4.375
16x6.50-8	4PR	ST-50	TL	Tyre	130552	404	164	280	16	1.90	5.375
	4PR	Kenda K500 Super Turf	TL	Tyre	128276	400	178	280	16	1.90	5.375I
	4PR	Kenda K502 Terra Trac	TL	Tyre	318233	398	165	280	16	1.90	5.375I
	4PR	Kenda K505 Turf	TL	Tyre	270678	406	166	280	16	1.93	5.375
	4PR	Carlisle Multi Trac	TL	Tyre	264585	401	163	282	16	1.93	5.375
	4PR	Carlisle Turf Master	TL	Tyre	301235	420	161	281	16	1.90	5.375I
	4PR	Carlisle Turf Trac	TL	Tyre	301778	406	173	281	16	1.90	5.375I
	64A6 (4PR)	ST-50	TR13	Set	130569	409	170	280	30	1.90	5.375
	6PR	Kenda K500 Super Turf	TL	Tyre	381107	400	180	280	16	1.90	5.375
	6PR	Trelleborg T539	TT	Tyre	125312	406	165	360	16	4.80	5.375I
	8PR	ST-50	TL	Tyre	368429	406	165	405	40	3.50	5.375I

>>>



RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Turf tyres



       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
8"											
16x7.50-8	2PR	Kenda K383 Power Turf	TL	Tyre	128290	397	179	220	16	0.80	5.375
	4PR	ST-50	TL	Tyre	278483	416	178	325	15	1.70	5.50
	4PR	Kenda K500 Super Turf	TL	Tyre	128306	419	188	285	16	1.65	5.375I
	4PR	Carlisle Turf Master	TL	Tyre	301242	420	178	282	16	1.70	5.375I
	4PR	Trelleborg T537	TL	Tyre	125343	410	185	275	15	2.00	5.375I
	6PR	Kenda K383 Power Turf	TL	Tyre	330372	418	182	420	30	3.00	5.50
16.5x6.50-8	6PR	Kenda K500 Super Turf	TL	Tyre	294445	428	185	370	16	2.20	5.375
	64J (4PR)	Trelleborg T539	TL	Tyre	125305	409	165	280	100	3.10	5.375
17x8.00-8	72M (6PR)	ST-59	TL	Tyre	133508	412	160	355	130	4.90	5.50
	2PR	Kenda K383 Power Turf	TL	Tyre	128344	429	185	205	16	0.65	5.375I
18x6.50-8	4PR	ST-52	TL	Tyre	128351	451	169	350	16	2.40	5.375
	4PR	Kenda K367	TL	Tyre	330501	451	169	350	16	2.40	5.375
	4PR	Kenda K500 Super Turf	TL	Tyre	128368	452	170	350	16	2.00	5.375I
	4PR	Carlisle Turf Master	TL	Tyre	301266	445	163	371	16	2.00	5.375I
	6PR	Kenda K500 Super Turf	TL	Tyre	278506	460	170	430	16	2.80	5.375
18x7.00-8	4PR	Carlisle Multi Trac	TL	Tyre	264677	455	175	357	16	1.79	5.375
	4PR	Conti B3	TL	Tyre	208510	450	177	325	25	2.00	5.375I
	6PR	Kenda K384	TL	Tyre	270777	457	182	450	16	3.10	5.50
18x7.50-8	2PR	Trelleborg T539	TL	Tyre	156521	465	185	210	25	0.90	5.375I
	4PR	ST-52	TL	Tyre	369884						
	4PR	Kenda K500 Super Turf	TL	Tyre	128399	458	192	360	16	1.70	5.375I

>>>

CARLISLE KENDA STARCO



Conti B3 / Kenda K384

Kenda K383 Power Turf /
Trelleborg T537

Kenda K500 Super Turf

Kenda K502 Terra Trac

Kenda K505 Turf

RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Turf tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
8"											
18x8.00-8	2PR	Kenda K383 Power Turf	TL	Tyre	270326	457	214	255	16	1.24	7.00
18x8.50-8	4PR	ST-52	TL	Tyre	130613	447	211	370	16	1.50	7.00
	4PR	ST-52	TR13	Set	130620	447	211	370	16	1.50	7.00
	4PR	Kenda K500 Super Turf	TL	Tyre	128436	452	216	370	16	1.50	7.00
	4PR	Kenda K505 Turf	TL	Tyre	265469	450	210	370	16	1.50	7.00
	4PR	Carlisle Turf Master	TL	Tyre	301259	468	206	310	16	1.60	7
	4PR	Carlisle Turf Saver	TL	Tyre	300986	458	209	235	16	1.60	7
	4PR	Trelleborg T539	TL	Tyre	125367	472	222	405	30	1.90	7.00
	6PR	ST-52	TL	Tyre	368436	449	221	485		2.50	7.00
	6PR	Kenda K500 Super Turf	TL	Tyre	128467	452	217	475	16	2.40	7.00
	6PR	Trelleborg T539	TT	Tyre	125374	466	222	465	30	2.80	7.00
	8PR	Carlisle Multi Trac	TL	Tyre	264721	450	211	365	16	1.60	7.00
18x9.50-8	4PR	ST-52	TL	Tyre	130644	445	229	425	15	1.40	7.00
	4PR	Kenda K500 Super Turf	TL	Tyre	128504	462	236	470	16	1.70	7.00
	6PR	Kenda K500 Super Turf	TL	Tyre	128528	476	234	595	16	2.50	7.00
	6PR	Carlisle Multi Trac	TL	Tyre	264745	462	229	600	16	2.50	7.00
20x8.00-8	2PR	Carlisle Multi Trac	TL	Tyre	264820	493	224	284	16	0.83	7.00
	4PR	ST-50	TL	Tyre	156804	513	227	430	16	1.50	7.00
	4PR	Kenda K500 Super Turf	TL	Tyre	389592	498	222	410	16	1.50	7.00
	6PR	ST-52	TL	Tyre	368450	524	212	580		2.50	6.50
20x10.00-8	4PR	ST-52	TL	Tyre	128566	511	239	540	16	1.40	7.00
	4PR	Kenda K367	TL	Tyre	330433	511	239	540	16	1.40	7.00
	4PR	Kenda K500 Super Turf	TL	Tyre	128573	496	249	540	16	1.50	7.00
	4PR	Kenda K505 Turf	TL	Tyre	265551	494	244	540	16	1.50	7.00
	4PR	Carlisle Multi Trac	TL	Tyre	264790	498	254	541	16	1.52	8.00
	6PR	ST-52	TL	Tyre	368481	518	248	620		2.50	8.00
	6PR	Kenda K500 Super Turf	TL	Tyre	278513	504	261	700	16	2.30	8.00
	6PR	Trelleborg T539	TT	Tyre	125466	508	244	768	15	2.40	8.50
22x11.00-8	4PR	Carlisle Turf CTR	TL	Tyre	368566	569	274			0.70	9
22x12.00-8		Carlisle HD Field Trax	TL	Tyre	244983	541	297	195	80	0.50	9.50

>>>



Turf Grip

Turf Grip Pro

Turf Trak

ST-50



ST-52

Kenda K367

Bridgestone M40B

Carlisle HD Field Trax

Carlisle Multi Trac

Carlisle Turf CTR

Carlisle Turf Master

Carlisle Turf Saver

RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Turf tyres



Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
8"											
22.5x10.00-8	4PR	Carlisle HD Field Trax	TL	Tyre	245010	572	259	166	80	0.50	7.00
	4PR	Carlisle Turf Tamer	TL	Tyre	264875	579	234	632	16	1.52	8.00
	4PR	Carlisle Turf Trac	TL	Tyre	289809	574	244	632	16	1.50	7.00
155/50-8	50/38A4 (4PR)	STARCO Turf Grip	TL	Tyre	374734	364	142	190	20	1.30	4.375
	50/38A4 (4PR)	STARCO Turf Grip Pro	TL	Tyre	358215	363	142	190	20	1.30	4.375
165/60-8	59/46A8	STARCO Turf Grip Pro	TL	Tyre	358222	406	168	243	40	1.70	5.50A
190-8	6PR	Kenda K383 Power Turf	TL	Tyre	153216	418	182	420	30	3.10	5.50A
	8PR	Kenda K383 Power Turf	TL	Tyre	153223	420	185	575	25	5.90	5.50A
	8PR	Trelleborg T537	TT	Tyre	125404	424	175	575	25	5.90	5.50A
200/65-8	59/47A8	Trelleborg High Grip	TL	Tyre	374130	455	205	243	40	1.20	5.37
	70/58A8 (4PR)	STARCO Turf Grip Pro	TL	Tyre	441573	454	200	335	40	1.20	5.5
210/60D8	56A6	Bridgestone M40B	TL	Tyre	265858	406	202	224	30	1.60	5.50
9"											
25x12.00-9	4PR	Carlisle Turf Trac	TL	Tyre	301907	653	300	826	16	1.40	9.5
25x13.00-9		Carlisle HD Field Trax	TL	Tyre	245119	630	315	243	80	0.50	10.50
10"											
16x6.00-10	35/22A4	STARCO Turf Trak	TL	Tyre	420431	403	157	121	20	0.50	4.5
18x8.00-10	4PR	Carlisle Multi Trac	TL	Tyre	264684	455	198	378	16	1.52	7.00
18x8.50-10	4PR	Kenda K500 Super Turf	TL	Tyre	389585	462	190	360	10	1.50	6.00
	4PR	Carlisle HD Field Trax	TL	Tyre	337531	462	188	375	16	1.50	7.00
	4PR	Carlisle Multi Trac	TL	Tyre	264691	460	211	362	16	1.52	7.00
18x10.50-10	4PR	Carlisle Multi Trac	TL	Tyre	264639	452	257	450	16	1.38	8.00

>>>

CARLISLE KENDA STARCO



Carlisle Turf Trac

Carlisle Turf Tamer

Kenda K383 Power Turf /
Trelleborg T537

Kenda K500 Super Turf

Kenda K505 Turf

Trelleborg T539

Trelleborg High Grip

RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Turf tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
10"											
20x8.00-10	4PR	ST-52	TL	Tyre	128702	508	193	410		1.60	6.50
	4PR	Kenda K513 Commercial Turf	TL	Tyre	337425	516	220	405	16	1.70	7.00
	4PR	Bridgestone M40B	TL	Tyre	230993	495	193	400	15	1.60	6.00
	4PR	Bridgestone Pillow Dia (PD)	TL	Tyre	153261	495	183	400	16	2.30	6.00l
	4PR	Carlisle Turf Master	TL	Tyre	365909	516	209	413	16	1.70	6
	4PR	Trelleborg T539 GT	TL	Tyre	125503	508	204	405	15	1.70	6.00l
	6PR	ST-52	TL	Tyre	368504	508	193	560		2.80	6.50
	6PR	Trelleborg T539	TL	Tyre	125510	508	206	708	15	2.90	6.00l
	8PR	Titan Multi Trac	TL	Tyre	453927	511	206	628	16	3.40	6.50
20x10.00-10	4PR	Kenda K367	TL	Tyre	330594	514	255	530	16	1.50	7.00
	4PR	Kenda K500 Super Turf	TL	Tyre	151076	501	246	495	20	1.50	8.00
	4PR	Kenda K513 Commercial Turf	TL	Tyre	337432	510	235	525	16	1.50	7.00
	4PR	Carlisle All Trail II	TL	Tyre	366005	511	227	541	16	1.60	6
	4PR	Carlisle Multi Trac	TL	Tyre	264769	498	244	528	16	1.52	8.00l
	4PR	Carlisle Turf Glide	TL	Tyre	367316						
	6PR	Kenda K500 Super Turf	TL	Tyre	267937	501	246	700	20	1.50	8.00
	6PR	Carlisle Multi Trac	TL	Tyre	264776	498	244	660	16	2.20	8.00l
	6PR	Trelleborg T539	TL	Tyre	125480	508	244	605	15	2.80	8.00l
20x12.00-10	4PR	ST-54	TL	Tyre	388304	495	272	600			9.50
	4PR	Kenda K516	TL	Tyre	380094	500	287	600	16	1.40	9.75
	4PR	Carlisle Turf Master	TL	Tyre	366876	511	262	600	16	1.40	8
	4PR	Carlisle Turf Trac	TL	Tyre	264806	498	297	601	16	1.38	8.00
20.5x8.00-10	4PR	Kenda K513 Commercial Turf	TL	Tyre	383002	526	213	410	16	1.60	6.00
	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	133744	526	208	410	15	1.60	6.00l
21x7.00-10	2PR	Carlisle Turf Saver	TL	Tyre	366999	514	176	311	16	0.90	5,375l
22x9.00-10	4PR	Kenda K502 Terra Trac	TL	Tyre	369938	566	216	550	16	1.50	7.00
22x9.50-10	4PR	Kenda K506	TL	Tyre	265582	546	235	544	16	1.50	7.00l
	4PR	Carlisle Turf Trac	TL	Tyre	264905	551	241	446	16	0.97	7.00l
22x10.00-10	4PR	Kenda K500 Super Turf	TL	Tyre	278520	556	246	610	16	1.50	7.00
22x11.00-10	4PR	Carlisle Turf Master	TL	Tyre	301686	544	265	541	16	1.40	7
	6PR	Kenda K502 Terra Trac	TL	Tyre	259130	564	289	870	16	2.40	8.50
24x9.50-10	4PR	Carlisle Turf Trac	TL	Tyre	265124	617	249	642	16	1.52	7.00l
24x12.00-10	4PR	Kenda K506	TL	Tyre	270685	610	282	585	16	1.03	8.00
	4PR	Carlisle Turf Trac	TL	Tyre	301969	622	292	789	16	1.40	7.75
250/50-10	79A8	Trelleborg High Grip	TL	Tyre	322223	510	256	437	40	1.80	8.00l

>>>



RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Turf tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
12"											
22x8.50-12	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	261393	546	216	505	15	1.60	7JA
22x9.50-12	2PR	Carlisle Turf Saver	TL	Tyre	264929	543	223	395	15	0.80	7.00
	4PR	Kenda K500 Super Turf	TL	Tyre	389608	551	226	560	16	1.50	7.00
	4PR	Carlisle Turf Master	TL	Tyre	366906	554	232	594	16	1.70	7
23x8.00-12	4PR	Carlisle All Trail	TL	Tyre	366050	589	213	671	16	1.50	6,5
23x8.50-12	4PR	Kenda K358 (b)	TL	Tyre	272290	580	213	510	16	1.50	7
	4PR	Kenda K500 Super Turf	TL	Tyre	129082	574	214	510	16	1.50	7.00
	4PR	Bridgestone M40B	TL	Tyre	151311	594	213	505	15	1.60	7JA
	4PR	Bridgestone Pillow Dia (PD)	TL	Tyre	261409	578	213	505	15	1.60	7JA
	4PR	Carlisle Multi Trac	TL	Tyre	268545	574	211	507	16	1.52	7.00l
	4PR	Carlisle Turf Master	TL	Tyre	301693	582	214	675	16	1.60	7
	6PR	ST-52	TL	Tyre	368641	590	210	656	15	2.30	7.0
	6PR	Kenda K500 Super Turf	TL	Tyre	129099	576	215	655	16	2.40	7.00l
	6PR	Carlisle Multi Trac	TL	Tyre	264981	574	211	655	16	2.34	7.00l
	6PR	Conti B3	TL	Tyre	261416	575	214	775	25	2.40	7.00
	10PR	Kenda K500 Super Turf	TL	Tyre	151069	570	219	1080	16	5.50	7.00
	10PR	Trelleborg T539	TT	Tyre	125626	568	212	1045	30	3.70	7.00
23x9.50-12	4PR	Kenda K500 Super Turf	TL	Tyre	129129	599	247	625	16	1.70	7.00l
	4PR	Carlisle Multi Trac	TL	Tyre	265018	577	236	628	16	1.66	7.00l
23x10.00-12	4PR	Kenda K500 Super Turf	TL	Tyre	389615	572	264	610	16	1.40	8.5
23x10.50-12	4PR	Kenda K358 (b)	TL	Tyre	314235	580	250	610	16	1.40	8.5
	4PR	Kenda K500 Super Turf	TL	Tyre	129006	580	264	549	30	1.40	8.50
	4PR	Kenda K502 Terra Trac	TL	Tyre	206264	583	260	610	16	1.40	8.50
	4PR	Kenda K505 Turf	TL	Tyre	265599	576	245	640	16	1.50	7.00l
	4PR	Bridgestone M40B	TL	Tyre	261423	594	241	605	15	1.40	7JA
	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	151328	579	264	605	15	1.40	8.5JA
	4PR	Carlisle All Trail	TL	Tyre	356952	587	251	615	16	1.40	7
	4PR	Trelleborg T539	TL	Tyre	125558	581	245	550	16	1.40	8.50l
	6PR	Kenda K500 Super Turf	TL	Tyre	129013	580	265	800	16	2.20	8.50l
	6PR	Carlisle Multi Trac	TL	Tyre	264943	571	259	798	16	2.20	8.50l
	6PR	Trelleborg T539	TL	Tyre	125572	580	252	1167	15	2.90	8.50l
	8PR	Kenda K500 Super Turf	TL	Tyre	278537	580	265	970	16	3.00	8.50
23x12.50-12	6PR	Trelleborg T539 GT	TL	Tyre	125589	580	316	1230	25	2.90	10.50l
24x8.50-12	4PR	ST-52	TL	Tyre	278339	607	221	550	16	1.50	7.00
	4PR	Bridgestone M40B	TL	Tyre	289816	614	224	550	15	1.60	7
	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	133935	602	216	550	15	1.60	7JA
24x9.50-12	4PR	Kenda K500 Super Turf	TL	Tyre	389639	599	247	625	16	1.70	7.00
	4PR	Carlisle Multi Trac	TL	Tyre	265148	610	241	651	16	1.52	7.00l

>>>

CARLISLE **KENDA**



Kenda K505 Turf

Kenda K506

Kenda K513 Commercial Turf

Kenda K516

Titan Multi Trac

Trelleborg High Grip

Trelleborg T539 /
Trelleborg T539 GT

RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Turf tyres



       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
12"											
24x10.50-12	2PR	Carlisle Turf Pro	TL	Tyre	265049	587	269	441	16	0.69	8.50l
24x12.00-12	2PR	Carlisle HD Field Trax	TL	Tyre	367323	610	295	515	16	0.70	9.5
	4PR	Kenda K500 Super Turf	TL	Tyre	129150	595	300	775	16	1.40	9.50l
	4PR	Kenda K505 Turf	TL	Tyre	300634						
	6PR	Kenda K505 Turf	TL	Tyre	265612	609	310	1020	16	2.25	10.50
	6PR	Carlisle Turf Trac	TL	Tyre	265063	597	279	1019	16	2.21	8.50l
	8PR	Kenda K500 Super Turf	TL	Tyre	265605	598	292	1320	16	3.50	8.50
24x13.00-12	4PR	Kenda K507	TL	Tyre	265629	610	333	785	16	1.20	10.50
	4PR	Carlisle Ultra Trac	TL	Tyre	265087	589	330	787	16	1.24	10.50
	6PR	Kenda K507	TL	Tyre	279794	610	333	1015	16	1.90	10.50
	6PR	Carlisle Ultra Trac	TL	Tyre	265094	577	330	1019	16	1.93	10.50
	6PR	ST-52	TL	Tyre	369983	605	320	1085	15	2.20	10.5
25x8.00-12	6PR	ST-58	TL	Tyre	368900	634	204	115	40	0.50	6.50
25x9.00-12	4PR	Carlisle Multi Trac	TL	Tyre	366852	633	242			1.70	8
25x10.00-12	6PR	ST-58	TL	Tyre	368924	634	254	190	40	0.50	8.00
25x10.50-12	4PR	Carlisle All Trail	TL	Tyre	359434	627	260	712	16	1.40	7
25x11.00-12	4PR	Carlisle Multi Trac	TL	Tyre	366845			1123			
26x10.50-12	2PR	Carlisle Multi Trac	TL	Tyre	301648						

>>>



ST-52

ST-58

ST-59

Trelleborg T539

Carlisle All Trail

Carlisle HD Field Trax



Carlisle Multi Trac

Carlisle Turf Pro

Carlisle Turf Trac

Carlisle Ultra Trac

Kenda K500 Super Turf

Kenda K507

Kenda K505 Turf

RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Turf tyres

      											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
12"											
26x12.00-12	2PR	Carlisle HD Field Trax	TL	Tyre	367347	651	300	538	16	0.70	9,5
	4PR	ST-52	TL	Tyre	278438	655	310	800	15	1.40	10.50
	4PR	ST-59	TL	Tyre	382753						
	4PR	Kenda K500 Super Turf	TL	Tyre	129426	655	325	810	16	1.40	10.50
	4PR	Kenda K505 Turf	TL	Tyre	265681	645	307	810	16	1.50	10.50
	4PR	Carlisle Multi Trac	TL	Tyre	265209	640	310	810	16	1.38	8.50l
	4PR	Trelleborg T539	TL	Tyre	125640	652	325	730	16	2.40	10.50l
	6PR	ST-52	TL	Tyre	278445	660	307	1030	15	2.10	10.50
	6PR	Kenda K500 Super Turf	TL	Tyre	300511						
	6PR	Carlisle Multi Trac	TL	Tyre	265216	641	291	1024	16	2.10	8.50l
	8PR	ST-59	TL	Tyre	382760	665	325	1390	15	3.45	10.50
	8PR	Kenda K500 Super Turf	TL	Tyre	129440	669	321	1385	16	3.40	10.50
26.5x14.00-12	8PR	Trelleborg T539	TL	Tyre	125671	653	327	1150	30	2.70	10.50l
	10PR	Kenda K500 Super Turf	TL	Tyre	150970	659	325	1540	16	4.14	10.50l
	4PR	Kenda K507	TL	Tyre	265667	670	376	985	16	1.24	10.50
220/60-12	4PR	Carlisle Ultra Trac	TL	Tyre	265193	673	366	987	16	1.24	11.00
	6PR	Kenda K507	TL	Tyre	278179	668	379	1205	16	1.80	10.50
	88A8 (4PR)	Trelleborg T539	TL	Tyre	268866	578	224	560	40	2.00	7.00

CARLISLE KENDA



KENDA K505 TURF

- ▶ Premier tread for turf and lawn/garden use
- ▶ Computer designed tread - maximizing the grip
- ▶ More rubber at the contact surface - better puncture resistance and increased service life



KENDA K500 SUPER TURF

- ▶ Turf tyres for professionals
- ▶ Factory fitted to the main American mowers
- ▶ Great wear characteristics, resistant to punctures
- ▶ Increased tread depth, more rubber at the contact surface
- ▶ Rounded shoulders reduce damage to the turf

KENDA

RIDE ON MOWERS - SMALL HORTICULTURAL MACHINERY

Complete wheel assemblies - with integral hub

    									
Tyre	LI/SI/PR	Tread pattern	57 07562+	Wheel	Colour	C mm	D mm		Wheel type
6"									
15x6.00-6	70A6 (6PR)	Deli S-317	462806	GK 4.50Ax6 H2	Silver	90	25	8=8	Steel/1-piece
	70A6 (6PR)	Deli S-317	498140	EK 4.50Ax6 H2		64	25	8=8	Steel/1-piece
8"									
16x6.50-8	72A4 (6PR)	Deli S-317	456843	EK 5.50Ax8	Silver	64	25	8=8	Steel/1-piece
	72A4 (6PR)	Deli S-317	498171	EK 5.50Ax8 H2	Silver	89	25	8=8	Steel/1-piece
18x8.50-8	4PR	Deli S-317	446264	GK 7.00Ax8 H2	Silver	90	25	8=8	Steel/1-piece



Deli S-317



GALAXY MIGHTY MOW

- ▶ Design based of input from golf course superintendents
- ▶ Setting standards for flotation and minimised soil disturbance



GALAXY TURF SPECIAL

- ▶ Designed to provide superior flotation characteristics
- ▶ No damage to soil or roots



Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

PROFESSIONAL MOWERS - LARGE HORTICULTURAL MACHINERY

Turf tyres

      											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
8"											
16x7.50-8	70/58A3 (4PR)	STARCO Turf Grip	TL	Tyre	409405	396	174	335	15	1.70	5.375
10"											
20x8.00-10	8PR	Titan Multi Trac	TL	Tyre	453927	511	206	628	16	3.40	6.50
12"											
24x11.50-12	4PR	Kenda K500 Super Turf	TL	Tyre	389622	587	287	775	16	1.40	8.5
24x13LL-12	4PR	Galaxy Turf Special R3	TL	Tyre	381763	599	307	560	15	0.70	10.5
215/70-12 24x8.50-12	87/87A6	Kenda K505 Turf	TL	Tyre	435909	602	218	545	30	1.60	7
220/55R12	82A8/82B	Galaxy Garden Pro	TL	Tyre	498959	550	220	475	40	2.40	7.00
240/60R12	89A8/89B	Galaxy Garden Pro	TL	Tyre	498966	592	240	580	40	2.40	8.00
250/60-12	110/98A6	STARCO SG Flotation	TL	Tyre	363806	602	250	1060	30	2.30	8
300/65-12	122/110A8 (8PR)	STARCO SG Flotation	TL	Tyre	335780	682	290	1500	40	3.40	9.00
14"											
24x8.50-14	4PR	ST-52	TL	Tyre	278391	601	216	541	16	1.50	6.00
	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	133942	602	216	550	16	1.60	7JA
	4PR	Carlisle Multi Trac	TL	Tyre	265117	610	216	560	16	1.52	7.00

>>>

NEW FROM GALAXY

GALAXY GARDEN PRO

- Unique directional tread pattern
- Specially designed centre lugs for excellent wear resistance
- Rounded shoulders for less damage to turf and ground
- Minimised soil compaction and impact on plants
- Good traction and efficient self-cleaning
- Radial construction
- Available as front and rear tyres

Steep centreline lug angle and smooth open channels for good self-cleaning

Shoulder area with a more open tread and shallow lug angle, for optimum traction



High lug count, dense centre line and radial construction result in excellent ride and low wear on hard surfaces

Rounded shoulders for less damage to turf and ground

PROFESSIONAL MOWERS - LARGE HORTICULTURAL MACHINERY

Turf tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
14"											
25x8.50-14	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	134062	635	216	525	15	1.60	7JA
	4PR	Carlisle Multi Trac	TL	Tyre	265162	635	218	599	16	1.52	7.00
	6PR	Carlisle Multi Trac	TL	Tyre	265179	635	216	746	16	2.21	7.00
	6PR	Goodyear Softrac	TL	Tyre	367811						
215/60-14 24x8.50-14	87/87A6	Kenda K505 Turf	TL	Tyre	439327	607	216	545	30	1.90	7.00
215/65-14 25x8.50-14	98/98A6	Kenda K505 Turf	TL	Tyre	435916	635	221	750	30	2.90	7I
250/60D14	79A6	Bridgestone M40B	TL	Tyre	265865	656	246	437	30	1.60	7JA
14.5"											
300/55-14.5	116/104A8	STARCO SG Flotation	TL	Tyre	335834	682	290	1250	40	2.80	9.50
15"											
25x10.50-15	4PR	Goodyear Softrac	TL	Tyre	138879	640	267	587	15	1.70	8.00LB
25x10.50LL-15	6PR	Galaxy Turf Special R3	TL	Tyre	383033	643	262	455	15	0.70	8
	6PR	Titan Soft Turf	TL	Tyre	369150	653	264	424	50	2.10	8.25
27x8.50-15	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	134130	681	214	650	15	1.60	7JA
	4PR	Goodyear Softrac	TL	Tyre	138954	676	218				
	6PR	Carlisle Multi Trac	TL	Tyre	265278	676	218	712	48	3.10	7.00
	6PR	Galaxy Mighty Mow	TL	Tyre	364292	686	221	712	77	3.10	7
27x10.50-15	4PR	Carlisle Multi Trac	TL	Tyre	265254	683	259	601	16	2.07	8.50
	4PR	Galaxy Mighty Mow	TL	Tyre	458854	686	262	599	49	2.07	8
	4PR	Goodyear Softrac	TL	Tyre	138930	691	267				
27x10.50LL-15	6PR	Galaxy Turf Special R3	TL	Tyre	381770	678	269	440	15	0.60	8
27x12LL-15	6PR	Galaxy Turf Special R3	TL	Tyre	381787	678	310	515	15	0.60	10
	6PR	Titan Soft Turf	TL	Tyre	369167	699	305	599	50	2.10	10
27x14LL-15	6PR	Galaxy Turf Special R3	TL	Tyre	381794						
28x8.50-15	4PR	Titan Multi Trac	TL	Tyre	370026	711	213	650	50	2.00	W7
29x12.00-15	4PR	ST-52	TL	Tyre	289823	752	297	721	16	1.40	10.00
	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	134185	757	297	810	15	1.40	10LB
29x12.50-15	4PR	Goodyear Softrac	TL	Tyre	134178	742	325	792	15	1.40	10.00LB
	4PR	Titan Multi Trac	TL	Tyre	192482	739	310	600	50	1.40	10
	6PR	Titan Multi Trac	TL	Tyre	151434	744	318	777	48	2.10	10.00LB
	10PR	Carlisle Multi Trac	TL	Tyre	363943	737	323	1496	16	1.40	10

>>>

GALAXY **CARLISLE** **KENDA** **STARCO**



Bridgestone Pillow Dia-1

Bridgestone M40B

Carlisle Multi Trac

Galaxy Garden Pro



Galaxy Mighty Mow

Galaxy Turf Special R3

Goodyear Softrac

Kenda K500 Super Turf

Kenda K505 Turf

Titan Multi Trac

Titan Soft Turf

PROFESSIONAL MOWERS - LARGE HORTICULTURAL MACHINERY

Turf tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
15"											
29x14.00-15	6PR	Carlisle Ultra Trac	TL	Tyre	265308	737	356	778	16	2.07	11.00
	12PR	Carlisle Ultra Trac	TL	Tyre	301730			773			
31x12.50-15	4PR	Goodyear Softrac	TL	Tyre	134239	792	330	990	15	1.40	10.00LB
31x13.50-15	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	134284	777	348	985	15	1.40	10LB
	4PR	Carlisle Multi Trac	TL	Tyre	132204	800	353	750	16	1.40	10.00
	8PR	Titan Multi Trac	TL	Tyre	151564	800	353	1180	50	3.10	10.00LB
31x15.50-15	4PR	Bridgestone Pillow Dia-1 (PD1)	TL	Tyre	134253	785	394	865	30	1.40	13LB
	4PR	Goodyear Softrac	TL	Tyre	139012	792	386	775	48	1.40	13.00LB
	121/109A8 (8PR)	Mitas TR-06	TL	Tyre	314464	760	370	1450	40	3.00	13
33x12.50-15	4PR	ST-52	TL	Tyre	269252	834	320	950	16	1.40	10.00
	4PR	Goodyear Softrac	TL	Tyre	139081	843	345	950	48	1.40	10.00LB
	6PR	Trelleborg T413	TL	Tyre	190259	850	316	1530	25	1.90	10
33x14.50-15	4PR	Titan Multi Trac	TL	Tyre	132242	833	361	948	48	1.40	10.00x15
33x15.50-15	6PR	Trelleborg T412	TL	Tyre	125800	843	391	1865	30	2.00	13.00
	8PR	BKT Tracmaster AS	TL	Tyre	376516	865	404	1620	50	3.10	13
	8PR	Trelleborg T412	TL	Tyre	267869	818	402				13.00LB
36x13.50-15	4PR	Titan Multi Trac	TL	Tyre	132266	914	381	1179	50	1.40	10.00
36x14.00-15	4PR	Carlisle Multi Trac	TL	Tyre	383965	914	356	1182	40	1.40	10
212/80-15	79/79A6	Kenda K505 Turf	TL	Tyre	435923	721	217	437	30	1.60	7JA
212/80D15	4PR	Bridgestone Pillow Dia-1 (PD1)	TT	Tyre	133805	721	215	435	30	1.60	7JA
215/70-15 27x8.50-15	96/96A6	Kenda K505 Turf	TL	Tyre	439334	678	213	710	30	3.10	7.00
240/70-15 28x9.00-15	115A8 (8PR)	Conti B3	TL	Tyre	134161	721	227	1215	40	4.00	7.00I
295/60-15 29x12.00-15	100A6	Kenda K505 Turf	TL	Tyre	445618	757	300	800	30	1.40	10LB
315/75-15	126A5	Trelleborg T539	TL	Tyre	125787	839	312	1700	25	2.90	10.00
315/75D15	4PR	Bridgestone M40B	TL	Tyre	151359	853	316	615	30	1.00	10
380/60-15	114A8	Trelleborg T539	TL	Tyre	268927	832	371	1180	40	1.20	13LB
15.3"											
10.0/75-15.3 10-15	10PR	Conti M159	TT	Tyre	319537	764	264	2000	10	3.90	9.00
15.5"											
400/60-15.5	145/132A8	STARCO SG Flotation	TL	Tyre	334936	872	400	2900	40	3.60	AG13.00
16"											
12LL-16	6PR	Galaxy Turf Special R3	TL	Tyre	381800	832	293		15		
13.6-16	4PR	Bridgestone Pillow Dia-1 (PD1)	TT	Tyre	133331	988	347	800	30	1.00	W11
	4PR	Carlisle Turf Pro R-3	TL	Tyre	366937	965	361	712	40	1.00	12
	4PR	Titan Multi Trac	TL	Tyre	131306	991	368	714	16	1.00	12.00
	8PR	Titan Multi Trac	TL	Tyre	151441	991	368	968	48	2.00	12.00

>>>



BKT Tracmaster AS

Bridgestone M40B

Bridgestone Pillow Dia-1

Carlisle Multi Trac



Conti B3

Conti M159

Galaxy Garden Pro

Galaxy Mighty Mow

Galaxy Turf Special R3

Goodyear Softrac

Kenda K500 Super Turf

PROFESSIONAL MOWERS - LARGE HORTICULTURAL MACHINERY

Turf tyres

STARCO ALPTRAK

- Specially developed, unique tread pattern
- Excellent traction on turf and other soft terrain
- Excellent lateral grip and traction when working across steep slopes



Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
16"											
260/70R16	109A8/109B	Galaxy Garden Pro	TL	Tyre	498973	770	260	1030	40	2.40	W8
280/70R16	112A8/112B	Galaxy Garden Pro	TL	Tyre	498980	800	282	1120	40	2.40	W9
315/80D16	104A6 (6PR)	Bridgestone M40B	TL	Tyre	395449			900	30	1.60	10.00LB
16.1"											
18.4-16.1	6PR	Titan Torc Trac R-3	TL	Tyre	368993	1097	490	1155	40	1.10	16
21.5L-16.1	4PR	Titan Multi Trac	TL	Tyre	131696	1134	546	1596	48	0.80	18.00
22.5LL-16.1	6PR	Galaxy Turf Special R3	TL	Tyre	381848	1133	582	1690	15	0.40	18
33x16LL-16.1	10PR	Galaxy Turf Special R3	TL	Tyre	381817	851	427	2315	15	2.60	14
33x18LL-16.1	10PR	Galaxy Turf Special R3	TL	Tyre	381824	851	475	2485	15	2.30	16
41X18LL-16.1	6PR	Galaxy Turf Special R3	TL	Tyre	414744	1052	488	1225	15	0.40	16.00
16.5"											
10-16.5	8PR	Galaxy Mighty Mow	TL	Tyre	383040	781	265	1878	40	4.14	
12-16.5	8PR	Titan Torc Trac II R-3	TL	Tyre	369006						
	10PR	Galaxy Mighty Mow	TL	Tyre	383057	833	318	1910	10	2.80	9.75
33x12.50-16.5	4PR	Kenda K500 Super Turf	TL	Tyre	269153	838	318	1048	48	2.10	9.75
	4PR	Titan Multi Trac	TL	Tyre	151465	831	315	1048	48	2.10	9.75
33x15.50-16.5	10PR	Galaxy Mighty Mow	TL	Tyre	383064	833	386	2065	10	2.10	12.00
	12PR	Titan Torc Trac II R-3	TL	Tyre	369013						
17"											
380/55-17 15.0/55-17	138/125A8 (12PR)	STARCO SG Flotation	TL	Tyre	336190	872	376	2360	40	2.80	13.00
480/45-17	146/134A8 (14PR)	STARCO SG Flotation	TL	Tyre	270319	863	455	3000	40	3.20	16.00
520/50-17	159/147B	STARCO SG Flotation	TL	Tyre	270586	965	530	4375	50	4.00	16.00
18"											
280/70R18	114A8/114B	Galaxy Garden Pro	TL	Tyre	498997	849	282	1180	40	2.40	W9
425/50-18	134G	STARCO Alptrak	TL	Tyre	278544	886	413	2120	90	3.50	W14L
425/70-18	155/143B	STARCO SG Flotation	TL	Tyre	270593	1052	465	3875	50	3.50	13.00

>>>



Carlisle Turf Pro R-3

Carlisle Ultra Trac

GALAXY **CARLISLE** **KENDA** **STARCO**



Kenda K505 Turf

Mitas TR-06

Titan Multi Trac

Titan Torc Trac R-3

Trelleborg T412

Trelleborg T413

Trelleborg T539

PROFESSIONAL MOWERS - LARGE HORTICULTURAL MACHINERY

Turf tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
20"											
38x14.00-20	4PR	ST-55	TL	Tyre	370361	980	375	1060	50	1.70	W11
	4PR	Goodyear Softrac	TL	Tyre	139104	970	371	1060	50	1.75	11.00
41x14.00-20	4PR	Galaxy Mighty Mow	TL	Tyre	383071	1075	343	1842	32	1.72	11
	4PR	Titan Multi Trac	TL	Tyre	132297	1077	356	1395	50	1.70	W11H
44x18.00-20	4PR	Galaxy Mighty Mow	TL	Tyre	461311	1130	460	2010	40	2.10	14.00
	4PR	ST-55	TL	Tyre	370385	1180	475	1500	15	1.40	W14
	4PR	Titan Multi Trac	TL	Tyre	132303	1133	472	1555	16	1.30	14.00W
	6PR	Titan Multi Trac	TL	Tyre	368825	1143	472	1950	50	2.10	14
300/70R20	110A8/110B	Galaxy Garden Pro	TL	Tyre	499000	954	295	1060	40	1.60	W9
320/70R20	113A8/113B	Galaxy Garden Pro	TL	Tyre	499017	982	320	1150	40	1.60	W10
355/80D20	4PR	Bridgestone Pillow Dia-1 (PD1)	TT	Tyre	134376	1076	353	825	30	1.00	W11
475/65D20	4PR	Bridgestone Pillow Dia-1 (PD1)	TT	Tyre	359854	1133	464	1180	30	0.80	W15
22.5"											
41x18LL-22.5	14PR	Galaxy Turf Special R3	TL	Tyre	381831	1062	505	4080	15	3.40	14
550/45-22.5	159/147A8	STARCO SG Flotation	TL	Tyre	335728	1080	545	4375	40	2.80	16.00
550/60-22.5	165/152B	STARCO SG Flotation	TL	Tyre	269979	1237	541	5150	50	2.80	16.00
24"											
9.5-24	6PR	Carlisle Turf Pro R-3	TL	Tyre	366944	1024	241			2.10	8
11.2-24	6PR	Carlisle Turf Pro R-3	TL	Tyre	366920	1077	285	943	40	1.80	10
14.9-24	128A8 (10PR)	Titan Torc Trac II R-3	TL	Tyre	369044	1229	386	1800	40	2.20	13.00
16.9-24	10PR	Titan Torc Trac II R-3	TL	Tyre	369075						
17.5L-24	8PR	Galaxy Mighty Mow	TL	Tyre	383088	1204	450	1830	30	1.50	15.00
380/70R24	125A8/125B	Galaxy Garden Pro	TL	Tyre	499024	1190	380	1650	40	1.60	W12
420/70R24	130A8/130B	Galaxy Garden Pro	TL	Tyre	499031	1248	418	1900	40	1.60	W13
28"											
12.4-28	4PR	Titan Torc Trac II R-3	TT	Tyre	390666	1207	328	900	40	1.10	11.00
13.6-28	11 (6PR)	Titan Torc Trac II R-3	TT	Tyre	385426			46		1.00	

GALAXY **CARLISLE** **STARCO**



SG Flotation

ST-55

Bridgestone Pillow Dia-1

Carlisle Turf Pro R-3



Galaxy Garden Pro

Galaxy Mighty Mow

Galaxy Turf Special R3

Goodyear Softrac

Titan Multi Trac

Titan Torc Trac R-3

Titan Torc Trac II R-3

GOLF CARTS

Turf tyres

Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
6"											
8.00-6	4PR	Carlisle Turf Glide	TT	Tyre	265339	447	180	187	16	1.40	3.25
8"											
16x6.50-8	4PR	Kenda K389 Hole-N-1	TL	Tyre	270609	406	180	270	16	1.93	5.375
16x7.50-8	4PR	Kenda K389 Hole-N-1	TL	Tyre	270616	408	186	275	16	1.65	5.375
16.5x6.50-8	72M (6PR)	ST-85	TL	Tyre	128283	406	165	355	130	4.90	5.375
18x6.50-8	6PR	Kenda K389 Hole-N-1	TL	Tyre	270944	453	163	430	16	2.76	5.00
18x8.50-8	4PR	Kenda K389 Hole-N-1	TL	Tyre	128443	448	216	370	16	1.50	7.001
	6PR	Kenda K389 Hole-N-1	TL	Tyre	270623	452	216	475	16	2.40	7.00
10"											
195/50B10 18x8.0-10	98N (8PR)	Kenda K399 Load Star	TL	Tyre	128405	460	185	750	140	6.00	6.00
205/50-10	6PR	Kenda K399 Pro Tour	TL	Tyre	270630	466	195	460	16	3.10	6.00
	8PR	Kings Tire KT-308	TL	Tyre	370149	461	204	500	40	3.10	6.00

CARLISLE **KENDA**



ST-85

Carlisle Turf Glide

Kenda K389 Hole-N-1

Kenda K399 Load Star
Kenda K399 Pro Tour

Kings Tire KT-308

TURF - GROUND CARE

Rib tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
4"											
11x4.00-4	4PR	ST-31	TL	Tyre	278452	287	104	155	15	3.30	2.50
11x7.00-4	4PR	ST-31	TT	Tyre	133096	270	185	250	15	3.10	6.00
5"											
11x4.00-5	2PR	ST-31	TL	Tyre	130385	272	94	90	16	1.50	3.00
	4PR	Kenda K401	TL	Tyre	330358	272	94	150	16	3.20	3.00
6"											
13x5.00-6	4PR	Kenda K401	TR13	Set	311807	326	126	200	16	2.80	3.50
13x6.50-6	4PR	ST-31	TR13	Set	130477	336	163	210	16	1.90	4.50
15x6.00-6	4PR	ST-31	TR13	Set	130521	358	154	260	16	2.10	4.50
	47F (4PR)	Kenda K401Y	TL	Tyre	359649	368	157	175	80	2.40	4.50
140-6	6PR	Trelleborg T510	TT	Tyre	125268	321	135	310	25	5.90	4.50
8"											
16x6.50-8	4PR	Kenda K401	TR13	Set	311821	404	168	280	16	1.90	5.375
	58F (4PR)	Kenda K401Y	TL	Tyre	359656	405	166	236	80	2.40	5.375
	72A4 (6PR)	ST-31	TR13	Set	130590	420	168	355	20	2.90	5.375
18x8.50-8	4PR	ST-31	TR13	Set	130637	444	216	370	16	1.50	7.00
	4PR	Kenda K401H	TL	Tyre	312576	443	215	370	16	1.50	7.00
18x9.50-8	4PR	Kenda K401	TL	Tyre	330334	457	231	470	16	1.65	7.00
10"											
20x10.00-10	4PR	ST-31	TL	Tyre	265537	500	240	530	16	1.50	8.00

KENDA **STARCO**



Kenda K401 / 401H
Trelleborg T510

Kenda K401 Y

TURF - GROUND CARE

Slick tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
4"											
4.10/3.50-4	4PR	Kenda K404	TL	Tyre	371351	257	94	160	16	3.50	2.50
8x3.00-4	4PR	Kenda K404 LG	TL	Tyre	329345	216	73	80	16	4.10	2.10
9x3.50-4	40A6 (4PR)	Deli S-390	TL	Tyre	325712	237	90	140	30	3.50	2.50
5"											
11x3.60-5	4PR	ST-30	TT	Tyre	265353	280	92	165	16	3.50	3.00
11x4.00-5	4PR	Kenda K404 LG	TL	Tyre	130392	277	99	148	16	3.20	3.00
	4PR	Carlisle Smooth	TL	Tyre	264516	279	102	148	16	3.17	4.00
12x4.00-5	4PR	ST-30	TT	Tyre	265360	300	100	175	16	3.50	3.00
6"											
4.10/3.50-6	4PR	ST-30	TT	Tyre	369617						
12x6.00-6	4PR	ST-30	TT	Tyre	369631						
13x4.00-6	4PR	ST-30	TT	Tyre	265377	325	90	205	16	3.50	3.50
13x5.00-6	4PR	Kenda K404 LG	TL	Tyre	267906	320	121	200	16	2.75	3.50
	4PR	Carlisle Smooth	TL	Tyre	264530	323	122	200	16	2.76	4.50
13x6.50-6	4PR	Carlisle Smooth	TL	Tyre	264547	328	150	209	16	1.93	3.75
8"											
4.80/4.00-8	4PR	Deli S-399	TT	Tyre	361307						2.50
5.00-8	4PR	Kenda K402	TT	Tyre	329529	445	144	325	16	3.50	3.00
16x6.50-8	4PR	ST-30	TL	Tyre	368887						
18x9.50-8	4PR	Kenda K404	TL	Tyre	330402	458	236	470	16	1.65	7.00
19x10.50-8	4PR	ST-30	TL	Tyre	269078	488	249	535		1.60	
21x12.00-8	2PR	ST-30	TL	Tyre	133782	560	264	257	16	0.70	8.50
9"											
6.00-9	10PR	Kenda K402	TT	Tyre	329550	545	165	1770	16	7.00	4.00
10"											
18x10.50-10	2PR	Carlisle Smooth	TL	Tyre	264646	460	254	332	16	0.83	8.50
20x10.00-10	2PR	Carlisle Smooth	TL	Tyre	264783	498	241	371	16	0.83	8.00
	4PR	Kenda K404 LG	TL	Tyre	265544	503	250	530	16	1.50	8.00
12"											
24x13.00-12	4PR	Carlisle Smooth	TL	Tyre	265100	602	333	787	16	1.24	10.50

CARLISLE *Deli Tire* **KENDA**



Kenda K402 / Kenda K404 LG / Carlisle Smooth
Trelleborg T522/ Deli S-390 / Deli S-399

COMPACT TRACTORS - PROPERTY MAINTENANCE

Tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
12"											
250/60-12	110/98A6	STARCO SG Flotation	TL	Tyre	363806	602	250	1060	30	2.30	8
300/65-12	122/110A8 (8PR)	STARCO SG Flotation	TL	Tyre	335780	682	290	1500	40	3.40	9.00
14.5"											
300/55-14.5	116/104A8	STARCO SG Flotation	TL	Tyre	335834	682	290	1250	40	2.80	9.50
	132/120A8	STARCO SG Flotation	TL	Tyre	357096	687	290	2000	40	4.40	9.50
15"											
29x12.50-15	8PR	Galaxy Super Trencher	TL	Tyre	489728	752	318	1540	10	3.10	11.00
15.3"											
260/75-15.3 10.0/75-15.3	123/111A8	STARCO SG Flotation	TL	Tyre	375069	780	270	1550	40	3.90	9
	131/119A8 (14PR)	STARCO SG Flotation	TL	Tyre	375076	780	270	1950	40	5.50	9.00
300/80-15.3	138/126A8 (14PR)	STARCO SG Flotation	TL	Tyre	449685	862	290	2360	40	3.60	9.00
15.5"											
400/60-15.5	145/132A8	STARCO SG Flotation	TL	Tyre	334936	872	400	2900	40	3.60	AG13.00
17"											
380/55-17 15.0/55-17	138/125A8 (12PR)	STARCO SG Flotation	TL	Tyre	336190	872	376	2360	40	2.80	13.00
480/45-17	146/134A8 (14PR)	STARCO SG Flotation	TL	Tyre	270319	863	455	3000	40	3.20	16.00
520/50-17	159/147B	STARCO SG Flotation	TL	Tyre	270586	965	530	4375	50	4.00	16.00
18"											
425/70-18	155/143B	STARCO SG Flotation	TL	Tyre	270593	1052	465	3875	50	3.50	13.00
22.5"											
550/45-22.5	159/147A8	STARCO SG Flotation	TL	Tyre	335728	1080	545	4375	40	2.80	16.00
550/60-22.5	165/152B	STARCO SG Flotation	TL	Tyre	269979	1237	541	5150	50	2.80	16.00



STARCO SG FLOTATION

- ▶ Excellent performance on soft ground
- ▶ Reduced ground pressure
- ▶ Improved self cleaning action
- ▶ Quiet, smooth performance on road



SG Flotation

SNOW THROWERS - SMALL WINTER MACHINERY

Tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
4"											
4.10-4	2PR	ST-49	TL	Tyre	134505	279	94	105	16	1.70	2.5
6"											
4.10-6	2PR	ST-49	TL	Tyre	382289	327	107	130	15	1.70	3.25
	2PR	Kenda K478	TL	Tyre	270982	325	102	130	16	1.65	3.25
4.10/3.50-6	2PR	ST-49	TL	Tyre	134512	316	99	130	16	1.70	3.25
13x4.00-6	2PR	Carlisle XTrac	TL	Tyre	301358	318	102	127	16	1.50	3.25
13x5.00-6	2PR	Kenda K398A	TL	Tyre	426075	322	120	135	16	1.40	3.5
14x4.00-6	2PR	ST-49	TL	Tyre	133386	370	104	143	15	1.40	3.00
15x5.00-6	2PR	ST-49	TL	Tyre	265384	370	126	165	16	1.40	3.50
	2PR	Kenda K478	TL	Tyre	271019	375	131	195	16	1.24	3.50
8"											
4.80/4.00-8	2PR	Kenda K398A	TL	Tyre	333113	416	120	200	16	2.10	2.50
16x6.50-8	2PR	ST-49	TL	Tyre	132334	414	162	190		1.00	5.375I
	2PR	Kenda K478	TL	Tyre	271002	420	155	190	16	0.97	5.375
18x6.50-8	4PR	Carlisle Snow Hog	TL	Tyre	264660	439	168	350	16	1.93	5.375
12"											
23x10.50-12	4PR	Kenda K467 Polar Trac	TL	Tyre	270951	580	260	610	16	1.38	8.50

CARLISLE **KENDA**



Carlisle Snow Hog
Kenda K398A

Carlisle XTrac
Kenda K478



Kenda K467 Polar Trac



NEW!

NEW USER FRIENDLY HIGH SPEED TYRES FROM STARCO

- ▶ Best sidewall marking in the market
- ▶ Clear identification of max load, speed and inflation pressure



HIGH SPEED APPLICATIONS



Trailers - Caravans etc., Tyres	6.5-6.8
Trailers - Caravans etc., Complete wheel assemblies	6.9-6.11

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical




TYRE LABELLING

Which information do you get from the tyre label?

The label has 3 tyre performance indicators:


- ▶ Fuel efficiency
- ▶ Wet grip
- ▶ Exterior noise level



FUEL EFFICIENCY

Fuel consumption is influenced by the rolling resistance of the tyres caused by tyre deformation when rotating, resulting in energy losses in the form of heat. The higher the deformation, the higher the tyre rolling resistance and consequently the more fuel is required to move the vehicle forward. In other words, lower rolling resistance means lower fuel consumption and therefore lower vehicle emissions, including CO₂.

The new label will display different grades in “rolling resistance” where A is the most “fuel efficient” and G the least efficient in class. The black arrow next to the grading (A to G) indicates the performance level of the product.



WET GRIP

The most important role of a tyre is to provide safety - in all weather conditions. Wet traction or grip is one of the most important performance characteristics of any tyre.

There is typically a performance trade-off when combining noise, fuel efficiency and safety performances like wet grip. The labelling will allow customers to prioritize for themselves their preferred performances.

The label will display a range of 7 grades where tyres with an “A” provide the highest levels of wet grip and “G” the lowest.



EXTERIOR NOISE LEVEL

Exterior tyre noise levels are split into 3 categories and measured in decibel (dB) in comparison with the new European tyre exterior noise levels to be introduced until 2016.

- ▶ One black sound wave = 3dB less than the future tighter European limit
- ▶ Two black sound waves = already compliant with the future European limit
- ▶ Three black sound waves = compliant with the current European limit

TRAILERS - CARAVANS ETC.

Tyres

											
Dimension	LI/SI/PR	Tread pattern	TL/TT	57 07562+ mm	mm	kg	km/h	bar	dB 1222/2009		
8"											
3.50-8	46M (4PR)	Deli S-238	TL	326320	385	92	170	130	2.50	2.50	E
4.80/4.00-8	62M (4PR)	ST-80	TL	129952	408	118	265	130	4.25	2.50	E
	62M (4PR)	ST-80	TR13	130842	426	124	265	130	4.00	3.75	E
	70M (6PR)	ST-81	TR13	130859	423	125	335	130	6.20	2.50A	E
	71J (6PR)	ST-80	TL	130071	423	121	345	100	6.20	3.75	
	71M (6PR)	Kenda K371	TL	333168	403	119	345	130	6.20	3.75	E
	71M (6PR)	Kenda K371	TR13	336572	410	119	345	130	6.30	2.50	E
	71M (8PR)	Kenda K385	TT	329222	405	122	345	130	6.20	3.75	E
5.00-8	77M (6PR)	Kenda K385	TT	329543	470	140	412	130	5.20	3.00	E
	89M (10PR)	Kenda K385	TT	329536	473	142	580	130	8.40	3.00	E
5.70/5.00-8	77M (6PR)	ST-80	TL	130965	465	140	412	130	5.20	3.75	E
16.5x6.50-8	64J (4PR)	Trelleborg T539	TL	125305	409	165	280	100	3.10	5.375	E
	72M (6PR)	ST-85	TL	128283	406	165	355	130	4.90	5.375	E
	73J (6PR)	Trelleborg T539	TL	125329	411	165	365	100	4.90	5.375I	E
18.5x8.50-8 ^{215/60-8}	78M (6PR)	ST-85	TL	128450	462	220	425	130	3.50	7.00	E
	78M (6PR)	Kenda K368	TL	289786	462	220	425	130	3.50	7.00	E
9"											
6.00-9	85M (6PR)	ST-80	TT	131108	528	158	515	130	4.10	4.00	
	85M (6PR)	Kenda K385	TT	329567	540	175	515	130	4.10	4.00	E
	95M (10PR)	ST-80	TT	131122	526	163	690	130	6.90	4.00	
	95M (10PR)	Kenda K385	TT	329581	550	178	690	130	7.00	4.00	E
	99J (12PR)	Trelleborg T523	TT	126067	562	170	775	100	8.50	4.00E	E
10"											
3.50-10	59M (6PR)	ST-20	TT	375878	437	88	243	130	2.50		
4.00-10	63M (4PR)	ST-80	TL	458991	458	106	272	130	3.00	3.00	E
	71M (6PR)	ST-80	TL	130866	458	106	345	130	3.50	3.00	E
4.40-10	62J (4PR)	Trelleborg T690	TT	125985	471	113	265	100	3.80	3.50B	E
4.50-10	76M (6PR)	ST-80	TL	192192	498	130	400	130	4.30	3.50	E
	76N (6PR)	ST-5000	TL	375793	490	126	400	140	4.30	3.50B	E M&S
4.80-10	76M (6PR)	ST-80	TL	308951	490	128	400	130	4.25	3.50	E
5.00-10	72M (4PR)	ST-80	TL	131016	525	141	355	130	3.50	3.50	E
	79M (6PR)	ST-80	TL	131023	525	141	437	130	4.00	3.50B	E
	84M (8PR)	ST-80	TL	270791	525	141	500	130	5.00	3.50	E
5.20-10	72M (4PR)	ST-80	TL	132402	525	141	355	130	3.50	3.50B	E
6.50-10	10PR	ST-80	TT	368672	590	183	730		6.90	5.0	
7.50-10	14PR	Trelleborg T523	TT	126074	660	215	2180	25	9.00	5.50F	
20.5x8.0-10	84M (6PR)	ST-85	TL	299624	528	208	500	130	3.40	6.00	E
	90M (8PR)	ST-85	TL	128726	516	198	600	130	4.90	6.00	E
	95M (10PR)	ST-85	TL	327464	538	205	690	130	6.20	6.00	E
	98N (10PR)	Kenda K368	TL	330112	516	198	750	140	4.90	6.00	E
145R10	74N	ST-83	TL	270548	492	147	375	140	2.50	4.00J	E M&S
	84/82N	ST-83	TL	270555	492	147	500	140	4.50	4.00J	E M&S

>>>

Deli Tire KENDA



Deli S-238

Kenda K371 / Trelleborg T690
Camac BC 110

Kenda K368

Kenda K385

Trelleborg T539

Trelleborg T523

TRAILERS - CARAVANS ETC.

Tyres

 EAN-13 KG E															
Dimension	LI/SI/PR	Tread pattern	TL/TT	57 07562+ mm	mm	kg	km/h	bar	dB 1222/2009						
10"															
145/80B10	74N	ST-82	TL	259468	495	135	375	140	2.50	3.50	E				
	74N (4PR)	ST-5000	TL	375694	490	149	375	140	3.00	4.00B	E M&S				
	84N (6PR)	ST-82	TL	259475	495	135	500	140	3.00	3.50	E				
195/50B10 18x8.0-10	98N	Cheng Shin C8001	TL	133577	450	190	750	140	6.00	6.00I	E				
	98N (8PR)	Kenda K399 Load Star	TL	128405	460	185	750	140	6.00	6.00	E				
195/55R10C	98/96N	ST-5000	TL	151120	466	190	750	140	6.20	6	E M&S	E	E	M 72	C1
205/65-10	98N (10PR)	Kenda K399 Load Star	TL	128665	520	213	750	140	6.20	6.00	E				
255/50-10 20.5x10.0-10	103M	Trelleborg T3000	TL	309187			875	130	5.00		E				
	98M (8PR)	Kenda K399 Load Star	TL	128610	524	253	750	130	6.00	8.00	E				
12"															
4.00-12	80M (6PR)	ST-81	TT	309002	510	106	450	130	4.10	3.00	E				
4.50-12	8PR	ST-81	TT	310312	543	133	415		4.00	4.00					
4.80-12	80M (6PR)	ST-80	TL	130958	529	127	450	130	6.20	4.0					
5.00R12	83/81P (8PR)	ST-83	TL	361048	568	134	487	150	4.50	3.50	E				
5.30-12	82M (6PR)	ST-80	TL	131047	555	138	475	130	5.50	4.00					
6.00-12	78M (6PR)	ST-82	TT	131146	580	152	425	130	2.50	4.00					
125R12C	81J	ST-83	TL	428901	512	130	462	100	5.00	3.0	E				
135/70R12	65S	Champro VP1+	TL	506777	495	138	290	180	3.00	4.00B	E M&S				
140/70R12	86N	ST-83	TL	313818	509	150	530	140	2.50	4.50	E				
140/70R12C	86/84N	STARCO MasterTrail	TL	506968	506	141	530	140	4.25	4.0					
155R12C	83M	ST-83	TL	365749	553	157	487	130	3.50	4.50	E				
	88/86N	ST-84	TL	310121	556	156	560	140	4.50	4.5	E				
155/70R12C	104/101N	Kenda Kargo Pro	TL	269016	523	152	900	140	6.50	4	E M&S	G	B	M 70	C2
	104/101N	GT Maxmiler	TL	280691	523	157	900	140	6.50	4,5	E M&S	E	C	H 71	C2
185/60R12C	104/101N	Kenda Kargo Pro	TL	269023	526	186	900	140	6.50	5.5	E M&S	G	B	M 70	C2
	104/101N	GT Maxmiler	TL	280714	525	187	900	140	6.50	6.0	E M&S	E	C	H 71	C2
195/60R12C	104/102N	GT KargoMax ST-6000	TL	288468	530	194	900	140	6.60	6.00	E M&S	E	C	M 70	C2
225/55B12	112N (10PR)	Kenda K399 Load Star	TL	128962	554	225	1120	140	7.00	7.00I	E	E	F	H 75	C2
225/55R12	104N	ST-83	TL	270333			900	140			E				
13"															
5.20-13	70P	Heidenau P31 M S	TL	135137	582	137	335	150		4.00J	E				
	70P	Heidenau P36	TL	135144	582	137	335	150	2.10	4.00J	E				
5.60-13		ST-80	TL	364421	606	141	365	140	2.00	4.00	E				
5.90-13	78P (4PR)	Camac BC110	TL	380643			425	150			E				
6.00-13	10PR	ST-182	TT	270852	653	166	780	120	5.00	4.50					
6.40-13	85P (6PR)	Camac BC110	TL	380636			515	150			E				
6.70-13	94/93L	Heidenau L28	TT	135168	662	180	670	120	3.25	5.00J	E				
	94/93L	Heidenau P31 M S	TT	135175	662	180	670	120	3.25	5.00J	E				
	94/93L	Heidenau P34	TT	135151	662	180	670	120	3.25	5.00J	E				
135/80R13	70T	GT Champro S	TL	280356	546	133	335	190	2.40	3,5	E	E	C	M 70	C1

>>>



GT Champro S
Kenda Kargo Pro

GT - KargoMax ST-4000

STARCO KARGO TRAIL

- for single axle trailers and tandem trailers

- ▶ Modern tread design
- ▶ Low rolling resistance according to EU tyre labelling
- ▶ Low heat build-up
- ▶ Economical construction/weight
- ▶ Medium wide grooves - long life
- ▶ M+S marked

STARCO MASTER TRAIL

- for single axle trailers, tandem trailers, triaxles and HD application

- ▶ Modern tread with special aligned tread and profile designed to match operating conditions
- ▶ Low rolling resistance according to EU tyre labelling
- ▶ Low heat build-up
- ▶ Unique high quality free rolling tyre
- ▶ Special designed construction to prevent air escapes
- ▶ Aligned with the new tyre label legislation
- ▶ M+S marked

**STARCO ECOTRAIL**

- for single axle trailers and Mid range tandem trailers

- ▶ Modern tread design
- ▶ Low rolling resistance according to EU tyre labelling
- ▶ Low heat build-up
- ▶ Cost-efficient tread compound
- ▶ Economical construction/weight
- ▶ Wide grooves – save weight
- ▶ M+S marked



														
Dimension	LI/SI/PR	Tread pattern	TL/TT	57 07562+ mm	mm	kg	km/h	bar	dB 1222/2009					
13"														
145/70R13	78N	STARCO EcoTrail	TL	506937	539	145	425	140	3.00	4.50	E	F	E	L 69
	78N	GT KargoMax ST-4000	TL	288499	534	150	425	140	3.20	4.50	E M&S	E	C	M 69 C2
	84N	ST-3000	TL	281728	539	145	500	140	3.70	4.50	E	G	E	L 69
	84N	STARCO EcoTrail	TL	506944	539	145	500	140	3.70	4.50	E	G	E	L 69

>>>

GT RADIAL**Deli Tire****KENDA****STARCO**

ST-6000

GT - KargoMax ST-6000

Cheng Shin C8001

Heidenau P34
Heidenau P36

Heidenau L28

Heidenau P31 M S

Kenda K399 Load Star

Trelleborg T3000

TRAILERS - CARAVANS ETC.

Tyres

															
Dimension	LI/SI/PR	Tread pattern	TL/TT	57 07562+ mm	mm	kg	km/h	bar	dB 1222/2009						
13"															
145/80R13	75N	STARCO EcoTrail	TL	506432	562	145	387	140	2.80	4	E M&S	F	E	M 71	C1
	75N	GT KargoMax ST-4000	TL	361543	562	145	387	140	2.80	4.00	E M&S	E	C	M 69	C2
	79N	GT KargoMax ST-4000	TL	373164	562	145	437	140	3.00	4.00	E M&S	E	C	M 70	C2
155R13 155/80R13	80N	GT KargoMax ST-4000	TL	288376	578	157	450	140	2.80	4.50	E M&S	C	C	M 69	C2
	84N	GT KargoMax ST-4000	TL	288475	578	157	500	140	3.10	4.50	E M&S	C	C	M 70	C2
155R13C 155/80R13	91/89N	GT KargoMax ST-6000	TL	288284	578	157	615	140	4.50	4.50	E M&S	E	C	M 70	C2
155/70R13	78N	GT KargoMax ST-4000	TL	288307	548	157	425	140	3.10	4.50	E M&S	E	C	M 69	C2
155/80R13	84N	STARCO KargoTrail	TL	506449	578	157	500	140	0.20	4.50	E M&S	C	C	M 72	C1
165R13C	96/94N	GT KargoMax ST-6000	TL	288338	598	167	710	140	4.50	4.50	E M&S	E	C	M 70	C2
165/70R13	80N	GT KargoMax ST-4000	TL	288321	562	170	450	140	2.60	5.00	E M&S	E	C	M 69	C2
175R13C	97/95N (8PR)	GT Maxmiler - X	TL	280516	610	178	730	140	4.50	5.00	E	E	C	M 70	C2
175/70R13	86N	ST-83	TL	313931	576	177	530	140	2.75	4.5	E M&S				
185/70R13	93N	STARCO KargoTrail	TL	506456	590	189	650	140	3.00	5.5	E M&S	C	C	M 72	C1
	93N	GT KargoMax ST-4000	TL	502960	590	189	650	140	3.00	5.50	E M&S	E	C	M 71	C2
185/70R13C	106/104N	GT Savero	TL	261508	590	189	950	140	6.00	5.50	E M&S	E	C	H 71	C2
195/50R13C	104/101N	Kenda Kargo Pro	TL	269047	526	201	900	140	6.50	6.00	E M&S	G	B	M 70	C2
	104/101N	GT Maxmiler	TL	280707	526	195	900	140	6.50	6.00	E M&S	E	C	H 71	C2
14"															
6.00-14	8PR	ST-80	TT	131160	678	172	750	100	4.25	4.50					
6.50-14	8PR	ST-80	TT	131184	704	185	840	100	4.25	4.50					
165R14C	97/95N (8PR)	ST-84	TL	208121	623	166	730	140		4.50	E				
175R14C	99/98N (8PR)	GT Maxmiler - X	TL	280530	634	178	775	140	4.50	5,00	E	E	C	M 70	C2
175/65R14	86T	GT Champiro ECO XL	TL	371979	584	177	530	190	3.40	5.0	E	E	C	H 71	C1
185R14C	104/102N	GT KargoMax ST-6000	TL	288369	650	188	900	140	4.50	5.5	E M&S	C	C	M 70	C2
185/65R14	93N	ST-83	TL	372587	596	189	650	140	3.40	5.5	E M&S				
195R14C	106/104N (8PR)	GT Maxmiler - X	TL	280554	668	198	950	140	4.50	5,5	E	E	C	M 70	C2
195/70R14	96N	STARCO KargoTrail	TL	506463	630	201	710	140	2.90	6.00	E M&S	C	C	M 72	C1
	96N	GT KargoMax ST-4000	TL	288277	630	201	710	140	3.10	6.00	E M&S	C	C	M 72	C1
195/70R14C	104/102N	GT KargoMax ST-6000	TL	288482	630	201	900	140	4.50	6.00	E M&S	C	C	M 70	C2
205R14C	109/107N (8PR)	GT Maxmiler - X	TL	280561	686	208	1030	140	4.50	6.00J	E	C	C	M 71	C2
215R14C	112/110Q (8PR)	ST-83	TL	370903	700	218	1120	160	4.50		E M&S				
15"															
5.60-15	78P (4PR)	Camac BC110	TL	380650			425	150			E				
5.90-15	81P (4PR)	Heidenau P29	TT	268996	668	150	462	150	2.50	5.00J	E				
195/65R15	95N	GT KargoMax ST-4000	TL	384221	635	201	690	140	3.00	6J	E M&S	C	C	M 72	C1
195/70R15C	104/102N	GT KargoMax ST-6000	TL	288291	655	201	900	140	4.50	6.00	E M&S	C	C	M 70	C2
205/70R15C	106/104R	GT Maxmiler - EX	TL	384078	669	209	950	170	4.50	6.00J	E M&S	E	C	M 72	C2
16"															
6.50R16LT	108/107N (10PR)	GT Traveler	TL	280608	750	185	1000	140	5.00	5.00	E	F	F	M 72	C1
175/75R16	101/99R	GT Maxmiler - CX	TL	280738	668	177	825	170	4.75	5,0	E	E	C	H 71	C2
225/75R16C	121/120R	ST-83	TL	316666		223	1450	170		6.50	E				
17.5"															
215/75R17.5	126/124M	GT 879	TL	385228	767	212	1700	130	7.20	6.00	E	D	C	M 72	C1
	135/133J (16PR)	GT 988	TL	451947	767	211	2180	100	8.60	6.00	E	D	C	L 70	C1



Heidenau L29

GT 879

GT - Champiro ECO XL

GT - Maxmiller
GT - Maxmiller - X

GT Savero

GT - Traveler

TRAILERS - CARAVANS ETC.

Complete wheel assemblies - with bore

         															
Dimension	LI/SI/PR	Tread pattern	57 07562+	Colour						dB 1222/2009		km/h	kg		
8"															
4.80/4.00-8	62M (4PR)	ST-80	171661	Silver	4/60/100	Ø14.5	60°	0				E	130	265	
	62M (4PR)	Deli S-380	413778	Silver	4/60/100	Ø14.5	60°	0				E	130	265	
	70M (6PR)	Deli S-378	413785	Silver	4/60/100	Ø14.5	60°	0				E	130	335	
	70M (6PR)	Deli S-378	472706	Silver	4/85/115	Ø12.5	90°	-2				E	130	335	
	71M (6PR)	Kenda K371	497372	Silver	4/60/100	Ø14.5	60°	0				E	130	345	
	71M (8PR)	Kenda K385	397788	Silver	4/60/100	Ø14.5	60°	0				E	130	345	
5.00-8	77M (6PR)	Kenda K385	414638	Silver	4/60/100	Ø13.5	60°	0				E	130	412	
5.70/5.00-8	77M (6PR)	Deli S-378	491417	Silver	4/60/100	Ø13.5	60°	0				E	130	412	
16.5x6.50-8	73M (6PR)	Deli S-368	401232	Silver	4/60/100	Ø14.5	60°	0				E	130	365	
18.5x8.50-8	78M (6PR)	Kenda K368	447452	Silver	4/60/100	Ø14.5	60°	0				E	130	425	
10"															
4.50-10	76N (6PR)	ST-5000	416823	Silver	4/60/100	Ø14.5	60°	0				E M&S	140	400	
5.00-10	79M (6PR)	Kenda K364	438917	Silver	4/60/100	Ø14.5	60°	0				E	130	437	
145R10	74N	ST-83	271903	Silver	4/60/100	Ø14.5	60°	0				E M&S	140	375	
	74N	Maxxis CR-966	404042	Silver	4/60/100	Ø14.5	60°	0				E M&S	140	375	
	84/82N	Maxxis CR-966	404172	Silver	4/60/100	Ø14.5	60°	0				E M&S	140	500	
145/80B10	74N	Deli S-255	400662	Silver	4/60/100	Ø14.5	60°	0				E	140	375	
	74N (4PR)	ST-5000	419596	Silver	4/60/100	Ø14.5	60°	0				E M&S	140	375	
195/50B10	98N (8PR)	Kenda K399 Load Star	500614	Silver	5/67/112	Ø16	R12	-4				E	140	750	
	98N (8PR)	Kenda K399 Load Star	448664	Silver	5/94/140	Ø18.5	R14	-4				E	140	750	
195/55R10C	98/96N	ST-5000	413945	Silver	5/67/112	Ø16	R12	-4	E	E	M 72	C1	E M&S	140	750
	98/96N	ST-5000	447506	Silver	5/94/140	Ø18.5	R14	-4	E	E	M 72	C1	E M&S	140	750
	98/96N	Eternity ST6000	476124	Silver	5/67/112	Ø16	R12	-4				E M&S	140	750	
	98/96N	Eternity ST6000	476131	Silver	5/94/140	Ø18.5	R14	-4				E M&S	140	750	
12"															
155/70R12C	104/101N	GT Maxmiler	413976	Silver	5/67/112	Ø16	R12	0	E	C	H 71	C2	E M&S	140	900
	104/101N	GT Maxmiler	452173	Silver	5/67/112	Ø16	R12	20	E	C	H 71	C2	E M&S	140	900
	104/101N	GT Maxmiler	426310	Silver	5/67/112	Ø16	R12	30	E	C	H 71	C2	E M&S	140	900
	104/101N	GT Maxmiler	413969	Silver	5/114,5/165,1	Ø18.5	80°	0	E	C	H 71	C2	E M&S	140	900
185/60R12C	104/101N	GT Maxmiler	413983	Silver	5/66/112	Ø16	R12	30	E	C	H 71	C2	E M&S	140	900
	104/101N	GT Maxmiler	413990	Silver	5/114,5/165,1	Ø18.5	80°	0	E	C	H 71	C2	E M&S	140	900
195/60R12C	104/102N	GT KargoMax ST-6000	414003	Silver	5/114,6/165,1	Ø18.5	80°	5	E	C	M 70	C2	E M&S	140	900
225/55B12	112N (10PR)	Kenda K399 Load Star	489865	Silver	5/67/112	Ø16	R12	10	E	F	H 75	C2	E	140	1120

>>>


GT RADIAL **Deli Tire** **KENDA**



Kenda K364 / Kenda K371 /
Deli S-378 / Deli S-380

Deli S-255

Maxxis CR-966



GT - KargoMax ST-6000
Eternity ST-6000

GT - Maxmiler

Kenda K385

Kenda K368
Deli S-368


Kenda K399 Load Star

TRAILERS - CARAVANS ETC.

Complete wheel assemblies - with bore

   ET    E  														
Dimension	LI/SI/PR	Tread pattern	57 07562+	Colour								dB 1222/2009	km/h	kg
13"														
145/70R13	78N	GT KargoMax ST-4000	372334	Silver	4/57/100	Ø15.5 60°	30	E	C	M 69	C2	E M&S	140	425
145/80R13	75N	GT KargoMax ST-4000	372365	Silver	4/57/100	Ø15.5 60°	30	E	C	M 69	C2	E M&S	140	387
	75N	GT KargoMax ST-4000	414065	Silver	5/67/112	Ø16 R12	30	E	C	M 69	C2	E M&S	140	387
	78N	GT KargoMax ST-4000	258805	Silver	4/57/100	Ø15.5 60°	30	C	C	M 70	C2	E M&S	140	425
	80N	GT KargoMax ST-4000	414096	Silver	4/57/100	Ø15.5 60°	30	C	C	M 69	C2	E M&S	140	450
155R13	84N	GT KargoMax ST-4000	404721	Silver	4/57/100	Ø15.5 60°	30	C	C	M 70	C2	E M&S	140	500
	84N	GT KargoMax ST-4000	371955	Silver	4/57/100	Ø15.5 60°	30	C	C	M 70	C2	E M&S	140	500
	91/89N	GT KargoMax ST-6000	387628	Silver	4/57/100	Ø15.5 60°	30	E	C	M 70	C2	E M&S	140	615
	91/89N	GT KargoMax ST-6000	414119	Silver	5/67/112	Ø16 R12	30	E	C	M 70	C2	E M&S	140	615
155/70R13	78N	GT KargoMax ST-4000	372389	Silver	4/57/100	Ø15.5 60°	30	E	C	M 69	C2	E M&S	140	425
	78N	GT KargoMax ST-4000	414126	Silver	4/85/130	Ø18.5 R14	20	E	C	M 69	C2	E M&S	140	425
165R13C	96/94N	GT KargoMax ST-6000	404929	Silver	4/57/100	Ø15.5 60°	30	E	C	M 70	C2	E M&S	140	710
	96/94N	GT KargoMax ST-6000	404905	Silver	4/95/139,7	Ø14.5 60°	25.4	E	C	M 70	C2	E M&S	140	710
	96/94N	GT KargoMax ST-6000	414140	Silver	5/67/112	Ø16 R12	30	E	C	M 70	C2	E M&S	140	710
165/70R13	80N	GT KargoMax ST-4000	416113	Silver	4/58/98	Ø13 60°	30	E	C	M 69	C2	E M&S	140	450
	80N	GT KargoMax ST-4000	372396	Silver	4/57/100	Ø15.5 60°	30	E	C	M 69	C2	E M&S	140	450
	80N	GT KargoMax ST-4000	415208	Silver	5/67/112	Ø16 R12	30	E	C	M 69	C2	E M&S	140	450
175R13C	97/95N (8PR)	GT Maxmiler - X	415222	Silver	5/67/112	Ø16 R12	33	E	C	M 70	C2	E	140	730
	97/95N (8PR)	GT Maxmiler - X	415215	Silver	5/67/112	Ø15.5 60°	33	E	C	M 70	C2	E	140	730
175/70R13	86N	ST-83	372440	Silver	4/57/100	Ø15.5 60°	30					E M&S	140	530
	86N	ST-83	459042	Silver	5/67/112	Ø16 R12	30					E M&S	140	530
185/70R13	90N	GT KargoMax ST-4000	415451	Silver	5/67/112	Ø16 R12	30	E	C	M 71	C2	E M&S	140	600
195/50R13C	104/101N	Kenda Kargo Pro	412719	Silver	5/67/112	Ø16 R12	30	G	B	M 70	C2	E M&S	140	900
	104/101N	GT Maxmiler	415482	Silver	5/114,5/165,1	Ø18.5 80°	7	E	C	H 71	C2	E M&S	140	900
14"														
175R14C	99/98N (8PR)	GT Maxmiler - X	438092	Silver	5/67/112	Ø16 R12	30	E	C	M 70	C2	E	140	775
185R14C	104/102N	GT KargoMax ST-6000	415529	Silver	5/67/112	Ø16 R12	30	C	C	M 70	C2	E M&S	140	900
185/65R14	93N	ST-83	459059	Silver	5/67/112	Ø16 R12	30					E M&S	140	650
	93N	ST-83	459066	Silver	5/67/112	Ø15.5 60°	30					E M&S	140	650
195R14C	106/104N (8PR)	GT Maxmiler - X	415581	Silver	5/67/112	Ø16 R12	30	E	C	M 70	C2	E	140	950
	106/104N (8PR)	GT Maxmiler - X	415574	Silver	5/67/112	Ø15.5 60°	30	E	C	M 70	C2	E	140	950
195/70R14C	104/102N	GT KargoMax ST-6000	423586	Silver	5/67/112	Ø16 R12	30	C	C	M 70	C2	E M&S	140	900
205R14C	109/107N (8PR)	GT Maxmiler - X	415598	Silver	5/67/112	Ø16 R12	30	C	C	M 71	C2	E	140	1030

>>>



Kenda Kargo Pro
Infinity INF-100

GT - KargoMax ST-4000

GT - KargoMax ST-6000

GT - Maxmiler
GT - Maxmiler - X

GT 979

TRAILERS - CARAVANS ETC.


Complete wheel assemblies - with bore

 EAN-13   ET    E  														
Dimension	LI/SI/PR	Tread pattern	57 07562+	Colour								dB 1222/2009	km/h	kg
15"														
195/65R15	95N	GT KargoMax ST-4000	417639	Silver	5/66/112 Ø17 R12	30	C	C	M 72	C1	E M&S	140	690	
195/70R15C	104/102N	GT KargoMax ST-6000	415604	Silver	5/66/112 Ø17 R12	30	C	C	M 70	C2	E M&S	140	900	
16"														
225/75R16C 121/120R (10PR)		Infinity INF-100	415680	Silver	6/161/205 Ø21.5 R16	0	E	E	M 73	C2	E M&S	170	1450	
17.5"														
215/75R17.5 135/133L (16PR)		GT 979	406589	Silver	6/161/205 Ø21.5 R16	0	D	C	M 72		E	120	2180	



Did you know...

That STARCO manufactures steel wheels for Agricultural, Industrial, High Speed and many more applications



GT - KargoMax ST-4000

GT - KargoMax ST-6000

Infinity INF-100

GT 979



LEISURE AND FUN



ATV and Quad - Off road.....	7.6-7.8
ATV and Quad - On road	7.9
Big Foot	7.10-7.11
Fun Foot.....	7.13-7.15
Scooter	7.16-7.17
Moped.....	7.17
Go Kart	7.18
Ride-on karts - Toys - etc.....	7.18

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc

Wheels - Axles etc.

Info & Technical

ATV OVERVIEW

KENDA K546F / K547 SPEEDRACER

- ▶ Designed for multiple applications
- ▶ For street use in Europe with E markings
- ▶ Excellent design for dual sport racing
- ▶ Deep lugs for self-cleaning in all conditions

Street use

Dry, loose dirt
stones



K546F

K547

KENDA K572 ROADGO

- ▶ Designed for multiple applications
- ▶ For street use in Europe with E markings
- ▶ Excellent design for dual sport racing
- ▶ Deep lugs for self-cleaning in all conditions

Street use

Dry, loose dirt
stones



K572



KENDA

KENDA K300F / K300 DOMINATOR

- ▶ Excellent for both racers and recreational riders
- ▶ Split-knob design – better cornering and braking while providing exceptional straight-line traction
- ▶ For optimum balanced power, use both the front and rear Dominator combination

Dry, loose dirt
stones

Loam, loose dirt
grass



K300F

K300F

KENDA K530F / K530 PATHFINDER

- ▶ Solid traction and great control under a variety of riding conditions
- ▶ Wide range of dimensions – optimum selection to replace original tyres
- ▶ Front and rear specific tread patterns

Street use

Dry, loose dirt
stones



K530F

K530

ATV OVERVIEW

KENDA K537 BOUNTY HUNTER

- ▶ Radial casing with larger tread area footprint
- ▶ High Cornering traction
- ▶ Smoother ride
- ▶ Side knobs for additional traction
- ▶ Less deflection on rough/rocky terrain allowing easier "Steer and Stability" of ATV

Street use

Dry, loose dirt
stones



K537

KENDA K299 BEAR CLAW

- ▶ Maximum traction
- ▶ Designed to resist punctures also in the side walls
- ▶ Tear and cut resistant rubber compound gives long life

Dry, loose dirt
stones

Loam, loose dirt
grass

Mud, sand



K299

KENDA K290 SCORPION

- ▶ Versatility for a mix of terrains and applications
- ▶ Enhanced performance in almost any riding conditions

Dry, loose dirt
stones

Loam, loose dirt
grass



K290

KENDA K532FA KLAW XC FRONT

- ▶ Meets the demands of the toughest cross country terrain
- ▶ Dual rotation tread design; soft to medium terrain, medium to hard terrain

Dry, loose dirt
stones

Loam, loose dirt
grass



K532FA

KENDA K538 EXECUTIONER

- ▶ Aggressive tread design for "extreme" riding conditions
- ▶ Deep paddle lug design
- ▶ Added ribs for casing protection
- ▶ Rim saver
- ▶ 6 PR rating

Dry, loose dirt
stones

Loam, loose dirt
grass

Mud, sand



K538

KENDA K570

- ▶ Close tread pattern to keep noise level to a minimum
- ▶ Smooth ride with flexible casing
- ▶ Unique tread pattern to perform in all terrain conditions

Dry, loose dirt
stones

Loam, loose dirt
grass



K570

Agricultural

Industrial

Small tyres - Materials
handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

ATV AND QUAD - OFF ROAD

Tyres

        											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
6"											
145/70-6	2PR	Kenda K290 Scorpion	TL	Tyre	128207	360	135	75	80	0.35	4.50
	18F (4PR)	Kenda K290 Scorpion	TL	Tyre	272351	363	135	75	80	0.35	4.50 E
7"											
16x7-7	28F	Kenda K570	TL	Tyre	265407	403	170	100	80	0.70	5.20 E
16x8-7	28F	Kenda K570	TL	Tyre	265414	403	170	100	80	0.70	5.20 E
16x8.00-7	28F	Kenda K290 Scorpion	TL	Tyre	128320	390	178	100	80	0.35	5.00 E
	28F	Kenda K530F Pathfinder	TL	Tyre	128337	392	178	100	80	0.35	5.00 E
18x7.00-7 165/80-7	23F	Kenda K530F Pathfinder	TL	Tyre	128375	438	165	88	80	0.35	5.00 E
8"											
18x9.50-8	30F	Kenda K290 Scorpion	TL	Tyre	128474	468	224	106	80	0.30	7.00I E
	30F	Kenda K530 Pathfinder	TL	Tyre	128481	459	234	106	80	0.35	7.00I E
19x7.00-8	30F	Kenda K290 Scorpion	TL	Tyre	128535	483	176	106	80	0.35	5.25I E
	30F (2PR)	Kenda K530F Pathfinder	TL	Tyre	128542	478	174	106	80	0.35	5.50I E
20x7.00-8	23F	Kenda K290 Scorpion	TL	Tyre	128672	482	174	88	80	0.30	5.25 E
	23F	Kenda K300F Dominator	TL	Tyre	128689	508	177	88	80	0.35	5.50I E
20x10.00-8	35F	Kenda K290 Scorpion	TL	Tyre	128559	513	234	121	80	0.35	8.00I E
20x11.00-8	38F	Kenda K300 Dominator	TL	Tyre	128627	518	269	132	80	0.35	9.00I E
22x10.00-8	39F	Kenda K300 Dominator	TL	Tyre	128825	552	254	136	80	0.35	8.00I E
	2PR	Kenda K290 Scorpion	TL	Tyre	128801	547	242	121	80	0.35	8.00I
22x11.00-8	2PR	Kenda K290 Scorpion	TL	Tyre	128870	559	250	155	80	0.35	9.00I
	4PR	Kenda K290 Scorpion	TL	Tyre	201498	547	262	155	80	0.35	9.00
22x12.00-8	4PR	Kenda K299 Bear Claw	TL	Tyre	128948	554	294	150	80	0.35	10.00I
9"											
20x10.00-9	2PR	Kenda K290 Scorpion	TL	Tyre	128580	516	241	150	80	0.35	9.00
	34F (4PR)	Kenda K290 Scorpion	TL	Tyre	272368	516	241	118	80	0.35	9.00 E
20x11.00-9	4PR	Kenda K300 Dominator	TL	Tyre	128634	499	271	132	80	0.35	9.00 E
22x11.00-9	2PR	Kenda K530 Pathfinder	TL	Tyre	128832	558	276	125	80	0.35	9.00
	4PR	Kenda K300 Dominator	TL	Tyre	128924	560	275	155	80	0.35	9.00
22x12.00-9	4PR	Kenda K299 Bear Claw	TL	Tyre	128955	558	282	150	80	0.35	10.00
25x12.00-9	2PR	Kenda K290 Scorpion	TL	Tyre	129310	610	274	195	80	0.35	9.00
	6PR	Kenda K299 Bear Claw	TL	Tyre	265643	625	285	224	80	0.50	9.00
25x12.50-9	4PR	Kenda K299 Bear Claw	TL	Tyre	129334	666	292	195	80	0.35	10.00
10"											
20x11.00-10	37F (4PR)	Kenda K300 Dominator	TL	Tyre	128603	518	266	128	80	0.35	9.00 E
21x7-10 21x7.00-10	4PR	Kenda K532FA Klaw XC Front	TL	Tyre	151595	514	161	93	80	0.35	5.00 E
21x7.00-10	25F	Kenda K300F Dominator	TL	Tyre	128740	520	177	93	80	0.35	5.5 E
	25F	Kenda K530F Pathfinder	TL	Tyre	269160	520	175	93	80	0.35	5.50 E
22x7-10	28N (4PR)	Kenda K530F Pathfinder	TL	Tyre	271095	552	182	100	140	0.34	5.50 E
22x8.00-10	31F	Kenda K299 Bear Claw	TL	Tyre	128986	550	201	109	80	0.35	6.00 E
	31F	Kenda K300F Dominator	TL	Tyre	128788	561	197	109	80	0.35	6.00 E
22x9-10 22x9.00-10	28F	Kenda K530 Pathfinder	TL	Tyre	265575	552	234	100	80	0.35	8.00

>>>



ATV AND QUAD - OFF ROAD

Tyres



												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar		
10"												
22x9.50-10	4PR	Carlisle All Trail II	TL	Tyre	264912	559	241	582	16	1.52	7.75	
22x10-10	39N (4PR)	Kenda K530 Pathfinder	TL	Tyre	271118	555	254	136	140	0.34	8.00	E
22x10.00-10	39F	Kenda K300 Dominator	TL	Tyre	269146	558	247	136	80	0.35	8.00	E
22x11-10 22x11.00-10	2PR	Kenda K530 Pathfinder	TL	Tyre	128795	545	258	150	80	0.35	8.00	
22x11.00-10	39F (4PR)	Kenda K300 Dominator	TL	Tyre	128863	554	267	136	80	0.35	8.50	E
22x12.00-10	46F	Kenda K299 Bear Claw	TL	Tyre	128931	548	276	170	80	0.35	10.00	E
23x7.00-10	31F	Kenda K299 Bear Claw	TL	Tyre	129020	565	180	109	80	0.35	6.00	E
23x10.00-10	62F (6PR)	Kenda K299 Bear Claw	TL	Tyre	292816	610	273	265	80	1.00	8.00	E
24x9.50-10	4PR	Carlisle All Trail II	TL	Tyre	265131	610	246	642	16	1.52	7.50	
24x10.50-10	4PR	Carlisle All Trail II	TL	Tyre	265032	622	274	678	16	1.38	8.00	
24x11.00-10	47F (4PR)	Kenda K299 Bear Claw	TL	Tyre	129143	596	262	175	80	0.35	8.50	E
25x12.00-10	2PR	Kenda K530 Pathfinder	TL	Tyre	129280	602	282	160	80	0.35	10.00	
25x12.50-10	51F	Kenda K299 Bear Claw	TL	Tyre	129297	615	303	195	80	0.35	10.00	E
	8PR	Kenda K299 Bear Claw	TL	Tyre	191492	640	304	1120	30	3.50	10.00	
11"												
23x8.00-11	33F	Kenda K299 Bear Claw	TL	Tyre	129068	584	192	115	80	0.35	7.50	E
	2PR	Kenda K530F Pathfinder	TL	Tyre	129044	586	187	115	80	0.35	6.50	
24x9.00-11	2PR	Kenda K530 Pathfinder	TL	Tyre	129204	603	229	115	80	0.35	7.00	
	36F (4PR)	Kenda K299 Bear Claw	TL	Tyre	129228	598	222	125	80	0.35	7.50	E
24x10.00-11	6PR	Kenda K299 Bear Claw	TL	Tyre	270784	603	215	180	80	0.48	6.00	
25x8.00-11	4PR	Kenda K299 Bear Claw	TL	Tyre	129402	625	208	125	80	0.35	6.00	
25x10.00-11	43F	Kenda K299 Bear Claw	TL	Tyre	129266	625	246	155	80	0.35	7.00	E
25x12.50-11	4PR	Kenda K299 Bear Claw	TL	Tyre	129365	640	300	195	80	0.35	10.50	

>>>

KENDA



Kenda K532FA
Klaw XC Front

Kenda K570

ATV AND QUAD - OFF ROAD

Tyres

        											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
12"											
24x8-12 24x8.00-12	2PR	Kenda K530F Pathfinder	TL	Tyre	129174	590	195	121	80	0.35	6.50I
24x8.00-12	38F	Kenda K299 Bear Claw	TL	Tyre	129181	594	190	132	80	0.35	6.00I E
24x10.00-12	60F (6PR)	Kenda K299 Bear Claw	TL	Tyre	322926	610	243	250	80	0.80	8 E
25x8.00-12	38F	Kenda K299 Bear Claw	TL	Tyre	129419	625	210	132	80	0.35	7.00I E
	38F	Kenda K530F Pathfinder	TL	Tyre	129396	624	198	132	80	0.35	6.50I E
	43L	Kenda K538 Executioner	TL	Tyre	265650	630	210	155	120	0.49	7.00 E
	38J (4PR)	TW Journey P341	TL	Tyre	378428	638	200	132	100	0.30	6.5 E
	43N (6PR)	Kenda K299 Bear Claw	TL	Tyre	272405	618	211	155	140	0.50	7.00 E
25x9.00-12	4PR	Carlisle All Trail II	TL	Tyre	366036	650	229	825	50	1.40	7.0
25x10.00-12	45F	Kenda K299 Bear Claw	TL	Tyre	129273	623	239	165	80	0.35	8.50I E
	50L	Kenda K538 Executioner	TL	Tyre	265636	630	235	190	120	0.50	7.00 E
	45F (4PR)	Kenda K530 Pathfinder	TL	Tyre	129242	643	230	165	80	0.35	8.50I E
	50N (6PR)	Kenda K299 Bear Claw	TL	Tyre	272412	623	237	190	140	0.50	7.00 E
AT25x10.00-12	45J (4PR)	TW Journey P341	TL	Tyre	378411	638	238	165	100	0.30	8.00 E
25x11.00-12	4PR	Carlisle All Trail II	TL	Tyre	366029	648	274	480	50	1.50	9.0
25x12.50-12	51F	Kenda K299 Bear Claw	TL	Tyre	129303	652	299	195	80	0.35	10.50I E
26x9.00-12	47F (4PR)	Kenda K299X Bear Claw	TL	Tyre	426143	660	233	175	80	0.30	7.00 E
	50N (6PR)	Kenda K299X Bear Claw	TL	Tyre	426150	660	228	190	140	0.50	7.00 E
26x12.00-12	51F	Kenda K299 Bear Claw	TL	Tyre	129433	640	300	195	80	0.35	10.50I E
27x9-12	52J (6PR)	TW Journey P375	TL	Tyre	383620	688	225	200	100	0.50	7.0 E
27x10.00-12	45F	Kenda K299 Bear Claw	TL	Tyre	129471	650	240	165	80	0.30	8.0AT E
27x12-12	60J (6PR)	TW Journey P375	TL	Tyre	383637	700	288	250	100	0.50	9.5 E
27x12.00-12	51F	Kenda K299 Bear Claw	TL	Tyre	129464	659	288	195	80	0.30	9.5AT E
14"											
26x9-14	48N (6PR)	Kenda K592 EVO	TL	Tyre	507439	660	220	180	140	0.50	7.0 E
26x10R14	51J (6PR)	Kenda K537 Bounty Hunter	TL	Tyre	277660	660	259	195	100	0.50	8.00 E
26x11-14	54N (6PR)	Kenda K592 EVO	TL	Tyre	507446	660	269	212	140	0.50	8.0AT E
26x12R14	57J (6PR)	Kenda K537 Bounty Hunter	TL	Tyre	277677	657	300	230	100	0.50	AT9.5 E
27x10-14	70J (6PR)	TW Journey P350	TL	Tyre	383644	675	257	335	100	0.80	8.0 E
27x12-14	70J (6PR)	TW Journey P350	TL	Tyre	383651	685	296	335	100	0.80	9.5 E

KENDA



Carlisle All Trail II

Kenda K299
Bear Claw

Kenda K537
Bounty Hunter



Kenda K530
Pathfinder

Kenda K530F
Pathfinder

Kenda K538
Executioner

Kenda K592 EVO

TW Journey P341

TW Journey P350

TW Journey P375

ATV AND QUAD - ON ROAD

Tyres

												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar		
8"												
18x9.5-8	30N	Kenda K547 Speedracer	TL	Tyre	259543	458	238	106	140	0.35	7.00	E
18x9.50-8	30N	Kenda K572 Roadgo	TL	Tyre	269191	453	233	106	140	0.35	7.00	E
19x7-8	20N	Kenda K546F Speedracer	TL	Tyre	259529	487	182	80	140	0.35	5.50	E
19x7.00-8	20N	Kenda K572 Roadgo	TL	Tyre	269207	473	180	80	140	0.35	5.50	E
20x7-8	23N (4PR)	Kenda K546F Speedracer	TL	Tyre	259499	506	188	88	140	0.35	5.50	E
21x10-8	37N	Kenda K547 Speedracer	TL	Tyre	259574	535	262	128	140	0.35	8.00	E
21x10.00-8	37N	Kenda K572 Roadgo	TL	Tyre	269221	520	250	128	140	0.35	8.00	E
22x10-8	39N	Kenda K547 Speedracer	TL	Tyre	259581	562	263	136	140	0.35	8.00	E
9"												
20x11-9 255/55-9	38N	Kenda K547 Speedracer	TL	Tyre	259611	524	272	132	140	0.35	8.00	E
20x11.00-9 255/55-9	38N	Kenda K572 Roadgo	TL	Tyre	269214	509	267	132	140	0.35	8.00	E
10"												
21x7-10 175/75-10	40N	Kenda K546F Speedracer	TL	Tyre	259512	533	177	140	140	0.50	5.50	E
21x7.00-10	25N	Kenda K572 Roadgo	TL	Tyre	266596	528	172	93	140	0.35	5.50	E
22x10-10	55N	Kenda K547 Speedracer	TL	Tyre	259598	558	254	218	140	0.35	8.00	E
22x10.00-10	55N	Kenda K572 Roadgo	TL	Tyre	269238	550	248	218	140	0.35	8.00	E
165/70-10	27N (4PR)	Kenda K546F Speedracer	TL	Tyre	259482	502	183	98	140	1.70	5.00	E
12"												
25x8-12 25x8.00-12	38N (4PR)	Kenda K572 Roadgo	TL	Tyre	271040	625	210	132	140	0.34	7.00	E
25x10-12 25x10.00-12	45N (4PR)	Kenda K572 Roadgo	TL	Tyre	271033	637	248	165	140	0.34	8.00	E
205/80-12 25x8.00-12	43N	Kenda K546F Speedracer	TL	Tyre	259536	629	207	155	140	0.50	6.00	E
255/65-12	50N	Kenda K547 Speedracer	TL	Tyre	259635	630	234	190	140	0.50	8.00	E

KENDA



Did you know...
That STARCO has more than
60,000 sq.m. of warehouse space



Kenda K546F
Speedracer

Kenda K572
Roadgo

Kenda K547
Speedracer

BIG FOOT!

Wheel Kits



57 07562+

Arctic Cat • i • 400i/500i/650i/700i/1000 2x4/4x4 (2002->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	259895
Arctic Cat • TRV • TRV 400/550/700/1000 (2010->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	259895
Can-Am • Commander • Commander 800/1000 (2011->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	408866
Can-Am • Outlander • Outlander 330/400/500/650/800/1000 (2003->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	408866
Can-Am • Quest - Straight axle • Can-Am / Bombardier Quest 650 (2001-2006)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Can-Am • Renegade • Renegade 500/800 (2008->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	408866
Can-Am • Traxter - Straight axle • Can-Am / Bombardier Traxter 4x4 (1999-2006)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Honda • Big Red (UTV) • 700 Big Red (2009->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	269634
Honda • Foreman - Straight axle • 400 Foreman 4x4 (1996-2006) • 450/500 Foreman S-ES 4x4 (1998-2013)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Honda • Rancher (UTV) • 420AT/500AT (2009->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	269634
Honda • Rancher (UTV) - Straight axle • 350 Rancher S-ES 4x4 (2000-2006) • 400/420 Rancher SA 4x4 (2004-2013)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Honda • Rincon • 500/650/700 Rincon 4x4 (2002->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	269634
Honda • Rubicon - Straight axle • 500 Rubicon 4x4 (2001-2013)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Kawasaki • Brute Force • 650i Brute Force 4x4 (2006->) • 750 Brute Force 4x4 (2005-2012)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	269634
Kawasaki • Brute Force • 750i Brute Force 4x4 (2013->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	269610
Kawasaki • Brute Force - Straight axle • Brute Force 4x4 (2006-2008)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	153438
Kawasaki • Prairie - Straight axle • Prairie 360 (2002->) • 400 (1997-2006) • 650/700 (2002-2009)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	153438
Kawasaki • Teryx (UTV) • Teryx 750 (2008->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	408866
Kymco • MXU • 375 MXU-IE (2008-2012) • 500 MXU SA (2008-2010) • 500 MXU-IE (2010-2012) • 700 MXU-IE (2013->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	150574
Polaris • Magnum • 500 (2002-2006)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	150543
Polaris • Sportsman • 335 (1999-2006) • 400/450 (2001-2011) • 500/550 (1996-2013) • 600 (2003-2008) • 700 (2002-2013) • 800/850 (2005-2013)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	150543

>>>

BIG FOOT! Wheel Kits



57 07562+

Suzuki • Eiger - Straight axle • 400 Eiger 4x4 (2002-2007)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Suzuki • King Quad • 400/450/500/750 IE King Quad (2005->)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	269634
Suzuki • King Quad - Straight axle • 400 King Quad (straight axle) 4x4 (2008-2012)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Suzuki • Twin Peaks - Straight axle • Twin Peaks (2004-2007)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	153438
Suzuki • Vinson - Straight axle • 500 Vinson 4x4 (2002-2008)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Yamaha • Big Bear • 400 Big Bear IRS (2007-2012)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	150574
Yamaha • Big Bear - Straight axle • 350/400 Big Bear 2x4/4x4 (1987-2006)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Yamaha • Bruin - Straight axle • Bruin 2x4/4x4 (2004-2006)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Yamaha • Grizzly • 400/450/550/700 Grizzly 4x4 (2007-2012) • 350 Grizzly IRS (2007-2012) • 660 Grizzly (2002-2009)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	150574
Yamaha • Grizzly - Straight axle • 350 Grizzly 4x4 (2008-2012) • 600 Grizzly 4x4 (1998-2001)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Yamaha • Kodiak • 400/450 Kodiak 4x4 (2005-2006)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	150574
Yamaha • Kodiak - Straight axle • 400/450 Kodiak 4x4 (1993-2004)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388
Yamaha • Rhino (UTV) • Rhino 450/660/700 (2004-2012)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	150574
Yamaha • Wolverine - Straight axle • 350/450 Wolverine 4x4 (1995-2009)			
27"	27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	142388

STARCO Big Foot conversions are supplied as complete sets of 4 wheels.





BIG FOOT!

Conversion kits for ATV

- ▶ For tough use in Agriculture, Forestry etc.
- ▶ Bear Claw tyres for maximum traction
- ▶ Very low ground pressure
- ▶ Reinforced wheels, tailor made for each individual model of ATV. Direct fitment with no additional spacers etc.
- ▶ Valve protector
- ▶ Powder painting for high quality finish and long lifetime
- ▶ Further information on starco.com

STARCO GS

CLIC! - DUALS FOR ATV

- easy driving everywhere

- ▶ Powerful grip and traction enabling you to drive where others simply spin
- ▶ Stable and safe on extremely steep slopes, even on contour lines
- ▶ The additional air volume of the dual wheels gives enormous flotation enabling you to drive straight across swampy and bottomless land
- ▶ Reduces the tread marks on the ground to less than your footprint
- ▶ The Click dual wheels are manufactured by STARCO GS, who due to constant innovation has become the leading manufacturer of the dual wheels for all types of vehicles.
- ▶ Further information on starco.com





57 07562+

Arctic Cat • i • 400i/500i/650i/700i/1000 2x4/4x4 (2002->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506111	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	503523	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	503417	
Arctic Cat • Prowler (UTV) • Prowler (2006->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506111	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	503523	
Arctic Cat • TRV • TRV 400/550/700/1000 (2010->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506111	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	503417	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	503523	
Arctic Cat • Wild Cat • 1000 "Wild Cat" edition (2013->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506111	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	503523	
Can-Am • Commander • Commander 800/1000 (2011->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506197	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	505138	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505145	
Can-Am • Outlander • Outlander 330/400/500/650/800/1000 (2003->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506197	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	505138	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505145	
Can-Am • Quest - Straight axle • Can-Am / Bombardier Quest 650 (2001-2006)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Can-Am • Renegade • Renegade 500/800 (2008->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506197	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	505138	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505145	
Can-Am • Traxter - Straight axle • Can-Am / Bombardier Traxter 4x4 (1999-2006)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Honda • Big Red (UTV) • 700 Big Red (2009->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Honda • Foreman - Straight axle • 400 Foreman 4x4 (1996-2006) • 450/500 Foreman S-ES 4x4 (1998-2013)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Honda • Rancher (UTV) • 420AT/500AT (2009->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Honda • Rancher (UTV) - Straight axle • 350 Rancher S-ES 4x4 (2000-2006) • 400/420 Rancher SA 4x4 (2004-2013)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Honda • Rincon • 500/650/700 Rincon 4x4 (2002->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	

>>>>

FUN FOOT!

Wheel Kits



57 07562+

Honda • Rubicon - Straight axle • 500 Rubicon 4x4 (2001-2013)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Kawasaki • Brute Force • 650i Brute Force 4x4 (2006-->) • 750 Brute Force 4x4 (2005-2012)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Kawasaki • Brute Force • 750i Brute Force 4x4 (2013-->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Kawasaki • Brute Force - Straight axle • Brute Force 4x4 (2006-2008)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506180	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	504773	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	504780	
Kawasaki • Prairie - Straight axle • Prairie 360 (2002-->) • 400 (1997-2006) • 650/700 (2002-2009)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506180	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	504773	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	504780	
Kawasaki • Teryx (UTV) • Teryx 750 (2008-->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506197	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	505138	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505145	
Kymco • MXU • 375 MXU-IE (2008-2012) • 500 MXU SA (2008-2010) • 500 MXU-IE (2010-2012) • 700 MXU-IE (2013-->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Polaris • Magnum • 500 (2002-2006)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506265	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	504377	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	504360	
Polaris • Sportsman • 335 (1999-2006) • 400/450 (2001-2011) • 500/550 (1996-2013) • 600 (2003-2008) • 700 (2002-2013) • 800/850 (2005-2013)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506265	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	504377	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	504360	
Polaris • Sportsman XP • XP 550/700/800/850 (2009-->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506265	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	504360	
Suzuki • Eiger - Straight axle • 400 Eiger 4x4 (2002-2007)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Suzuki • King Quad • 400/450/500/750 IE King Quad (2005-->)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Suzuki • King Quad - Straight axle • 400 King Quad (straight axle) 4x4 (2008-2012)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	

>>>

FUN FOOT!

Wheel Kits



57 07562+

Suzuki • Twin Peaks - Straight axle • Twin Peaks (2004-2007)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506180	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	504773	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	504780	
Suzuki • Vinson - Straight axle • 500 Vinson 4x4 (2002-2008)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Yamaha • Big Bear • 400 Big Bear IRS (2007-2012)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Yamaha • Big Bear - Straight axle • 350/400 Big Bear 2x4/4x4 (1987-2006)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Yamaha • Bruin - Straight axle • Bruin 2x4/4x4 (2004-2006)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Yamaha • Grizzly • 400/450/550/700 Grizzly 4x4 (2007-2012) • 350 Grizzly IRS (2007-2012) • 660 Grizzly (2002-2009)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Yamaha • Grizzly - Straight axle • 350 Grizzly 4x4 (2008-2012) • 600 Grizzly 4x4 (1998-2001)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Yamaha • Kodiak • 400/450 Kodiak 4x4 (2005-2006)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Yamaha • Kodiak - Straight axle • 400/450 Kodiak 4x4 (1993-2004)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	
Yamaha • Rhino (UTV) • Rhino 450/660/700 (2004-2012)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	505954	
27x10.00-12 Kenda K299 Bear Claw	27x10.00-12 Kenda K299 Bear Claw	489803	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	505985	
Yamaha • Wolverine - Straight axle • 350/450 Wolverine 4x4 (1995-2009)			
26x10R14 Kenda K537 Bounty Hunter	26x10R14 Kenda K537 Bounty Hunter	506043	
27x10-14 TW Journey P350	27x10-14 TW Journey P350	506012	

STARCO Fun Foot conversions are supplied as complete sets of 4 wheels.

Wheel nuts included with FunFoot kits



SCOOTER - ALL YEAR

Tyres

												
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar		
8"												
3.50-8	46M (4PR)	Deli S-238	TL	Tyre	326320	385	92	170	130	2.50	2.50	E
4.00-8	63P (6PR)	Kings Tire KT-903	TT	Tyre	369778	415	105	272	150	4.20	2.50	E
12 1/2x2.75		Qind Q-204 Cross	TT	Tyre	309019							
10"												
3.00-10		Kenda K701	TL	Tyre	382364	413	80			2.80	2.15	E M&S
	42J	Kenda K413	TL	Tyre	134215	412	83	150	100	2.50	2.15	E
3.50-10		Kenda K701	TL	Tyre	382371	437	92			2.80	2.50	E M&S
	51J	Kenda K413	TL	Tyre	134338	432	94	195	100	2.50	2.50	E
	54J	Kenda K415	TL	Tyre	134345	432	93	212	100	2.50	2.50	E
90/90-10	50J	Kenda K413	TL	Tyre	134789	416	89	190	100	2.50	2.15	E
	54J	Kenda K415	TL	Tyre	134796	416	88	212	100	2.80	2.15	E
100/80-10	52M	Kenda K413	TL	Tyre	133003	414	97	200	130	2.50	2.50	E
100/90-10	56J	Kenda K413	TL	Tyre	133010	432	100	224	100	2.50	2.50	E
	59J	Kenda K415	TL	Tyre	133027	432	98	243	100	2.80	2.50	E
	56J (4PR)	Kenda K415	TL	Tyre	310343	432	98	224	100	2.50	2.50	E
110/80-10	58M	Kenda K413	TL	Tyre	152332	432	109	236	130	2.50	2.50	E
120/90-10	56J	Kenda K415	TL	Tyre	133126	474	120	224	100	1.75	3.00	E
	57M	Kenda K413	TL	Tyre	133119	468	118	230	130	1.75	3.00	E
	66J	Kenda K451	TL	Tyre	133133	468	118	300	100	2.50	3.00	E
	66M	Kenda K761	TL	Tyre	152394	470	115	300	130	1.75	2.50	E
130/70-10	52J	Kenda K413	TL	Tyre	152349	430	126	200	100	2.30	3.50MT	E
130/90-10	61J	Kenda K415	TL	Tyre	133256	484	128	257	100	1.75	3.00	E
	61M	Kenda K413	TL	Tyre	133249	483	130	257	130	1.75	3.00	E
	61M	Kenda K761	TL	Tyre	152400	486	127	257	130	1.75	3.00	E
	70J	Kenda K451	TL	Tyre	133263	485	130	335	100	1.75	3.00	E
12"												
3.00-12	47J	Kenda K315	TT	Tyre	134222	462	86	175	100	2.50	2.10	E
110/70-12	47J	Kenda K761	TL	Tyre	152417	465	106	175	100	1.75	3.00MT	E
	56M	Kenda K413	TL	Tyre	152356	460	105	224	130	2.80	3.00MT	E
110/90-12	64J	Kenda K761	TL	Tyre	152424	507	112	280	100	2.50	2.50	E
	64M	Kenda K413	TL	Tyre	152370	503	110	280	130	2.50	2.50	E

>>>



Deli S-238

Kenda K315



Did you know...
 That STARCO has more than 30,000 sq.m. of production space



Kenda K413

Kenda K415

Kenda K451

Kenda K701

Kenda K761

Kings Tire KT-903

Qind Q-204 Cross

SCOOTER - ALL YEAR

Tyres

        											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
12"											
120/70-12		Kenda K701	TL	Tyre	382340	473	122			2.80	3.50 E M&S
	51J	Kenda K415	TL	Tyre	133164	478	118	195	100	2.25	3.50MT E
	51M	Kenda K761	TL	Tyre	152431	476	120	195	130	2.25	3.00 E
	58J	Kenda K413	TL	Tyre	133171	476	120	236	100	2.80	3.50MT E
120/80-12	65J	Kenda K761	TL	Tyre	152448	502	116	290	100	2.50	2.75 E
130/70-12		Kenda K701	TL	Tyre	382357	487	129			2.80	3.50 E M&S
	56J	Kenda K415	TL	Tyre	133287	494	130	224	100	2.25	3.50MT E
	56M	Kenda K761	TL	Tyre	152455	482	117	224	130	2.25	3.00MT E
	62M	Kenda K413	TL	Tyre	133294	492	130	265	130	2.80	3.50MT E
130/80-12	69J	Kenda K761	TL	Tyre	152462	515	125	325	100	2.50	3.00 E
140/70-12	60M	Kenda K413	TL	Tyre	133355	506	137	250	130	2.25	4.00MT E
	60M (4PR)	Kenda K761	TL	Tyre	152479	487	131	250	130	2.30	4.00MT E
13"											
130/60-13	53M	Kenda K413	TL	Tyre	133317	490	128	206	130	2.25	3.50MT E
	53M	Kenda K761	TL	Tyre	152486	490	123	206	130	2.25	3.50MT E
140/60-13	57M	Kenda K413	TL	Tyre	133362	512	133	230	130	2.25	4.00 E
	57M	Kenda K761	TL	Tyre	152493	499	135	230	130	2.30	4.00MT E

KENDA

MOPED

Tyres

        											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
16"											
2 1/4-16	26B (4PR)	Kenda K77	TT	Tyre	265490	526	58	95	50	1.75	1.40 E
2 1/2-16	31B (4PR)	Kenda K77	TT	Tyre	265476	535	60	109	50	2.30	1.60 E
2 3/4-16 ^{2.75-16}	40B (4PR)	Kenda K657F	TT	Tyre	265513	554	73	140	50	2.30	1.85
17"											
2-17	38J (2PR)	Vee Rubber V-087	TL	Tyre	387925			132	100	2.30	E
2 1/4-17	28B (2PR)	Kenda K77	TT	Tyre	269962	556	56	100	50	1.72	1.40 E
2 1/2-17 ^{2.50-17}	38B (4PR)	Kenda K657F	TT	Tyre	265483	569	65	132	50	2.30	1.60 E
2 3/4-17	38B (4PR)	Kenda K657F	TT	Tyre	265520	586	74	132	50	2.30	1.85 E
23"											
3.00-23	59P	Cheng Shin C186	TT	Tyre	359984			243	150		E

KENDA



Kenda K77

Kenda K657F

Vee Rubber V-087

Cheng Shin C186

GO KART - LEISURE AND FUN

Tyres

       											
Dimension	Tread pattern	Shore	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
5"											
4.10/3.50-5	Kenda K404	62	TL	Tyre	134529	282	100	180	16	3.40	3.00
10x4.50-5	Kenda K404 GX	70	TL	Tyre	288918	264	135	160	50	3.90	4.65
	Kenda K404 GX	62	TL	Tyre	132983	267	133	130	80	4.00	4.65
	Kenda K404 GX	56	TL	Tyre	151038	267	133	160	80	4.00	4.65
11x6.00-5	Kenda K404 GX	62	TL	Tyre	133072	286	166	135	80	4.00	5.30
	Kenda K404 GX	56	TL	Tyre	151045	286	166	135	80	4.00	5.30
11x7.10-5	Kenda K404 GX	70	TL	Tyre	336237	290	211	170	80	3.90	7.75
	Kenda K404 GX	56	TL	Tyre	151052	290	211	135	80	4.00	7.75
	Kenda K404 GX	62	TL	Tyre	133102	290	211	135	80	4.00	7.75

KENDA

RIDE-ON KARTS - TOYS - ETC.

Tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
4"											
4.00-4	4PR	Kenda K357	TL	Tyre	329666	310	97	155	16	2.80	2.10
	6PR	ST-28	DIN 7777 90/90	Set	129839	306	104	280	16	5.20	2.50
8"											
17x8.00-8	2PR	Kenda K383 Power Turf	TL	Tyre	128344	429	185	205	16	0.65	5.375l
18x9.50-8	30F	Kenda K290 Scorpion	TL	Tyre	128474	468	224	106	80	0.30	7.00l
21x12.00-8	2PR	ST-30	TL	Tyre	133782	560	264	257	16	0.70	8.50
AT21x12.00-8	40F (2PR)	Kenda K401 Beach Racer	TL	Tyre	270579	547	299	140	80	0.40	9.50

KENDA



ST-28



Did you know...
That STARCO has a footprint of more than 10 offices in the former CIS



Kenda K290 Scorpion

Kenda K357

Kenda K383 PowerTurf

Kenda K404

Kenda K401 Beach Racer

Kenda K404 GX

VARIOUS APPLICATIONS



Wheelchairs - Mobility scooters etc. 8.4

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.


Info & Technical

WHEELCHAIRS - MOBILITY SCOOTERS ETC.

Tyres

       											
Dimension	LI/SI/PR	Tread pattern	TL/TT		57 07562+	mm	mm	kg	km/h	bar	
6x1 1/4	2PR	ST-11 NonMark Grey	TT	Tyre	132419	150	32	75	16	1.80	150x22
8 1/2x2 220/120-50	2PR	ST-11	TT	Tyre	310305						
	2PR	ST-11 NonMark Grey	TT	Tyre	132471	215	53	75	16	1.80	200x28
16x2.125		Cheng Shin C713 Grey	TL	Tyre	360461						1.75
	2PR	ST-19	TT	Tyre	231761						
24x1 3/8 37-540		Deli S-187 NonMark Grey	TT	Tyre	309279						
3"											
2.50-3	4PR	ST-11 NonMark Grey	TT	Tyre	376639	206	62	110	16	2.50	1.50
3.5"											
150x30	4PR	Kenda K470	TT	Tyre	259703	156	35	50	16	6.20	0.75
3.8"											
200x50	2PR	ST-11	DIN 7768 90/20	Set	300658	194	48	75	16	1.80	1.25
	2PR	ST-11	DIN 7777 90/90	Set	130668	194	48	75	16	1.80	1.25
	2PR	ST-11 Grey	DIN 7768 60/20	Set	300672	194	48	75	16	1.80	1.25
	2PR	ST-11 NonMark Grey	TT	Tyre	132464	193	47	75	16	1.80	1,25
5"											
4.10/3.50-5	4PR	ST-29 Grey	TT	Tyre	388045						
6"											
2.00-6	2PR	ST-11 NonMark Grey	TT	Tyre	132457	256	52	82	15	2.50	1.75
7"											
7x1 3/4	2PR	ST-11 Grey	TT	Tyre	132426	174	44	30	16	2.50	1.08
8"											
2.25-8 12 1/2x2 1/4	2PR		TT	Tyre	133232						
3.00-8	2PR	ST-11 Grey	TT	Tyre	132631	354	78	140	16	2.40	2.0

KENDA



TUBES - FLAPS - VALVES ETC.

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical








Valves	9.4
O-rings.....	9.5
Flaps - Industrial, OTR etc.	9.5-9.6
Flaps - MX, MC	9.7
Valves - overview	9.8-9.9
Tubes.....	9.10-9.22


VALVES





Type	bar	km/h	57 07562+
V3-20-1	14.00		Pcs 310541
PVR70	105A	4.50	210 Pcs 134802 100
EV42S-NI	14.00		Pcs 316840
TR412	V2-03-6	4.50	210 Pcs 134819 1000
TR413	V2-03-1	4.50	210 Pcs 134826 1000
TR414	V2-03-2	4.50	210 Pcs 134833 1000
TR415	V2-03-3	4.50	210 Pcs 134840 1000
TR416S	V2-05-1	14.00	Pcs 192802
TR418	V2-03-4	4.50	210 Pcs 134857 1000
BLV601	Air/Water		Pcs 316826
TR618A	V5-01-1	14.00	Pcs 134871 100



	PVR 70 105A	TR 618A V5-01-1	V2-05-1	V3-20-1
A mm	19	22	17	16
B mm	15	15,9	11	9
C mm	30	3	3	3
D mm	20	29	19	36



	TR 412	TR 413 V2-03-1	TR 414 V2-03-2	TR 415 V2-03-3	TR 418 V2-03-4
A mm	19	19	19	23,5	19
B mm	14,5	14,5	14,5	19	14,5
C mm	21,5	29	36	29	49



	TR 600HP	BLV601
A mm	17,5	
B mm	13,7	15
C mm	32	

O-RINGS

for Multi-Piece Rims

EAN-13 				
Description			57 07562+	
20"				
EM	Ø6.5 mm	Pcs	232973	20
F20 Pilote (Tyran)		Pcs	132754	20
24"				
EM (Heupo)	Ø6.5 mm	Pcs	232980	20
25"				
	Ø6.5 mm	Pcs	134635	10
EM (Sulla)	Ø9.5 mm	Pcs	134772	10
EM F25 (Iceru)		Pcs	269375	20
29"				
EM (Sulky)	Ø9.5 mm	Pcs	269382	10
32"				
EM	Ø6 mm	Pcs	322810	
33"				
EM (Strix)	Ø9.5 mm	Pcs	269399	10
35"				
EM (Strass)	Ø9.5 mm	Pcs	269405	10

FLAPS

Industrial - OTR etc.

					 EAN-13			
Dimension		For rim dimension		57 07562+		For tyre dimension		
6"								
110-6	3.50...4.50-6	Pcs	149097			140-6		
8"								
85-8	2.50...3.75-8	Pcs	153803			15x4 1/2-8 • 4.00-8 • 5.00-8		
95-8	3.00-8	Pcs	326702			15x4 1/2-8 • 4.00-8 • 5.00-8		
115-8	4.25...4.33-8	Pcs	153810			16x6-8 • 180/70-8 • 18x7-8		
130-8	5.375...6.00-8	Pcs	153834			190-8		
175-8	7.00-8	Pcs	153827			18x9-8		
9"								
100-9	4.00-9	Pcs	153841	40		6.00-9 • 6.90-9		
150-9	6.00-9	Pcs	153858			21x8-9		
10"								
125-10	5.00...10.00-10	Pcs	326689			6.50-10 • 7.50-10		
130-10	5.00...5.50-10	Pcs	153865			6.50-10 • 7.50-10		
165-10	6.50-10	Pcs	153872			23x9-10 • 7.0/85-10		
12"								
130-12	5.00-12	Pcs	153889			7.00-12		
210-12	8.00-12	Pcs	153896			23x10-12 • 27x10-12		
13"								
85-13	2.75...3.75-13	Pcs	149219			21x4		
100-13	3.11...3.75-13	Pcs	149233			21x4 • 22x4 1/2 • 23x5 • 25x6		
14.5"								
250-14.5		Pcs	358857					

>>>

FLAPS

Industrial - OTR etc.

  				
Dimension	For rim dimension		57 07562+	For tyre dimension
15"				
170-15	4.33...6.50-15	Pcs	152967	2.50-15 • 7.00-15 • 7.50-15 • 8.15-15 • 8.25-15
190-15	6.00...8.00-15	Pcs	152974	10.00-15 • 2.50-15 • 28x9-15 • 300-15
16"				
160-16	4.50...6.50-16	Pcs	153902	6.00-16 • 6.50-16 • 7.00-16 • 7.50-16
190-16	6.00...7.00-16	Pcs	153919	8.25-16 • 9.00-16
20"				
170-20	5.00...6.50-20	Pcs	153926	6.50-20 • 7.00-20 • 7.50-20
180-20	5.50...7.50-20	Pcs	152981	10.00-20 • 8.25-20 • 9.00-20
190-20	7.00...9.00-20	Pcs	153933	10.00-20 • 8.25-20 • 9.00-20
200-20	7.33...8.50-20	Pcs	152998	10.00-20 • 11.00-20 • 12.00-20 • 13/80-20
230-20	8.00...9.00-20	Pcs	153940	11.00-20 • 12.00-20 • 13.00-20 • 13/80-20 • 14.00-20
280-20	9.00...10.00-20	Pcs	153957	14.00-20 • 14/80-20
310-20	11.00...12.00-20	Pcs	153964	12.5-20 • 14.5-20 • 16.00-20
350-20	11.00...14.00-20	Pcs	309675	16/70-20 • 18.00-20 • 20-20
24"				
220-24	8.50-24	Pcs	153971	12.00-24 • 13.00-24 • 14.00-24
260-24	10.00-24	Pcs	153988	13.00-24 • 14.00-24
275-24	11.25-24	Pcs	153995	16.00-24 • 16.00-25
300-24		Pcs	149134	16.00-24 • 16.00-25
25"				
310-25	11.25...13.00-25	Pcs	154008	15.5-25 • 16.00-25
360-25	13.00...15.00-25	Pcs	154015	17.5-25 • 18.00-25
440-25	17.00-25	Pcs	154022	20-24 • 20.5-25
480-25	19.50-25	Pcs	154039	19.50-25
580-25	19.50...22.00-25	Pcs	154046	26.5-25
33"				
340-33	13.00-33	Pcs	149158	18.00-33
580-33	22.00-33	Pcs	149295	27.00-33



FLAPS MX and MC

  			
Dimension	For rim dimension		57 07562+ For tyre dimension
10"			
28-10	1.85...2.15-10	Pcs	309439
12"			
20-12	1.85...2.50-12	Pcs	309446
14"			
20-14	1.85...2.50-14	Pcs	309453
15"			
38-15		Pcs	309460
50-15	3.50-15	Pcs	309477
16"			
22-16	1.35...1.50-16	Pcs	309491
30-16	1.85...3.00-16	Pcs	309507
40-16		Pcs	309514
60-16	4.00-16	Pcs	309521
17"			
22-17		Pcs	309538
28-17		Pcs	309545
38-17	1.85...2.50-17	Pcs	309552
60-17	4.00-17	Pcs	309569
18"			
22-18		Pcs	309576
28-18		Pcs	309583
38-18	3.50-18	Pcs	309590
19"			
20-19		Pcs	309606
28-19		Pcs	309613
21"			
25-21	1.40...2.15-21	Pcs	309620

Agricultural

Industrial

Small tyres - Materials
handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun


Various

Tubes etc.


Wheels - Axles etc.

Info & Technical




VALVES - OVERVIEW









	DIN-7768 60/20	DIN-7768 90/20	DIN-7768 90/35	DIN-7777 90/90	TR 87 V1-08-1 • 33 G 90	V6-02-1
A mm	19	19	19	17	19	23
B mm	33	33	33	28	33	41.5
C mm	14,5	14,5	14,5	13	15	
D mm	25	25	25	44,5	44,5	
Z	60°	90°	90°	90°	90°	70°



JS 2						
A mm	-					
B mm	33					
C mm	26					
D mm	56					
Z	70°					




	TR 75A V3-09-3	TR 78A V3-09-8	TR 177A V3-09-5	TR 218A V4-01-1 • 47 GW	
A mm	24	24	24	A mm	24
B mm	76	127	95	B mm	63,5
Z	86°	86°	86°	C mm	47
				D mm	16




	V3-02-7	V3-02-11 127 D	V3-02-19 60 D	V3-04-3 95 D-74	V3-04-5 127 D-74	V3-04-7
A mm	22,5	20	20,5	20	20	20,5
B mm	71,5	126	60	59	76	30,5
C mm	-	-	-	38,5	47,5	38
Z1	80°	82°	86°	94	90°	90°
Z2	-	-	-	17°	27°	26°




VALVES - OVERVIEW





	A/V Schrader V1-07-1	TR 1 Dunlop V1-06-1	TR 4 V1-09-1	TR 6		
A mm	31,5	31,2	29	29,5		
B mm	28	25	44	68x42		
C mm	3,5	4,2	4	5,5		



	TR 13 V2-01-1 • 38 G 11.5	TR 15 V2-01-2 • 38 G 16	TR 135	TR 150 V3-10-1 • 93 G 16		
A mm	35	35	61,5	88,5		
B mm	56	56	57	57		
C mm	11,5	16,5	15,5	15,5		



	TRJ 1175C 105A		V5-04-1 TRJ 650 • 80GD80			
A mm	35	A mm	27			
B mm	105	B mm	80			
C mm	4	Z	100°			
D mm	32					
Z	88°					



	V3-06-1	V3-06-3	V3-06-8		VS3-21-1	
A mm	20,5	20,5	24,5	A mm	18	
B mm	30,5	46	61,5	B mm	80	
F mm	19,5	20,5	14,5	C mm	49	
H mm	35,5	47,5	50,5	D mm	9,5	
G mm	17	17	7,5			
Z1	90°	90°	86°			
Z2	41°	40°	27°			
Z3	139°	140°	153°			

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

TUBES

   					
Dimension	Valve		57 07562+		For tyre dimension
6x1 1/4	AV Schrader	Pcs	126173	100	6x1 1/4
	DIN 7768 30/90	Pcs	316406		6x1 1/4
	DIN 7768 60/20	Pcs	269641	100	6x1 1/4
7x1 3/4	AV Schrader	Pcs	126197	100	7x1 3/4
	DIN 7768 90/35	Pcs	126210	100	7x1 3/4
	DIN 7777 90/90	Pcs	126203	100	7x1 3/4
8x1 1/4	AV Schrader	Pcs	126227	100	8x1 1/4
	DIN 7768 60/20	Pcs	269993	100	8x1 1/4
	DIN 7768 70/35	Pcs	126234	100	8x1 1/4
10x2	AV Schrader	Pcs	126258	100	10x2 • 2.00-6 • 260/165-60
	TR1 Dunlop	Pcs	126265	100	10x2 • 2.00-6 • 260/165-60
	WH767 90/90	Pcs	270272	100	10x2 • 2.00-6 • 260/165-60
16x1.75	AV Schrader	Pcs	126470	100	16x1.75
16x2.125	AV Schrader	Pcs	126487	100	16x2.125
20x1 3/8	AV Schrader	Pcs	126715	100	20x1 3/8
20x1.75	AV Schrader	Pcs	126722	100	20x1.75
20x2.00	AV Schrader	Pcs	126739	100	20x2.00 • 20x2.125
22x1 3/8	AV Schrader	Pcs	126975	100	22x1 3/8
24x1	AV Schrader	Pcs	127095	100	24x1
24x1 3/8	AV Schrader	Pcs	127101	100	24x1 3/8
24x1.75	AV Schrader	Pcs	127118	100	24x1.75
200x50	AV Schrader	Pcs	126647	100	200x50 • 8x2
	DIN 7768 60/20	Pcs	126661	100	200x50 • 8x2
	DIN 7768 90/20	Pcs	126654	100	200x50 • 8x2
	DIN 7777 90/90	Pcs	126678	100	200x50 • 8x2
220x50	DIN 7768 90/20	Pcs	126906	100	220x50 • 220/120x50 • 8 1/2x2
	DIN 7777 90/90	Pcs	126890	100	220x50 • 220/120x50 • 8 1/2x2
3"					
2.50-3	DIN 7768 90/35	Pcs	127156	100	2.50-3 • 210x65 • 8x2.5
	DIN 7777 90/90	Pcs	127149	100	2.50-3 • 210x65 • 8x2.5
	TR87	Pcs	127132	100	2.50-3 • 210x65 • 8x2.5

>>>



STARCO TUBES

- Butyl rubber - impermeable to air - no air leaks
- Resistant to ozone, weather and chemicals
- Fitted at major OEM's



TUBES

   					
Dimension	Valve		57 07562+		For tyre dimension
4"					
2.50-4	DIN 7777 90/90	Pcs	127163	50	2.50-4 • 2.80-4 • 8x3.00-4
3.00-4	DIN 7768 60/20	Pcs	127439	50	3.00-4 • 10x3 • 260x85
	DIN 7768 90/20	Pcs	127422	50	3.00-4 • 10x3 • 260x85
	DIN 7777 90/90	Pcs	127446	50	3.00-4 • 10x3 • 260x85
	TR13	Pcs	127415	50	3.00-4 • 10x3 • 260x85
3.50-4	TR13	Pcs	127613	50	3.50-4 • 4.00-4 • 4.10-4
	TR87	Pcs	127620	50	3.50-4 • 4.00-4 • 4.10-4
9x3.50-4	DIN 7777 90/90	Pcs	126241	50	9x3.50-4
11x4.00-4	DIN 7777 90/90	Pcs	127637	50	11x4.00-4
	TR13	Pcs	126319	50	11x4.00-4
11x7.00-4	DIN 7777 90/90	Pcs	127903	50	11x7.00-4
12x5.00-4	TR13	Pcs	270005	50	12x5.00-4
5"					
3.00/3.40-5	TR87	Pcs	364469		3.00/3.40-5
3.50-5	DIN 7777 90/90	Pcs	127699	50	3.50-5 • 4.00-5 • 4.10-5
5.00-5	JS2	Pcs	270029	50	5.00-5 • 11x6.00-5
10x3.60-5	TR87	Pcs	126296	50	10x3.60-5 • 10x4.50-5
10x4.50-5	TR87	Pcs	126302	50	10x4.50-5
11x4.00-5	DIN 7777 90/90	Pcs	126333	50	11x4.00-5
	TR13	Pcs	126326	50	11x4.00-5
11x6.00-5	TR87	Pcs	156347	50	11x6.00-5 • 11x7.10-5
12x4.00-5	TR13	Pcs	270012	50	12x4.00-5
6"					
2.50-6	TR13	Pcs	387284	50	2.50-6 • 3.00-6
	TR87	Pcs	314112	50	2.50-6 • 3.00-6
3.50-6	TR13	Pcs	127569	50	3.50-6 • 4.00-6 • 4.10-6
	TR87	Pcs	127576	50	3.50-6 • 4.00-6 • 4.10-6
4.50-6	TR13	Pcs	270050	50	4.50-6 • 5.00-6 • 5.30-6
	TR87	Pcs	270043	50	4.50-6 • 5.00-6 • 5.30-6
6-6	JS87	Pcs	270067	1	6-6
8.00-6	JS87	Pcs	309880		8.00-6
13x5.00-6	TR13	Pcs	154114	50	13x5.00-6 • 13x6.00-6 • 145/70-6
	TR87	Pcs	154121	50	13x5.00-6 • 13x6.00-6 • 145/70-6
13x6.50-6	TR13	Pcs	126418	50	13x6.50-6
	TR87	Pcs	126425	50	13x6.50-6
15x6.00-6	TR13	Pcs	154176	50	15x6.00-6 • 140-6 • 15x5.50-6
	TR87	Pcs	154183	50	15x6.00-6 • 140-6 • 15x5.50-6
220/50-6	TR13	Pcs	270036	50	220/50-6
6.5"					
90/65-6.5	TR87	Pcs	270210	50	90/65-6.5 • 110/50-6.5

>>>

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

TUBES

   					
Dimension	Valve		57 07562+		For tyre dimension
7"					
3.50-7	TR13	Pcs	270074	50	3.50-7 • 4.00-7
	TR87	Pcs	270081	50	3.50-7 • 4.00-7
16x8.00-7	TR13	Pcs	126517	50	16x8.00-7
	TR6	Pcs	190310		16x8.00-7
8"					
2.50-8	AV Schrader	Pcs	190358	50	2.50-8 • 2.75-8 • 3.00-8
	TR13	Pcs	154732	50	2.50-8 • 2.75-8 • 3.00-8
	TR6	Pcs	127194 ■	50	2.50-8 • 2.75-8 • 3.00-8
	TR87	Pcs	154749	50	2.50-8 • 2.75-8 • 3.00-8
3.50-8	TR13	Pcs	127583	50	3.50-8 • 4.00-8
	TR87	Pcs	127606	50	3.50-8 • 4.00-8
4.00-8	TR13	Pcs	127644	50	4.00-8 • 16x4 • 3.50-8 • 400x100
5.00-8	JS2	Pcs	127736	35	5.00-8 • 5.70-8
	TR13	Pcs	127729	35	5.00-8 • 5.70-8
	V3-02-7	Pcs	127743	35	5.00-8 • 5.70-8
12 1/2x2 1/4	AV Schrader	Pcs	126357	100	12 1/2x2 1/4 • 12 1/2x1.75 • 12 1/2x1.90 • 2.25-8
	TR1 Dunlop	Pcs	126364	100	12 1/2x2 1/4 • 12 1/2x1.75 • 12 1/2x1.90 • 2.25-8
	TR87	Pcs	126371	100	12 1/2x2 1/4 • 12 1/2x1.75 • 12 1/2x1.90 • 2.25-8
15x4 1/2-8	V3-02-2	Pcs	270098	35	15x4 1/2-8
16x6.50-8	TR13	Pcs	153155	35	16x6.50-8 • 16x7.50-8 • 18x6.50-8 • 190-8
	TR87	Pcs	154084	35	16x6.50-8 • 16x7.50-8 • 18x6.50-8 • 190-8
18x7-8	JS2	Pcs	126562	30	18x7-8 • 180/70-8 • 18x7.00-8
	V3-02-7	Pcs	126579	35	18x7-8 • 180/70-8 • 18x7.00-8
18x8.50-8	TR13	Pcs	154190	30	18x8.50-8 • 18x11.00-8 • 18x7.00-8 • 18x7.50-8 • 18x9.50-8
	TR6	Pcs	126531	22	18x8.50-8 • 18x11.00-8 • 18x7.00-8 • 18x7.50-8 • 18x9.50-8
	TR87	Pcs	154206	22	18x8.50-8 • 18x11.00-8 • 18x7.00-8 • 18x7.50-8 • 18x9.50-8
20x8.00-8	TR13	Pcs	153162	22	20x8.00-8 • 20x10.00-8 • 20x7.00-8
	TR6	Pcs	154077	22	20x8.00-8 • 20x10.00-8 • 20x7.00-8
22x10.00-8	TR13	Pcs	154091	22	22x10.00-8 • 21x11.00-8 • 21x12.00-8 • 22x11.00-8 • 22x12.00-8
	TR6	Pcs	154107	22	22x10.00-8 • 21x11.00-8 • 21x12.00-8 • 22x11.00-8 • 22x12.00-8
9"					
2.50-9	TR4	Pcs	127217 ■	50	2.50-9 • 2.75-9
	TR87	Pcs	127200 ■	50	2.50-9 • 2.75-9
2.75-9	JS87	Pcs	386898	20	2.75-9
4.00-9	TR13	Pcs	272313	50	4.00-9
6.00-9	JS2	Pcs	127828	30	6.00-9 • 6.90-9
	TR13	Pcs	127804	30	6.00-9 • 6.90-9
	TR15	Pcs	127811	30	6.00-9 • 6.90-9
	V3-02-7	Pcs	127835	25	6.00-9 • 6.90-9
20x10.00-9	TR13	Pcs	126692	20	20x10.00-9 • 20x11.00-9
21x8-9	JS2	Pcs	126852	30	21x8-9 • 200/75-9
21x8.50-9	TR13	Pcs	126869	20	21x8.50-9 • 21x9.00-9 • 21x9.50-9
22x11.00-9	TR13	Pcs	126944	20	22x11.00-9
	TR6	Pcs	126951	14	22x11.00-9
25x11.00-9	TR13	Pcs	154152	14	25x11.00-9 • 25x12.00-9 • 25x13.50-9
	TR6	Pcs	154169	14	25x11.00-9 • 25x12.00-9 • 25x13.50-9

>>>

TUBES

   					
Dimension	Valve		57 07562+		For tyre dimension
10"					
2.50-10	TR13	Pcs	127224	50	2.50-10 • 2.75-10 • 80/90-10
	TR87	Pcs	127231 ■	50	2.50-10 • 2.75-10 • 80/90-10
3.00-10	41.5G 70°	Pcs	269344 ■	20	3.00-10 • 100/80-10 • 110/80-10 • 3.50-10 • 90/90-10
	TR13	Pcs	154138	50	3.00-10 • 3.50-10 • 4.00-10
	TR4	Pcs	263243 ■	20	3.00-10 • 100/80-10 • 100/90-10 • 110/80-10 • 3.50-10 • 90/90-10
	TR87	Pcs	154145	50	3.00-10 • 3.50-10 • 4.00-10
	TR87	Pcs	263250 ■	20	3.00-10 • 100/80-10 • 110/80-10 • 3.50-10 • 90/90-10
4.00-10	TR4	Pcs	263274 ■	20	4.00-10 • 110/90-10 • 120/70-10 • 120/70-11 • 120/90-10 • 130/70-10 • 130/70-11 • 130/90-10
	TR87	Pcs	263281 ■	20	4.00-10
4.50-10	TR13	Pcs	154329	45	4.50-10 • 5.00-10
	TR87	Pcs	270104	45	4.50-10 • 5.00-10
4.50/5.00-10	TR218A	Pcs	270111	45	4.50/5.00-10
6.50-10	JS2	Pcs	127866	25	6.50-10
	TR13	Pcs	270128	25	6.50-10
	V3-02-7	Pcs	127873	25	6.50-10
7.50-10	JS2	Pcs	127989	20	7.50-10
	TR150	Pcs	127972	20	7.50-10
	V3-04-5	Pcs	127996	18	7.50-10
9.00-10	TR135	Pcs	128030	20	9.00-10 • 9.50-10
20x8.00-10	TR13	Pcs	126784	30	20x8.00-10 • 20x10.00-10
21x7.00-10	TR13	Pcs	153001	30	21x7.00-10 • 21x9.00-10 • 22X10.00-10 • 22X11.00-10 • 22x8.00-10 • 22X9.00-10 • 23x8.00-10
	TR6	Pcs	153018	30	21x7.00-10 • 21x9.00-10 • 22x10.00-10 • 22x11.00-10 • 22x8.00-10 • 22x9.00-10 • 23x8.00-10
23x9-10	JS2	Pcs	127088	25	23x9-10 • 225/70-10
145-10	TR13	Pcs	148960 ■	14	145-10 • 165/70-10
	TR13	Pcs	148304	45	145-10 • 165/70-10
11"					
23.5x8.00-11	TR13	Pcs	154398	30	23.5x8.00-11 • 24x9.00-11
	TR6	Pcs	154381	30	23.5x8.00-11 • 24x9.00-11
12"					
3.00-12	TR13	Pcs	127491	50	3.00-12 • 3.50-12
	TR4	Pcs	263298 ■	20	3.00-12 • 100/80-12 • 110/100-12 • 110/90-12 • 12 C/D • 3.50-12 • 80/100-12 • 90/90-12
	TR87	Pcs	270135	50	3.00-12 • 3.50-12
3.50-12	34G	Pcs	388281 ■	10	3.50-12 • 12/13D • 120/70-12 • 120/70-13 • 120/80-12 • 120/80-13 • 130/60-12 • 130/80-12 • 130/80-13 • 140/60-12 • 140/60-13 • 140/70-12 • 140/70-13
	TR4	Pcs	263304 ■	20	3.50-12
4.00-12	TR13	Pcs	127675	40	4.00-12 • 4.50-12
5.00-12	TR13	Pcs	127767	35	5.00-12
6.00-12	TR13	Pcs	127842	35	6.00-12 • 6-12
	TR218A	Pcs	270142	35	6.00-12 • 6-12
7.00-12	JS2	Pcs	127934	25	7.00-12
	TR13	Pcs	127910	25	7.00-12 • 8.00-12
	TR15	Pcs	154725	25	7.00-12 • 8.00-12
	V3-02-7	Pcs	127941	20	7.00-12

>>>

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

TUBES



Dimension	Valve		57 07562+		For tyre dimension
12"					
8.25-12	JS2	Pcs	128023	20	8.25-12
10.00-12	TR13	Pcs	126272	5	10.00-12
10.0/80-12	TR15	Pcs	126289	15	10.0/80-12
23x8.50-12	TR13	Pcs	154718	20	23x8.50-12 • 23x10.00-12 • 23x10.50-12 • 23x9.50-12 • 24x10.50-12 • 24x8.50-12
23x10-12	TR78A	Pcs	127033	20	23x10-12
24x12.00-12	TR13	Pcs	298511	12	24x12.00-12 • 24x13.00-12
25x8.00-12	TR13	Pcs	151151	20	25x8.00-12 • 25x10.00-12
	TR6	Pcs	151168	20	25x8.00-12 • 25x10.00-12
26x12.00-12	TR13	Pcs	127293	15	26x12.00-12 • 26.5x14.00-12 • 26x14.00-12
	TR218A	Pcs	263151	15	26x12.00-12 • 26.5x14.00-12 • 26x14.00-12
27x8.50-12	TR13	Pcs	154220	15	27x8.50-12 • 27x10.00-12 • 27x10.50-12 • 27x9.50-12
27x10-12	JS2	Pcs	127323	16	27x10-12 • 250/75-12 • 27x10.00-12 • 27x10.50-12 • 27x9.50-12
	TR78A	Pcs	127330	16	27x10-12 • 250/75-12 • 27x10.00-12 • 27x10.50-12 • 27x9.50-12
125/135-12	TR13	Pcs	148236	40	125/135-12 • 135/70-12 • 145/70-12
	TR13	Pcs	148922 ■	14	125/135-12 • 125-12 • 135-12 • 135/70-12 • 145/70-12
145/155-12	TR13	Pcs	148977 ■	14	145/155-12 • 145-12 • 155-12 • 155/70-12 • 165/70-12
	TR13	Pcs	148328	40	145/155-12 • 155/70-12 • 165/70-12
13"					
9.00-13	TR15	Pcs	128047	16	9.00-13
21x4	V6-02-1	Pcs	126791	10	21x4
23x5	V3-02-19	Pcs	127019	10	23x5 • 25x6 • 5.00-13
135/145-13	TR13	Pcs	148939 ■	14	135/145-13 • 135-13 • 145-13 • 145/70-13 • 155/70-13
	TR13	Pcs	148274	40	135/145-13 • 135-13 • 145-13 • 145/70-13 • 155/70-13
155/165-13	TR13	Pcs	148984 ■	14	155/165-13 • 155-13 • 165-13 • 165/70-13 • 175/70-13
	TR13	Pcs	148359	35	155/165-13 • 155-13 • 165-13 • 165/70-13 • 175/70-13
175/185-13	TR13	Pcs	149011 ■	14	175/185-13 • 175-13 • 185-13 • 185/70-13 • 195/70-13
	TR13	Pcs	148410	35	175/185-13 • 175-13 • 185-13 • 185/70-13 • 195/70-13
185/60-13	TR13	Pcs	154763	30	185/60-13 • 195/60-13 • 205/60-13 • 215/60-13
14"					
2.50-14	TR4	Pcs	263328 ■	20	2.50-14 • 14 C/D • 2.75-14 • 3.00-14 • 60/100-14 • 80/80-14
3.50-14	TR4	Pcs	263335 ■	20	3.50-14 • 110/80-14 • 4.10-14 • 5.40-14 • 80/100-14 • 90/100-14
25x8.50-14	TR13	Pcs	127286	20	25x8.50-14
27x8.50-14	TR13	Pcs	153551	22	27x8.50-14
135/145-14	TR13	Pcs	148281	40	135/145-14 • 135-14 • 145-14 • 145/70-14 • 155/70-14
	TR13	Pcs	148946 ■	14	135/145-14 • 135-14 • 145-14 • 145/70-14 • 155/70-14
155/165-14	TR13	Pcs	148366	35	155/165-14 • 155-14 • 165-14 • 165/70-14 • 175/70-14
	TR13	Pcs	148991 ■	14	155/165-14 • 155-14 • 165-14 • 165/70-14 • 175/70-14
175/185-14	TR13	Pcs	149028 ■	14	175/185-14 • 175-14 • 185-14 • 185/70-14 • 195/70-14
	TR13	Pcs	148427	28	175/185-14 • 175-14 • 185-14 • 185/70-14 • 195/70-14
185/60-14	TR13	Pcs	148489	25	185/60-14 • 195/60-14 • 205/60-14
195/205-14	TR13	Pcs	148502	25	195/205-14 • 195-14 • 205-14 • 205/70-14 • 215/70-14
	TR13	Pcs	149042 ■	14	195/205-14 • 195-14 • 205-14 • 205/70-14 • 215/70-14
215/60-14	TR13	Pcs	148205	20	215/60-14 • 225/60-14 • 235/60-14
215/225-14	TR13	Pcs	148168	20	215/225-14 • 215-14 • 225-14 • 225/70-14 • 235/70-14
245/60-14	TR13	Pcs	148335	16	245/60-14 • 255/60-14 • 265/60-14 • 275/60-14

>>>

TUBES

   					
Dimension	Valve		57 07562+		For tyre dimension
14.5"					
30x11.50-14.5	V3-02-05	Pcs	358840		30x11.50-14.5 • 12.5/60-15
200/60-14.5	TR15	Pcs	126630	30	200/60-14.5 • 24x8.00-14.5
15"					
4.50-15	TR15	Pcs	127712	40	4.50-15 • 5.00-15
5.00-15	JS2	Pcs	270166	35	5.00-15 • 5.50-15
6.00-15	JS2	Pcs	127859	20	6.00-15 • 6.50-15
6.5/80-15	TR218A	Pcs	279930	30	6.5/80-15
6.70-15	TR13	Pcs	127880	18	6.70-15 • 7.00-15 • 7.50-15 • 7.60-15
	TR15	Pcs	127897	18	6.70-15 • 7.00-15 • 7.50-15 • 7.60-15
7.00-15	TR75A	Pcs	127958	18	7.00-15 • 205/70-15 • 7.50-15
	V3-02-7	Pcs	154343	18	7.00-15 • 205/70-15 • 7.50-15
7.5-15	TR15	Pcs	134703	1	7.5-15 • 28x9.00-15
8.15-15	TR177A	Pcs	270265	12	8.15-15 • 28x9-15 • 8.25-15
	TR177A	Pcs	128016	12	8.15-15 • 28x9-15 • 8.25-15 • Standard offset
	V3-04-5	Pcs	148700	12	8.15-15 • 28x9-15 • 8.25-15
	V3-04-7	Pcs	272986	12	8.15-15 • 28x9-15 • 8.25-15
	V3-06-1	Pcs	148717	12	8.15-15 • 28x9-15 • 8.25-15
10.00-15	V3-04-5	Pcs	148779	12	10.00-15
27x8.50-15	TR13	Pcs	153148	18	27x8.50-15 • 28x9.00-15
29x12.50-15	TR13	Pcs	127392	14	29x12.50-15
	TR15	Pcs	127408	14	29x12.50-15
30x9.50-15	TR13	Pcs	153650	16	30x9.50-15 • 9-15
	TR15	Pcs	273068	16	30x9.50-15 • 9-15
31x10.50-15	TR13	Pcs	153667	14	31x10.50-15 • 10-15 • 10.5-15 • 11-15
33x9.50-15	TR13	Pcs	153629	12	33x9.50-15 • 33x10.50-15 • 33x11.50-15
33x12.50-15	TR15	Pcs	154237	12	33x12.50-15 • 12-15 • 31x15.50-15 • 33x15.50-15
125-15	TR13	Pcs	126340	40	125-15 • 4.00-15 • 4.50-15

>>>

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

TUBES

   					
Dimension	Valve		57 07562+		For tyre dimension
15"					
130/80-15	41.5G 86°	Pcs	309194		130/80-15 • 130/90-15 • 130/90-16 • 140/80-15 • 140/80-16 • 140/90-15 • 140/90-16 • 15/16F • 150/80-15 • 150/80-16 • 150/90-15 • 150/90-16 • 160/70-15 • 160/70-16 • 160/80-15 • 160/80-16 • MU90-15 • MU90-16
	TR4	Pcs	359182	■	130/80-15 • 130/90-15 • 140/80-15
135/145-15	TR13	Pcs	148298	35	135/145-15 • 135-15 • 145-15 • 145/70-15 • 155/70-15
	TR13	Pcs	148953	■ 14	135/145-15 • 135-15 • 145-15 • 145/70-15 • 155/70-15
140/80-15	34G	Pcs	309217		140/80-15 • 130/90-15 • 130/90-16 • 140/80-16 • 140/90-15 • 140/90-16 • 15/16F • 150/80-15 • 150/80-16 • 150/90-15 • 150/90-16 • 160/70-15 • 160/70-16 • 160/80-15 • 160/80-16 • MT90-16
	41.5G 70°	Pcs	269368	■ 20	140/80-15 • 140/90-16 • MU90-16
155/165-15	TR13	Pcs	148373	30	155/165-15 • 155-15 • 165-15 • 165/70-15 • 175/70-15
	TR13	Pcs	149004	■ 14	155/165-15 • 155-15 • 165-15 • 165/70-15 • 175/70-15
170/80-15	34G	Pcs	369549		170/80-15 • 15G • 170/70-15 • 170/70-16 • 170/80-16 • 180/60-15 • 180/70-15 • 180/70-16 • 200/60-15 • 200/70-15 • 200/70-16 • 5.50-15
	41.5G 86°	Pcs	269351	■ 20	170/80-15 • 15G • 170/70-15 • 170/70-16 • 170/80-16 • 180/60-15 • 180/70-15 • 180/70-16 • 200/60-15 • 200/70-15 • 200/70-16 • 5.50-15
175/185/195-15	TR13	Pcs	148458	25	175/185/195-15 • 175-15 • 185-15 • 185/65-15 • 185/70-15 • 195-15 • 195/65-15
	TR13	Pcs	149035	■ 14	175/185/195-15 • 175-15 • 185-15 • 185/70-15 • 195-15 • 195/70-15
185/60-15	TR13	Pcs	148496	20	185/60-15 • 195/60-15 • 205/60-15
195/205-15	TR13	Pcs	148519	20	195/205-15 • 195-15 • 205-15 • 205/70-15 • 215/65-15 • 215/70-15 • 225/70-15
215/60-15	TR13	Pcs	148199	18	215/60-15 • 225/60-15
	TR15	Pcs	148212	18	215/60-15 • 225/60-15
215/225-15	TR13	Pcs	148175	16	215/225-15 • 215-15 • 225-15 • 225/70-15 • 235/70-15 • 235/75-15 • 245/70-15
230/80-15	TR75A	Pcs	148571	16	230/80-15
245/60-15	TR13	Pcs	148342	16	245/60-15 • 255/60-15 • 255/70-15 • 265/60-15 • 275/60-15
250-15	TR75A	Pcs	270159	16	250-15 • 300-15
	TR78A	Pcs	127248	16	250-15 • 300-15
	V3-02-05	Pcs	371092		250-15 • 3.00-15 • 315/65-15
265/70-15	TR13	Pcs	153636	14	265/70-15 • 265/75-15
15.3"					
10/11-15.3	TR15	Pcs	135946	12	10/11-15.3 • 10.0/75-15.3 • 11.5/80-15.3
	TR218A	Pcs	272900	14	10/11-15.3 • 10.0/75-15.3 • 11.5/80-15.3
10.0/75-15.3	TR15	Pcs	135915	12	10.0/75-15.3
	TR218A	Pcs	136141	12	10.0/75-15.3
11.5/80-15.3	TR15	Pcs	153056	12	11.5/80-15.3 • 12.5/80-15.3
	TR218A	Pcs	153063	12	11.5/80-15.3 • 12.5/80-15.3
15.5"					
280/60-15.5	TR15	Pcs	137209	14	280/60-15.5
400/60-15.5	TR15	Pcs	137360	8	400/60-15.5 • 350/70-15.5
	TR218A	Pcs	137339	6	400/60-15.5 • 350/70-15.5
500/55-15.5	TR15	Pcs	154701	6	500/55-15.5 • 500/60-15.5
	TR218A	Pcs	373966	6	500/55-15.5 • 500/60-15.5

>>>

TUBES

   					
Dimension	Valve		57 07562+		For tyre dimension
16"					
2.00-16	TR4	Pcs	263557	■	20 2.00-16 • 2.25-16
2.50-16	TR4	Pcs	263359	■	20 2.50-16 • 2.75-16 • 3.00-16
3.25-16	TR4	Pcs	263366	■	20 3.25-16 • 110/80-16 • 110/90-16 • 3.50-16 • 90/100-16
3.50-16	TR4	Pcs	263373	■	20 3.50-16 • 110/80-16 • 120/90-16 • 130/70-16 • 130/80-16 • 130/90-16 • 16 E • 4.00-16 • 4.60-16
4.00-16	TR15	Pcs	154251		35 4.00-16 • 4.50-16 • 5.00-16
5.00-16	TR13	Pcs	292465		30 5.00-16 • 5.50-16
5.50-16	TR15	Pcs	154268		22 5.50-16 • 6.00-16 • 6.50-16
6.00-16	TR13	Pcs	153735		30 6.00-16 • 6.50-16
	TR218A	Pcs	137544		22 6.00-16 • 6.50-16
	TR75A	Pcs	137643		22 6.00-16 • 6.50-16
	V3-02-7	Pcs	148601		22 6.00-16 • 6.50-16
7.00-16	TR13	Pcs	153742		20 7.00-16 • 7.50-16 • 8.75-16.5
	TR15	Pcs	137667		18 7.00-16 • 7.50-16 • 8.75-16.5
	TR218A	Pcs	137674		16 7.00-16 • 7.50-16 • 8.75-16.5
	TR75A	Pcs	137681		16 7.00-16 • 7.50-16 • 8.75-16.5
	V3-04-7	Pcs	148632		20 7.00-16 • 7.50-16 • 8.75-16.5
7.50-16	TR13	Pcs	153759		20 7.50-16 • 9.50-16.5
	V3-04-7	Pcs	148663		16 7.50-16 • 9.50-16.5
8.25-16	TR177A	Pcs	272887		12 8.25-16
	V3-04-5	Pcs	148724		12 8.25-16
9.00-16	TR15	Pcs	137834		12 9.00-16
	TR218A	Pcs	137841		12 9.00-16
	V3-06-3	Pcs	305196		9.00-16
10.00-16	TR15	Pcs	154305		10 10.00-16 • 11.00-16 • 13.6-16 • 315/80-16
	TR218A	Pcs	154312		10 10.00-16 • 11.00-16 • 13.6-16 • 315/80-16
	V3-02-11	Pcs	273112		10 10.00-16 • 11.00-16
10.5/65-16	TR15	Pcs	135960		15 10.5/65-16
13.0/55-16	TR15	Pcs	136332		8 13.0/55-16
13.0/75-16	TR15	Pcs	153049		12 13.0/75-16 • 13.0/65-16 • 14.0/65-16
175/80-16	TR13	Pcs	153681		30 175/80-16 • 185/80-16
195/80-16	TR13	Pcs	153698		20 195/80-16 • 205/80-16
195/205-16	TR15	Pcs	148533		20 195/205-16
205-16	V3-02-7	Pcs	148557		20 205-16
215/80-16	TR13	Pcs	153704		20 215/80-16 • 225/75-16 • 235/70-16 • 245/75-16
215/225-16	TR15	Pcs	148182		17 215/225-16
235/80-16	TR13	Pcs	153674		18 235/80-16 • 235/85-16
245/70-16	TR13	Pcs	153728		12 245/70-16 • 255/70-16
265/70-16	TR13	Pcs	153711		14 265/70-16 • 265/75-16 • 275/70-16
280/85-16	TR13	Pcs	171098		280/85-16
16.5"					
10-16.5	TR15	Pcs	135953		14 10-16.5

>>>

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

TUBES

   						
Dimension	Valve		57 07562+			For tyre dimension
16.5"						
12-16.5	TR15	Pcs	136165	8		12-16.5
17"						
2.00-17	TR4	Pcs	263533	■	20	2.00-17 • 2.25-17
2.50-17	TR4	Pcs	263380	■	20	2.50-17 • 2.75-17 • 3.00-17 • 70/100-17
4.10-17	TR4	Pcs	263397	■	20	4.10-17 • 110/70-17 • 110/80-17 • 120/70-17 • 130/60-17 • 17 E • 4.60-17
4.50-17	TR4	Pcs	263403	■	20	4.50-17 • 17 F • 5.10-17
8-17	VS3-21-1	Pcs	154756		20	8-17 • 215/75-17.5 • 8.5-17.5
13.5/75-17	TR15	Pcs	136349		8	13.5/75-17
15.0/55-17	TR15	Pcs	154404		7	15.0/55-17 • 380/55-17
	TR218A	Pcs	154411		7	15.0/55-17 • 380/55-17
19.0/45-17	TR15	Pcs	136875		6	19.0/45-17
160/70-17	34G	Pcs	365756	■		160/70-17 • 17-G • 170/55-17 • 170/60-17 • 180/55-17 • 190/50-17 • 200/50-17 • 210/50-17
235/65-17	TR15	Pcs	381978		12	235/65-17
500/50-17	TR15	Pcs	137476		4	500/50-17
17.5"						
9-17.5	VS3-21-1	Pcs	148748		12	9-17.5 • 10-17.5
350/65-17.5	TR15	Pcs	137384		4	350/65-17.5 • 400/55-17.5
350/70-17.5	TR218A	Pcs	137346		4	350/70-17.5
18"						
2.25-18	TR4	Pcs	263410	■	20	2.25-18 • 18 C • 2.50-18 • 2.75-18
2.75-18	TR4	Pcs	263427	■	20	2.75-18 • 18 C/D • 3.00-18 • 90/90-18
3.00-18	TR4	Pcs	263434	■	20	3.00-18 • 100/80-18 • 3.60-18 • 90/90-18
3.50-18	TR6	Pcs	263441	■	20	3.50-18 • 100/80-18 • 110/80-18 • 18 D/E • 3.25-18 • 4.10-18
4.00-18	TR4	Pcs	263458	■	20	4.00-18 • 120/80-18 • 120/90-18 • 130/80-18 • 130/90-18 • 140/80-18 • 18 F • 3.25-18 • 3.50-18 • 4.10-18 • 4.25-18 • 4.50-18 • 4.60-18
4.25-18	TR4	Pcs	263465	■	20	4.25-18 • 4.00-18 • 4.50-18
6.00-18	TR15	Pcs	137551		16	6.00-18 • 6.50-18
7.50-18	TR15	Pcs	137766		15	7.50-18
	TR87	Pcs	137773		15	7.50-18
10.5/80-18	TR15	Pcs	154428		10	10.5/80-18 • 13.0/65-18 • 275/80-18 • 335/65-18
	TR218A	Pcs	154435		10	10.5/80-18 • 13.0/65-18 • 275/80-18 • 335/65-18
	V3-06-8	Pcs	263168		10	10.5/80-18 • 13.0/65-18 • 275/80-18 • 335/65-18
12.5/80-18	TR15	Pcs	154442		8	12.5/80-18 • 15.0/70-18 • 335/80-18
	TR218A	Pcs	154459		8	12.5/80-18 • 15.0/70-18 • 335/80-18
	V3-06-8	Pcs	263175		8	12.5/80-18 • 15.0/70-18 • 335/80-18
160/60-18	34G	Pcs	369525			160/60-18 • 170/60-18 • 180/55-18 • 18G
240/40-18	34G	Pcs	369518			240/40-18 • 18 K • 250/40-18 • 260/40-18 • 280/35-18
19"						
2.00-19	TR4	Pcs	263540	■	20	2.00-19 • 2.25-19
2.50-19	TR4	Pcs	263472	■	20	2.50-19 • 19 C • 2.75-19 • 70/100-19
3.00-19	TR4	Pcs	263489	■	20	3.00-19 • 100/90-19 • 19 D • 3.60-19 • 90/90-19
3.50-19	TR4	Pcs	263496	■	20	3.50-19 • 110/80-19 • 110/90-19 • 120/80-19 • 130/80-19 • 19 E • 3.25-19 • 4.10-19
4.00-19	TR13	Pcs	154336		25	4.00-19 • 4.50-19
	TR15	Pcs	137391		25	4.00-19 • 4.50-19
6.00-19	TR15	Pcs	137568		20	6.00-19
8.00-19	TR15	Pcs	137803		12	8.00-19

>>>

TUBES

   					
Dimension	Valve		57 07562+		For tyre dimension
19.5"					
8-19.5	VS3-21-1	Pcs	154350	16	8-19.5 • 245/70-19.5 • 9-19.5
20"					
6.00-20	TR15	Pcs	137575	15	6.00-20 • 6.50-20
	V3-04-5	Pcs	154282	5	6.00-20 • 6.50-20
7.00-20	TR15	Pcs	137780	14	7.00-20 • 260/70-20 • 280/70-20 • 7.50-20
	TR177A	Pcs	137797	14	7.00-20 • 260/70-20 • 280/70-20 • 7.50-20
	V3-06-3	Pcs	154299	14	7.00-20 • 7.50-20
8.0-20	TR218A	Pcs	156781	14	8.0-20 • 260/80-20 • 300/70-20 • 9.5/9.0-20
8.25-20	V3-06-3	Pcs	148731	10	8.25-20
9.0-20	TR218A	Pcs	273013	8	9.0-20 • 9.5-20
9.00-20	V3-06-3	Pcs	148755	8	9.00-20
10.00-20	V3-02-10	Pcs	385389		10.00-20
	V3-06-16	Pcs	386522		10.00-20
	V3-06-8	Pcs	148786	7	10.00-20
10.5/80-20	TR15	Pcs	135991	10	10.5/80-20 • 10.5-20 • 275/70-20
	TR218A	Pcs	136004	10	10.5/80-20 • 10.5-20 • 275/70-20
	V3-06-8	Pcs	270173	10	10.5/80-20
11.00-20	V3-02-10	Pcs	386539		11.00-20
	V3-04-3	Pcs	308838	8	11.00-20
	V3-06-8	Pcs	148816	6	11.00-20 • 13/80-20 • 335/80-20 • E20 Pilote
11.2-20	TR218A	Pcs	154367	8	11.2-20 • 11.2/10-20 • 12.4/11-20 • 320/70-20 • 360/70-20
12.00-20	V3-06-8	Pcs	148847	6	12.00-20 • 14/80-20 • 365/80-20 • F20 Pilote
12.5/80-20	TR15	Pcs	136288	7	12.5/80-20 • 12.5-20 • 355/80-20
	TR218A	Pcs	136295	7	12.5/80-20 • 12.5-20 • 355/80-20
	V3-06-8	Pcs	270180	7	12.5/80-20 • 12.5-20 • 355/80-20
14.00-20	V3-06-8	Pcs	148908	4	14.00-20 • 15.5/80-20 • 365/85-20 • G20
14.5/80-20	TR15	Pcs	136448	5	14.5/80-20 • 13.6/12-20 • 14.5-20 • 365/80-20
	TR218A	Pcs	154466	5	14.5/80-20 • 13.6/12-20 • 14.5-20 • 380/70-20
	V3-06-8	Pcs	270197	5	14.5/80-20 • 13.6/12-20 • 14.5-20 • 380/70-20
16.00-20	V3-06-8	Pcs	148915	3	16.00-20
16.0/70-20	TR15	Pcs	136608	4	16.0/70-20 • 13.00-20 • 405/70-20
	TR218A	Pcs	136615	4	16.0/70-20 • 13.00-20 • 405/70-20
	V3-04-5	Pcs	153094	4	16.0/70-20 • 13.00-20 • 405/70-20
18-20	V5-04-1	Pcs	136769	1	18-20
18.0/70-20	TR218A	Pcs	136745	4	18.0/70-20 • 17.0/70-20
	V3-04-5	Pcs	136752	4	18.0/70-20 • 17.0/70-20
20-20	V5-04-1	Pcs	136936	1	20-20 • 24-21
20.0/70-20	TR15	Pcs	136912	4	20.0/70-20 • 20/70-508
	V3-04-5	Pcs	136929	4	20.0/70-20

>>>

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

TUBES

   						
Dimension	Valve		57 07562+			For tyre dimension
21"						
2.50-21	TR4	Pcs	263502	■	20	2.50-21 • 2.25-21 • 2.75-21 • 21 C • 70/100-21 • 80/80-21 • 80/90-21
3.00-21	TR4	Pcs	263519	■	20	3.00-21 • 3.25-21 • 80/100-21 • 80/90-21 • 90/80-21 • 90/90-21
22"						
2.00-22	TR4	Pcs	308937			2.00-22 • 26x2.00 • 26x3.00
2.25-22	34G	Pcs	369495	■		2.25-22 • 26x2.25
8.3-22	TR218A	Pcs	154510		14	8.3-22 • 260/70-22 • 300/70-22 • 8.3/8-22 • 9.5/9-22
22.5"						
8-22.5	V53-21-1	Pcs	148694		14	8-22.5 • 9-22.5
10-22.5	V3-02-11	Pcs	148793		10	10-22.5
	V53-21-1	Pcs	148809		10	10-22.5
11-22.5	V3-02-11	Pcs	148823		9	11-22.5 • 295/80-22.5
	V53-21-1	Pcs	148830		9	11-22.5 • 295/80-22.5
12-22.5	V3-02-11	Pcs	148854		7	12-22.5 • 315/80-22.5
	V53-21-1	Pcs	148861		7	12-22.5 • 315/80-22.5
13-22.5	V3-02-11	Pcs	148885		6	13-22.5
	V53-21-1	Pcs	148892		6	13-22.5
15-22.5	TR218A	Pcs	136561		5	15-22.5 • 385/65-22.5
	V53-21-1	Pcs	270234		5	15-22.5 • 385/65-22.5
16-22.5	TR218A	Pcs	270227		5	16-22.5
18-22.5	TR218A	Pcs	136776		4	18-22.5
400/55-22.5	TR218A	Pcs	137407		1	400/55-22.5 • 400/60-22.5
500/45-22.5	TR218A	Pcs	137506		3	500/45-22.5
500/60-22.5	TR218A	Pcs	153070		2	500/60-22.5 • 550/60-22.5 • 600/50-22.5
700/40-22.5	TR218A	Pcs	154770		2	700/40-22.5 • 700/45-22.5
23"						
2.75-23	TR4	Pcs	263526	■	20	2.75-23 • 3.00-23
24"						
8.3-24	TR218A	Pcs	154480		10	8.3-24 • 260/70-24 • 300/70-24 • 8.3/8-24 • 9.5/9-24
11.2-24	TR218A	Pcs	154497		6	11.2-24 • 11.2/10-24 • 12.4/11-24 • 280/85-24 • 320/70-24 • 320/85-24 • 360/70-24
12.00-24	V3-04-5	Pcs	136158		5	12.00-24
13.00-24/25	TRJ1175C	Pcs	136325		5	13.00-24/25 • 13.00-24 • 13.00-25
13.6-24	TR218A	Pcs	136363		4	13.6-24 • 13.6/12-24 • 14.9-24 • 14.9/13-24 • 340/85-24 • 380/70-24 • 380/85-24 • 405/70-24 • 420/70-24
14.00-24	V3-04-5	Pcs	136431		4	14.00-24
14.00-24/25	TRJ1175C	Pcs	154374		4	14.00-24/25 • 14.00-24 • 14.00-25 • 15.5-25
15.5/80-24	TR218A	Pcs	153124		1	15.5/80-24 • 16.0/70-24 • 16.5/85-24 • 405/70-24
16.00-24/25	TRJ1175C	Pcs	153117		3	16.00-24/25 • 16.00-24 • 16.00-25 • 17.5-25
16.9-24	TR218A	Pcs	136660		3	16.9-24 • 16.9/14-24 • 420/85-24 • 480/70-24
18.00-24/25	TRJ1175C	Pcs	153100		2	18.00-24/25 • 18.00-24 • 18.00-25 • 20.5-25
20-24	TRJ1175C	Pcs	136967		2	20-24
24.00-24/25	TRJ1175C	Pcs	273082		2	24.00-24/25 • 24.00-24 • 24.00-25
25"						
3.00-25	TR6	Pcs	375250			3.00-25 • 3.50-25 • 33x4
23.5-25	TRJ1175C	Pcs	154473		2	23.5-25 • 26.5-25
29.5-25	TRJ1175C	Pcs	137223		1	29.5-25

>>>

TUBES

   					
Dimension	Valve		57 07562+		For tyre dimension
26"					
14.9-26	TR218A	Pcs	136479	4	14.9-26 • 14.9/13-26 • 400/70-26 • 420/70-26
16.9-26	TR218A	Pcs	154503	3	16.9-26 • 16.9/14-26 • 18.4/15-26 • 480/70-26 • 520/70-26 • 540/65-26 • 580/70-26
23.1-26	TR218A	Pcs	137063	2	23.1-26 • 580/70-26 • 620/75-26 • Standard Offset
28.1-26	TR218A	Pcs	154695	1	28.1-26 • 28L26
26.5"					
400/60-26.5	TR218A	Pcs	137414	2	400/60-26.5
500/60-26.5	TR218A	Pcs	154275	2	500/60-26.5 • 550/60-26.5 • 600/55-26.5
700/50-26.5	TR218A	Pcs	137711	1	700/50-26.5
800/40-26.5	TR218A	Pcs	137810	1	800/40-26.5
27"					
3.50-27	34G	Pcs	364308	■	3.50-27 • 3.50-29 • 34x3.50 • 36x3.50
	TR4	Pcs	375267		3.50-27 • 34x3.50 • 36x3.50
28"					
8.3-28	TR218A	Pcs	154527	8	8.3-28 • 300/70-28 • 7.2/7-30 • 8.3/8-28 • 9.5/9-28
11.2-28	TR218A	Pcs	154534	6	11.2-28 • 11.2/10-28 • 12.4/11-28 • 280/85-28 • 320/70-28 • 320/80-28 • 360/70-28
13.6-28	TR218A	Pcs	154541	4	13.6-28 • 13.6/12-28 • 14.9/13-28 • 340/85-28 • 380/70-28 • 380/85-28 • 420/70-28 • 440/65-28
16.9-28	TR218A	Pcs	154558	3	16.9-28 • 16.9/14-28 • 18.4/15-28 • 480/65-28 • 480/70-28 • 540/65-28
29"					
26.5-29	TRJ1175C	Pcs	137179	1	26.5-29
29.5-29	TRJ1175C	Pcs	137230	1	29.5-29
30"					
14.9-30	TR218A	Pcs	136493	3	14.9-30 • 14.9/13-30 • 15.5-30 • 16.9/14-30 • 420/70-30 • 480/70-30
16.9-30	TR218A	Pcs	154565	3	16.9-30 • 16.9/14-30 • 18.4/15-30 • 420/85-30 • 460/85-30 • 500/70-30 • 540/65-30
23.1-30	TR218A	Pcs	137070	1	23.1-30 • 21LR30 • 23.1R30 • 620/75-30
30.5"					
600/55-30.5	TR218A	Pcs	137605	2	600/55-30.5 • 600/60-30.5
700/50-30.5	TR218A	Pcs	153087	2	700/50-30.5 • 800/45-30.5
32"					
8.3-32	TR218A	Pcs	154572	8	8.3-32 • 230/95-32 • 260/70-32 • 300/70-32 • 8.3/8-32 • 9.5/9-32
11.2-32	TR218A	Pcs	154589	4	11.2-32 • 11.2/10-32 • 12.4/11-32 • 320/70-32 • 360/70-32
16.9-32	TR218A	Pcs	270203	4	16.9-32 • 16.9/14-32
24.5-32	TR218A	Pcs	137100	1	24.5-32 • 600/65-32
30.5-32	TR218A	Pcs	137285	1	30.5-32 • 30.5LR32 • 800/65-32
33"					
18.00-33	TRJ1175C	Pcs	136790	1	18.00-33
21.00-33	TRJ1175C	Pcs	137018	1	21.00-33
34"					
16.9-34	TR218A	Pcs	154596	3	16.9-34 • 16.9/14-34 • 18.4/15-34 • 480/70-34 • 520/70-34 • 540/65-34 • 600/65-34
20.8-34	TR218A	Pcs	153131	1	20.8-34 • 23.1-34 • 620/75-34
600/65-34	TR218A	Pcs	137612	2	600/65-34
700/55-34	TR218A	Pcs	137735	2	700/55-34
35"					
29.5-35	TRJ1175C	Pcs	137247	1	29.5-35

>>>

TUBES

   				
Dimension	Valve		57 07562+	For tyre dimension
36"				
4.00-36	TR15	Pcs	355887	4.00-36
	TR218A	Pcs	355894	4.00-36
7.2-36	TR218A	Pcs	135700	1 7.2-36 • 7.2/7-36
8.3-36	TR218A	Pcs	154602	6 8.3-36 • 210/95-36 • 230/95-36 • 260/70-36 • 8.3/8-36 • 9.5/9-36
11.2-36	TR218A	Pcs	376295	1 11.2-36 • 11.2-38 • 12.4-36
	TR218A	Pcs	154619	4 11.2-36 • 11.2/10-36 • 12.4/11-36 • 13.6/12-36 • 320/85-36 • 340/85-36 • 360/70-36 • 380/70-36
38"				
8.3-38	TR218A	Pcs	154671	6 8.3-38 • 8.3/8-38 • 9.5/9-38
11.2-38	TR218A	Pcs	154688	4 11.2-38 • 11.2/10-38 • 12.4/11-38 • 320/70-38 • 360/70-38
13.6-38	TR218A	Pcs	154626	3 13.6-38 • 13.6/12-38 • 14.9/13-38 • 15.5-38 • 340/85-38 • 380/70-38 • 420/70-38
16.9-38	TR218A	Pcs	156798	2 16.9-38 • 16.9/14-38 • 18.4/15-38 • 480/70-38 • 520/70-38
20.8-38	TR218A	Pcs	136998	2 20.8-38 • 580/70-38 • 600/65-38 • 650-/65-38
600/55-38	TR218A	Pcs	137629	2 600/55-38 • 600/60-38
650/60-38	TR218A	Pcs	137650	2 650/60-38
700/65-38	TR218A	Pcs	137742	1 700/65-38
710/70-38	TR218A	Pcs	372082	1 710/70-38 • 650/85-38
40"				
9.5-40	TR218A	Pcs	135878	4 9.5-40 • 230/95-40 • 9-40
42"				
8.3-42	TR218A	Pcs	154633	5 8.3-42 • 11.2/10-42 • 210/95-42 • 230/95-42 • 270/95-42 • 8.3/8-42 • 9.5/9-42
18.4-42	TR218A	Pcs	154640	2 18.4-42 • 18.4/15-42 • 20.8-42 • 580/70-42
710/70-42	TR218A	Pcs	355900	1 710/70-42
44"				
8.3-44	TR218A	Pcs	154657	5 8.3-44 • 11.2/10-44 • 210/95-44 • 230/95-44 • 270/95-44 • 8.3/8-44 • 9.5/9-44
46"				
12.4-46	TR218A	Pcs	136233	3 12.4-46 • 12.4/11-46 • 270/95-46
14.9-46	TR218A	Pcs	136516	2 14.9-46 • 14.9/13-46 • 420/70-46
16.9-46	TR218A	Pcs	289960	2 16.9-46 • 18.4-46
48"				
9.5-48	TR218A	Pcs	154664	4 9.5-48 • 11.2/10-48 • 230/95-48 • 270/95-48 • 9.5/9-48
13.6-48	TR218A	Pcs	136400	2 13.6-48 • 13.6/12-48 • 340/85-48 • 380/70-48
52"				
12.4-52	TR218A	Pcs	263199	2 12.4-52 • 12.4/11-52 • 300/95-52



Did you know...

That STARCO has one of the widest tube ranges in the market

WHEELS - AXLES ETC.



Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical



Multi Purpose wheels	10.4-10.5
Wheels - with integral hub.....	10.6-10.7
Wheels - Agriculture, Horticulture etc.	10.8-10.11
Wheels - High speed - Trailers, caravans etc.	10.12-10.13
Alloy wheels	10.15
Stub axles.....	10.16
Axles.....	10.17
Axle shafts - for integral wheels.....	10.18
Forks - for integral wheels.....	10.19-10.20
Hollow axles - for integral wheels	10.20

WHEELS

With MultiPurpose hub

						
Dimension	C mm	D mm		Colour	57 07562+	Wheel type
4"						
GO 2.10Ax4		35	0	Red	359915	Steel/1-piece
GO 2.25Ax4 H2	71	35	0	Black	358888	Polypropylene
6"						
GO 2.50Ax6	71	35	0	Red	359939	Steel/1-piece
	71	35	0	Red	169965	Polypropylene
8"						
GO 2.50Ax8		35	0	Red	359946	Steel/1-piece
GO 2.50Ax8 H2	71	35	0	Red	298832	Polypropylene





BUSHINGS

For STARCO MultiPurpose wheels

						
Description	@ Ø35x71 mm	@ Ø35x45 mm			57 07562+	
Multi-bushing kit - with Plain bearings						
Ø20x75/88/95/100mm	20	75, 88, 95, 100	49, 62, 69, 74	0-0	Set	361109
Ø25x75/88/95/100mm	25	75, 88, 95, 100	49, 62, 69, 74	0-0	Set	361116
Multi-bushing kit - with Roller bearings						
Ø20x75/88/95/100mm	20	75, 88, 95, 100	49, 62, 69, 74	==	Set	361123
Ø25x75/88/95/100mm	25	75, 88, 95, 100	49, 62, 69, 74	==	Set	361130
Wheelbarrow bushing kits - with Plain bearings						
GG 12.7x100	12.7	100		0-0	Set	460116 Schwarz
GG Ø14.2x96	14.2	96		0-0	Set	460130 MÜBA
GG Ø14.2x101.5	14.2	101.5		0-0	Set	460093 Haemmerlin, Limex, Hofmaninger
GG Ø16x94	16	94		0-0	Set	460109 Lescha, Ravendo, Alko
GG Ø17.2x100	17.2	100		0-0	Set	460147 Capito
GG Ø20x100	20	100		0-0	Set	460154 Håkansson, Hörby Bruk, Fiskars
GG Ø20x128	20	128		0-0	Set	460161 Fort, Vabor
GG Ø20x150	20	150		0-0	Set	460185 Hörby Bruk
Wheelbarrow bushing kits - with Ball bearings						
GK Ø12.7x100	12.7	100		8=8	Set	460123 Schwarz, Ravendo
GK Ø20x128	20	128		8=8	Set	460178 Fort, Vabor
Ø12.7x100	12.7			8=8	Pcs	361536

The table indicates the resulting hub length, when used with MultiPurpose wheels with plain bore Ø35x71mm or Ø35x45mm, respectively.



For other wheel dimensions
- please see our range of
wheels with integral hub



STARCO FLEX LITE

With MultiPurpose hub

    							
Tyre	Tread pattern	57 07562+	Colour	C mm	D mm		Wheel type
8.5"							
26-8.5E	STARCO FLEX lite ST-18 Yellow	372143	Black	45	35	0	Integrated
	STARCO FLEX lite ST-18 Black	378527	Grey	45	35		Integrated
10"							
34-10E 3.50-6, 4.00-6	STARCO FLEX lite ST-18 Yellow	359113	Black	71	35	0	Integrated
12"							
39-12E 4.00-8	STARCO FLEX lite ST-18 Yellow	359052	Black	71	35	0	Integrated
	STARCO FLEX lite ST-18 Black	364377	Grey	71	35	0	Integrated



BUSHINGS

For STARCO MultiPurpose wheels

    							
Description	@ Ø35x71 mm	@ Ø35x45 mm				57 07562+	
Multi-bushing kit - with Plain bearings							
Ø20x75/88/95/100mm	20	75, 88, 95, 100	49, 62, 69, 74	0-0	Set	361109	
Ø25x75/88/95/100mm	25	75, 88, 95, 100	49, 62, 69, 74	0-0	Set	361116	
Multi-bushing kit - with Roller bearings							
Ø20x75/88/95/100mm	20	75, 88, 95, 100	49, 62, 69, 74	==	Set	361123	
Ø25x75/88/95/100mm	25	75, 88, 95, 100	49, 62, 69, 74	==	Set	361130	
Wheelbarrow bushing kits - with Plain bearings							
GG 12.7x100	12.7	100		0-0	Set	460116	Schwarz
GG Ø14.2x96	14.2	96		0-0	Set	460130	MÜBA
GG Ø14.2x101.5	14.2	101.5		0-0	Set	460093	Haemmerlin, Limex, Hofmaninger
GG Ø16x94	16	94		0-0	Set	460109	Lescha, Ravendo, Alko
GG Ø17.2x100	17.2	100		0-0	Set	460147	Capito
GG Ø20x100	20	100		0-0	Set	460154	Håkansson, Hörby Bruk, Fiskars
GG Ø20x128	20	128		0-0	Set	460161	Fort, Vabor
GG Ø20x150	20	150		0-0	Set	460185	Hörby Bruk
Wheelbarrow bushing kits - with Ball bearings							
GK Ø12.7x100	12.7	100		8=8	Set	460123	Schwarz, Ravendo
GK Ø20x128	20	128		8=8	Set	460178	Fort, Vabor
Ø12.7x100	12.7			8=8	Pcs	361536	

The table indicates the resulting hub length, when used with MultiPurpose wheels with plain bore Ø35x71mm or Ø35x45mm, respectively.

Bearings



0-0

Plain bearings



==

Roller bearings



8=8

Ball bearings


WHEELS - WITH INTEGRAL HUB

   										
Dimension	C mm	C1 mm	C2 mm	D mm	D1 mm	Colour		57 07562+	Wheel type	Bearings
360843										
3"										
GK 1.50-3	85			13	13	8=8 Red	Pcs	142524	Steel/Split	6004 2RS
GG 1.50-3	85			20	20	0-0 Red	Pcs	142494	Steel/Split	
EG 1.50-3	60	25	35	20	20	0-0 Red	Pcs	142449	Steel/Split	
GG 1.50-3	85			25	25	0-0 Red	Pcs	142562	Steel/Split	
3.75"										
GR 1.25x3.75	60			20	20	== Silver	Pcs	167459	Steel/1-piece	
	60			20	20	== Black	Pcs	169538	Polypropylene	
4"										
GK 2.10x4	95			13	13	8=8 Red	Pcs	142869	Steel/1-piece	6004 2RS
GK 2.10-4	95			13	13	8=8 Red	Pcs	142883	Steel/Split	6004
	95			13	13	8=8 Red	Pcs	143200	Steel/Split	6004
GK 2.10x4	120			13	13	8=8 Red	Pcs	142951	Steel/1-piece	6004 2RS
GK 2.10-4	120			13	13	8=8 Red	Pcs	143231	Steel/Split	6004
	95			17	17	8=8 Red	Pcs	142913	Steel/Split	6005
	120			17	17	8=8 Red	Pcs	142975	Steel/Split	6204 Z
GG 2.10x4	75			20	20	0-0 Red	Pcs	142760	Steel/1-piece	
GG 2.10-4	95			20	20	0-0 Red	Pcs	143163	Steel/Split	
	120			20	20	0-0 Red	Pcs	143187	Steel/Split	
GR 2.10x4	75			20	20	== Red	Pcs	142685	Steel/1-piece	
	75			20	20	== Red	Pcs	169859	Polypropylene	
GR 2.10Ax4	95			20	20	== Red	Pcs	167633	Steel/1-piece	
GK 2.10-4	50	25	25	20	20	8=8 Silver	Pcs	286051	Steel/Split	6204 2RS
	75	37.5	37.5	20	20	8=8 Red	Pcs	259925	Steel/Split	6204 2RS
ER 2.10Ax4	75	22	47	20	20	== Red	Pcs	275093	Steel/1-piece	
EK 2.10-4	67	40	35	20	25	8=8 Red	Pcs	142616	Steel/Split	6204 2RS / 6005 2RS
EK 2.10x4	67	40	35	20	25	8=8 Red	Pcs	327341	Steel/1-piece	6204 2RS / 6005 2RS
	67	40	35	20	25	8=8 Red	Pcs	412689	Steel/1-piece	6205 2RS / 6204 2RS
GR 2.10x4	60			25	25	== Red	Pcs	286174	Steel/1-piece	
GR 2.10Ax4	75			25	25	== Red	Pcs	293851	Steel/1-piece	
GK 2.10-4	50	25	25	25	25	8=8 Silver	Pcs	286082	Steel/Split	6005 2RS
	75	37.5	37.5	25	25	8=8 Red	Pcs	159263	Steel/Split	6005 2RS
	88	44	44	25	25	8=8 Silver	Pcs	286105	Steel/Split	6005 2RS
EG 2.10-4	85	38	47	25	25	0-0 Red	Pcs	143132	Steel/Split	
GO 2.25Ax4	75			20	20	0 Red	Pcs	145457	Polypropylene	
GR 2.25Ax4 H2	75	37.5	37.5	20	20	== Red	Pcs	336374	Polypropylene	
ER 2.25Ax4	75			20	20	== Red	Pcs	145532	Polypropylene	
GK 6.00-4	175	84.5	84.5	20	20	8=8 Silver	Pcs	297361	Steel/Split	6204+6204 ZV
	185	89.5	89.5	25	25	8=8 Silver	Pcs	287485	Steel/Split	16005+6005 ZV
6"										
GK 2.50Ax6	120			17	17	8=8 Red	Pcs	143590	Steel/1-piece	6204 2RS
ER 2.50Ax6	75			20	20	== Red	Pcs	266817	Steel/1-piece	
EK 2.50Ax6	67			20	25	8=8 Red	Pcs	143521	Steel/1-piece	6204 / 6005
EG 2.50Ax6	85	40	45	25	25	0-0 Red	Pcs	143569	Steel/1-piece	
GG 2.50Ax6				25.3	25.3	0-0 Red	Pcs	359472	Steel/1-piece	

>>>

WHEELS - WITH INTEGRAL HUB

											
Dimension	C mm	C1 mm	C2 mm	D mm	D1 mm	Colour			57 07562+	Wheel type	Bearings
6"											
GK 4.50A-6	145			17	17	8=8	Red	Pcs	144252	Steel/Split	6205 2RS
EK 4.50Ax6	80	43	55	20	25	8=8	Red	Pcs	144221	Steel/1-piece	6304 / 6205
EK 4.50A-6	83	65	37	25	35	8=8	Red	Pcs	144238	Steel/Split	6205 2RS / 6207 2RS
8"											
GR 1.75x8	60	27	27	20	20	==	Red	Pcs	308975	Steel/1-piece	
GK 2.50Ax8	128	31.5	31.5	10	10	8=8	Silver	Pcs	314969	Steel/1-piece	6204 2RS
	124			12.3	12.3	8=8	Silver	Pcs	286853	Steel/1-piece	6204 Z
	100			12.7	12.7	8=8	Red	Pcs	275185	Steel/1-piece	Flange bearing
	120			17	17	8=8	Red	Pcs	275161	Steel/1-piece	Flange bearing
GG 2.50Ax8	100			20	20	0-0	Red	Pcs	143927	Steel/1-piece	
GR 2.50Ax8	75			20	20	==	Red	Pcs	168760	Steel/1-piece	
GK 2.50Ax8	75	37.5	37.5	20	20	8=8	Red	Pcs	294582	Steel/1-piece	6204 2RS
	100			20	20	8=8	Red	Pcs	168364	Steel/1-piece	6004 2RS
EK 2.50Ax8	67	42.5	32.5	20	25	8=8	Red	Pcs	327266	Steel/1-piece	6204 2RS / 6005 2RS
	69	42	35	20	25	8=8	Red	Pcs	143651	Steel/1-piece	6204 2RS / 6005 2RS
GG 2.50Ax8	120			25	25	0-0	Red	Pcs	275178	Steel/1-piece	
GK 2.50Ax8	90	45	45	25	25	8=8	Red	Pcs	259963	Steel/1-piece	6205 2RS
EG 2.50Ax8	85	36	41	25	25	0-0	Red	Pcs	143743	Steel/1-piece	
GK 2.50Ax8	100			30	30	8=8	Red	Pcs	221830	Steel/1-piece	6006 2RS
GK 3.00Dx8	145			17	17	8=8	Red	Pcs	168869	Steel/1-piece	6205
EK 3.00Dx8	80			20	25	8=8	Red	Pcs	144061	Steel/1-piece	6304 / 6205
GK 5.375Ix8	200			17	17	8=8	Red	Pcs	144290	Steel/1-piece	6205
EK 5.375Ix8 H2	80			20	25	8=8	Red	Pcs	144283	Steel/1-piece	6304 / 6205
EK 5.375Ix8	80			20	25	8=8	Silver	Pcs	169217	Steel/1-piece	6304 / 6205
GK 5.50Ax8 H2	90	45	45	25	25	8=8	Silver	Pcs	297446	Steel/1-piece	6205 Z
EK 5.50Ax8 H2				25	25	8=8	Silver	Pcs	359151	Steel/1-piece	6205 2RS
EK 7.00Ax8	107			20	25	8=8	Red	Pcs	144344	Steel/1-piece	6304 / 6205
9"											
GK 4.00Ex9	175			17	17	8=8	Red	Pcs	168975	Steel/1-piece	6205
EK 4.00Ex9	81	49	40	20	25	8=8	Red	Pcs	297064	Steel/1-piece	6304 2RS / 6205 2RS
12"											
EK 4.00x12	90	58	42	25	30	8=8	Red	Pcs	144191	Steel/1-piece	6205 / 6206



WHEELS - WITH BORE

Agricultural - Industrial - Ground care

										
Dimension			ET mm	Colour		57 07562+	Wheel type	Valve guard	kg	km/h
8"										
2.125-8	5/80/115	Ø14.5 60°	0	Red	Pcs	139951	Steel/Split		655	16
2.50Ax8	5/80/115	Ø15 60°	0	Red	Pcs	295879	Steel/1-piece		655	16
3.00Dx8	5/80/115	Ø14.5 60°	0	Red	Pcs	140131	Steel/1-piece		820	16
3.00D-8	5/80/115	Ø14.5 60°	0	Red	Pcs	140094	Steel/Split		925	16
5.375lx8	5/80/115	Ø14.5 80°	0	Red	Pcs	140759	Steel/1-piece		700	16
5.50Ax8 H2	5/80/115	Ø14.5 60°	0	Red	Pcs	309231	Steel/1-piece		700	16
5.50I-8	5/80/115	Ø14.5 80°	0	Red	Pcs	140780	Steel/Split		700	16
7.00Bx8 H2	5/80/115	Ø16.5 80°	0	Grey	Pcs	274669	Steel/1-piece		535	16
9"										
4.00Ex9	5/80/115	Ø15 60°	0	Red	Pcs	140391	Steel/1-piece		1100	16
4.00E-9	5/80/115	Ø15 60°	0	Red	Pcs	140421	Steel/Split		1300	16
10"										
9.50lx10 H2	4/60/100	Ø14.5 60°	0	Silver	Pcs	275055	Steel/1-piece	VG	660	16
12"										
4.00lx12 H2	5/80/115	Ø14.5 60°	0	Red	Pcs	140506	Steel/1-piece		650	16
4.25x12	5/67/112	Ø14.5 60°	0	Silver	Pcs	140513	Steel/1-piece		650	16
	5/102/140	Ø15 60°	0	Red	Pcs	140537	Steel/1-piece		650	16
4.25lx12 H2	5/110/160	Ø18.5 R14	25	Silver	Pcs	371818	Steel/1-piece		830	40
	6/117,8/152,4	Ø17.5	13		Pcs	453606	Steel/1-piece		490	30
7.00lx12 H2	4/60/100	Ø14.5 60°	-5	Silver	Pcs	273389	Steel/1-piece		1420	16
	5/80,6/115	Ø14.5 80°	-5	Red	Pcs	292458	Steel/1-piece		1420	16
	5/94/140	Ø18.5 R14	0	Silver	Pcs	276441	Steel/1-piece		1440	40
	5/102/140	Ø16 R12	-5	Grey	Pcs	274713	Steel/1-piece	VG	1420	16
10.50lx12 H2	4/60/100	Ø15 60°	-40	Silver	Pcs	273556	Steel/1-piece		1685	16
	5/67/112	Ø14 R12	0	Silver	Pcs	139654	Steel/1-piece		1685	16
14"										
5Jx14 H2	5/66,5/112	Ø16 R12	0	Silver	Pcs	296357	Steel/1-piece		800	40
6Jx14 H2	6/161/205	Ø21.5 R16	-5	Silver	Pcs	298344	Steel/1-piece		2400	40
14.5"										
6.75x14.5 H2	5/80,6/115	Ø14.5 80°	-4	Silver	Pcs	141350	Steel/1-piece	VG	1225	16
	5/102/140	Ø18.5 R14	0	Silver	Pcs	141374	Steel/1-piece		1225	16
	6/100/140	Ø15 80°	0	Silver	Pcs	141398	Steel/1-piece		1225	16
AG8.00x14.5 H2	6/161/205	Ø21.5 R16	-10	Silver	Pcs	283319	Steel/1-piece	VG	1550	40

>>>



Did you know...


That STARCO manufactures a wide range of polypropylene wheels for Materials handling, Turf applications etc.

WHEELS - WITH BORE

Agricultural - Industrial - Ground care

										
Dimension			ET mm	Colour		57 07562+	Wheel type	Valve guard	kg	km/h
15"										
13LBx15 H2	6/161/205	Ø18.5 R14	0	Silver	Pcs	274478	Steel/1-piece		1800	40
15.3"										
9.00x15.3	5/94/140	Ø18.5 R14	0	Silver	Pcs	363912	Steel/1-piece		2600	40
9.00x15.3 H2	5/101,4/140	Ø18.5 R14	0	Silver	Pcs	142067	Steel/1-piece		1950	40
9.00x15.3	6/161/205	Ø21.5 R16	0	Silver	Pcs	372723	Steel/1-piece		1910	40
9.00x15.3 H2	6/161/205	Ø21.5 R16	0	Silver	Pcs	363370	Steel/1-piece		2515	40
	6/161/205	Ø21.5 R16	0	Silver	Pcs	381213	Steel/1-piece		2515	40
9.00x15.3	6/161/205	Ø21.5 R16	10	Silver	Pcs	288413	Steel/1-piece		1950	40
15.5"										
13.00x15.5 H2	6/161/205	Ø21.5 R16	-45	Silver	Pcs	279978	Steel/1-piece	VG	2800	40
	6/161/205	Ø21.5 R16	-15	Silver	Pcs	363776	Steel/1-piece	VG	2900	40
AG13.00x15.5 H2	6/161/205	Ø21.5 R16	-15	Silver	Pcs	276304	Steel/1-piece	VG	2900	40
16"										
4.50Ex16	6/161/205	Ø21.5 R16	0	Silver	Pcs	317724	Steel/1-piece		1000	40
5.50Fx16 H2	6/161/205	Ø21.5 R16	0	Silver	Pcs	141046	Steel/1-piece		1400	40
W8x16 H2	6/161/205	Ø21.5 R16	-5	Silver	Pcs	295336	Steel/1-piece	VG		
11LBx16 H2	6/161/205	Ø21.5 R16	0	Silver	Pcs	139708	Steel/1-piece	VG	2500	40
17"										
13.00x17 H2	6/161/205	Ø21.5 R16	-85	Silver	Pcs	276281	Steel/1-piece		2360	40
	6/161/205	Ø21.5 R16	-45	Silver	Pcs	276861	Steel/1-piece		2360	40
	6/161/205	Ø21.5 R16	0	Silver	Pcs	357850	Steel/1-piece	VG	2360	40
13.00x17	8/221/275	Ø21.5 R16	0	Silver	Pcs	284514	Steel/1-piece		2360	40
16.00x17 H2	6/161/205	Ø21.5 R16	-35	Silver	Pcs	277424	Steel/1-piece	VG	3000	40
	6/161/205	Ø21.5 R16	0	Silver	Pcs	357317	Steel/1-piece		3070	25
16.00x17	8/221/275	Ø21.5 R16	-35	Silver	Pcs	336367	Steel/1-piece		4000	40
16.00x17 H2	8/221/275	Ø21.5 R16	0	Silver	Pcs	277417	Steel/1-piece	VG	3000	40
			-70	Silver	Pcs	328744	Steel/1-piece		3000	40

>>>





WHEELS MADE-TO-MEASURE

Professionally manufactured wheels - made to your specification

STARCO OFFERS:

- ▶ Quantities from 1 wheel and upwards
- ▶ Offset to match your requested track width
- ▶ Bores and stud hole configurations as required
- ▶ Additional mounting holes for wheel weights, dual systems etc.
- ▶ Colours to match your vehicle's original wheel colour
- ▶ Technical support and guidance, to reach the optimal wheel specification

SWISS BASED PRODUCTION – HIGH QUALITY PROCESSES MAKE HIGH QUALITY PRODUCTS!

- ▶ CNC drilling and milling
- ▶ CNC spin forming
- ▶ Robot welding and plasma cutting
- ▶ High precision calibration
- ▶ Surface treatment processes including shotblasting and latest very high solids technology final coloured coat - ensuring a high quality and durable finish



STARCO GS


We can produce made-to-measure wheels in any given quantity, to virtually any specification - including extreme offsets for track width beyond the usual.



WHEELS - WITH BORE

Agricultural - Industrial - Ground care

     									
Dimension			ET mm	Colour		57 07562+	Wheel type	Valve guard	kg km/h
18"									
W9x18 H2	6/161/205	Ø21.5 R16	0	Silver	Pcs	360607	Steel/1-piece		1935 30
9Wx18	8/221/275	Ø21.5	0	Silver	Pcs	324265	Steel/1-piece		2625 40
W11x18 H2	6/161/205	Ø21.5 R16	0	Silver	Pcs	139739	Steel/1-piece		2720 40
11Wx18	8/221/275	Ø21.5 R16	0	Silver	Pcs	276045	Steel/1-piece	VG	2720 40
13Wx18 H2	6/161/205	Ø21.5 R16	-45	Silver	Pcs	336558	Steel/1-piece		2500 40
	6/161/205	Ø21.5 R16	0	Silver	Pcs	279916	Steel/1-piece		3470 40
W13x18 H2	8/221/275	Ø27 R18	0	Silver	Pcs	277615	Steel/1-piece		3470 40
20"									
W11x20 H2	6/161/205	Ø21.5 R16	0	Silver	Pcs	269696	Steel/1-piece		3750 30
W13x20 H2	8/221/275	Ø21.5 R16	-15	Silver	Pcs	274195	Steel/1-piece	VG	3750 30
22.5"									
AG11.75x22.5 H2	6/161/205	Ø21.5 R16	0	Silver	Pcs	360249	Steel/1-piece	VG	
	8/221/275	Ø21.5 R16.0	0	Silver	Pcs	363493	Steel/1-piece		4500 80
	10/281/335	Ø27 R18.0	0	Silver	Pcs	363509	Steel/1-piece		4500 80
	10/281/335	Ø27 R18	0	Silver	Pcs	360256	Steel/1-piece	VG	4500 40
AG16.00x22.5 H2	6/161/205	Ø21.5 16.0	-50	Silver	Pcs	366135	Steel/1-piece		4370 40
	6/161/205	Ø21.5 R16	0	Silver	Pcs	165936	Steel/1-piece	VG	3625 40
	8/221/275	Ø21.5 R16	-50	Silver	Pcs	294513	Steel/1-piece		6300 40
	8/221/275	Ø21.5 R16	0	Silver	Pcs	275970	Steel/1-piece	VG	6300 40
	8/222/275	Ø27 R18	0	Silver	Pcs	274140	Steel/1-piece	VG	6300 40
	10/281/335	Ø27 R18	-50	Silver	Pcs	359014	Steel/1-piece	VG	4000 50
	10/281/335	Ø27 R18	-15	Silver	Pcs	273372	Steel/1-piece	VG	6300 40
	10/281/335	Ø27 R18	0	Silver	Pcs	329031	Steel/1-piece	VG	5150 50
AG20.00x22.5 H2	8/221/275	Ø27 R18	0	Silver	Pcs	330013	Steel/1-piece	VG	40
	10/281/335	Ø27 R18	-50	Silver	Pcs	370446	Steel/1-piece	VG	4750 40
	10/281/335	Ø27 R18	0	Silver	Pcs	358932	Steel/1-piece	VG	5150 40
24.00AGx22.5 H2	10/281/335	Ø27 R18	0	Silver	Pcs	361826	Steel/1-piece	VG	4500 40
26.5"									
24.00x26.5 H2	10/281/335	Ø27 R18	0	Silver	Pcs	368245	Steel/1-piece		



WHEELS - WITH BORE

Trailers - Caravans etc.

     									
Dimension			ET mm	Colour		57 07562+	Wheel type	Valve guard	kg km/h
8"									
2.50Ax8 H2	4/60/100	Ø14.5 60°	0	Silver	Pcs	139968	Steel/1-piece		345 140
	4/85/115	Ø12.5 90°	-2	Silver	Pcs	274522	Steel/1-piece		345 140
3.00Dx8	4/60/100	Ø13.5 60°	0	Silver	Pcs	140063	Steel/1-piece		425 100
5.50Ax8 H2	4/60/100	Ø14.5 60°	0	Silver	Pcs	294384	Steel/1-piece		375 140
7.00Ax8 H2	4/60/100	Ø14.5 60°	0	Silver	Pcs	294414	Steel/1-piece		425 140
	4/60/100	Ø13.5 60°	0	Silver	Pcs	141435	Steel/1-piece		425 140
10"									
2.50x10	4/60/100	Ø13.5 60°	0	Silver	Pcs	288925	Steel/1-piece		375 140
3.50Bx10 H2	4/60/100	Ø14.5 60°	0	Silver	Pcs	274539	Steel/1-piece		500 140
	4/85/115	Ø12.5 90°	0	Silver	Pcs	274553	Steel/1-piece		450 140
	5/67/112	Ø15 60°	0	Silver	Pcs	140292	Steel/1-piece		450 140
6.00lx10 H2	4/60/100	Ø16 R12	-4	Silver	Pcs	276540	Steel/1-piece		750 140
	5/67/112	Ø16 R12	-4	Silver	Pcs	263625	Steel/1-piece		750 140
	5/94/140	Ø18.5 R14	-4	Silver	Pcs	277004	Steel/1-piece		750 140
8.50lx10 H2	5/67/112	Ø16 R12	-4	Silver	Pcs	274898	Steel/1-piece		750 130
12"									
4.00Bx12 H2	4/60/100	Ø13.5 60°	0	Silver	Pcs	285146	Steel/1-piece		475 140
4.5Jx12 H2	5/67/112	Ø16 R12	0	Silver	Pcs	317687	Steel/1-piece		900 140
	5/67/112	Ø16 R12	20	Silver	Pcs	289946	Steel/1-piece		900 140
	5/67/112	Ø16 R12	30	Silver	Pcs	298405	Steel/1-piece		900 140
5.5Jx12 H2	5/66/112	Ø16 R12	30	Silver	Pcs	363325	Steel/1-piece		900 140
	5/114,5/165,1	Ø18.5 80°	0	Silver	Pcs	360003	Steel/1-piece		900 140
	5/114,5/165,1	Ø20 80°	0	Silver	Pcs	289861	Steel/1-piece		900 140
6Jx12 H2	5/67/112	Ø16 R12	30	Silver	Pcs	448886	Steel/1-piece		900 140
	5/114,5/165,1	Ø18.5 80°	0	Silver	Pcs	359991	Steel/1-piece		900 140
7.00lx12 H2	5/67/112	Ø16 R12	10	Silver	Pcs	277035	Steel/1-piece		900 140


>>>



WHEELS - WITH BORE

Trailers - Caravans etc.

										
Dimension		ET mm		Colour		57 07562+	Wheel type	Valve guard	kg	km/h
13"										
4Jx13 H2	4/57/100	Ø15.5 60°	30	Silver	Pcs	335964	Steel/1-piece		525	140
	4/85/115	Ø12.3 90°	0	Silver	Pcs	335971	Steel/1-piece		450	140
	4/85/130	Ø18.5 R14	20	Silver	Pcs	330051	Steel/1-piece		450	140
4.5Jx13 H2	4/57/100	Ø15.5 60°	30	Silver	Pcs	335995	Steel/1-piece		600	140
	4/85/130	Ø18.5 R14	20	Silver	Pcs	335957	Steel/1-piece		625	140
	4/95/139,7	Ø14.5 60°	25.4	Silver	Pcs	355054	Steel/1-piece		765	140
	5/66/112	Ø15.5 60°	30	Silver	Pcs	355047	Steel/1-piece		625	140
5Jx13 H2	5/67/112	Ø16 R12	30	Silver	Pcs	371870	Steel/1-piece		625	140
	4/57/100	Ø15.5 60°	30	Black	Pcs	296487	Steel/1-piece		675	140
	5/67/112	Ø16 R12	33	Silver	Pcs	362892	Steel/1-piece		725	140
6Jx13 H2	5/67/112	Ø15.5 60°	33	Silver	Pcs	362908	Steel/1-piece		725	140
	5/67/112	Ø15 60°	30	Silver	Pcs	363417	Steel/1-piece		950	140
	5/67/112	Ø16 R12	30	Silver	Pcs	373225	Steel/1-piece		950	140
	5/114,5/165,1	Ø18.5 80°	7	Silver	Pcs	289915	Steel/1-piece		950	140
	5/114,5/165,1	Ø18.5 80°	7	Silver	Pcs	363424	Steel/1-piece		950	140
14"										
5Jx14 H2	4/57/100	Ø15.5 60°	30	Silver	Pcs	294544	Steel/1-piece		750	140
	5/63/112		26	Silver	Pcs	362397	Steel/1-piece		775	140
5.5Jx14 H2	4/57/100	Ø15.5 60°	30	Silver	Pcs	363318	Steel/1-piece		750	140
	5/67/112	Ø16 R12	30	Silver	Pcs	363431	Steel/1-piece		950	140
	5/67/112	Ø15.5 60°	30	Silver	Pcs	371887	Steel/1-piece		950	140
15"										
5.5Jx15 H2	5/66/112	Ø17 R12	30	Silver	Pcs	363301	Steel/1-piece		900	140
6Jx15 H2	5/66,6/112	Ø16 R12	30	Silver	Pcs	289977	Steel/1-piece		900	140
16"										
5.00Fx16	5/114,6/165,1	Ø19 80°	39.7	Silver	Pcs	321431	Steel/1-piece		900	140
5Jx16 H2	5/115/165,1	Ø18.5 80°	39.7	Silver	Pcs	361833	Steel/1-piece		900	140
6Jx16 H2	6/161/205	Ø21.5 R16	0	Silver	Pcs	381732	Steel/1-piece		1500	140
17.5"										
6.75x17.5 H2	6/161/205	Ø21.5 R16	0	Silver	Pcs	294230	Steel/1-piece		1700	140



ALLOY WHEELS FROM STARCO

- ▶ Specifically engineered for Trailers and Caravans
- ▶ High load capacity, compared to traditional alloy wheels
- ▶ Modern design style for all-round use
- ▶ Designed by STARCO



STARCO

ALLOY WHEELS

Trailers - Caravans etc.

ET



Dimension	ET mm	Colour	Style	57 07562+	kg	km/h
10"						
6Jx10 H2	5/67/112	Ø16 R12	-4 Silver	STARCO	Pcs	490106 750 140
12"						
6Jx12 H2	5/67/112	Ø16 R12	30 Silver	STARCO	Pcs	490120 900 140
	5/114,6/165,1	Ø16 80°	0 Silver	STARCO	Pcs	490137 900 140
13"						
5Jx13 H2	4/57,1/100	Ø15 60°	30 Silver	OJ	Pcs	506609 600 140
	4/60/100	Ø13.5 60°	30 Silver	Quicksilver	Pcs	285443 800 140
	4/95,5/139,7	Ø12.5 60°	25.4 Silver	STARCO	Pcs	489704 750 140
6Jx13 H2	5/67/112	Ø16 R12	30 Silver	STARCO	Pcs	490168 900 140
14"						
5.5Jx14 H2	5/66,6/112	Ø16 59°	30 Silver	SY516	Pcs	325361 820 140
6Jx14 H2	4/57,1/100	Ø15 60°	30 Silver	OJ	Pcs	506487 850 140
	4/57,1/100	Ø13.5 60°	35 Silver	Salida	Pcs	285511 850 140
	5/66,6/112	Ø13.5 60°	35 Silver	Salida	Pcs	358697 900 140
15"						
6Jx15 H2	5/66,6/112	Ø13.5 60°	30 Silver	Quicksilver	Pcs	285603 900 140
	5/67/112	Ø15 60°	30 Silver	OJ	Pcs	506494 950 140
6.5Jx15 H2	5/66,6/112	Ø13.5 60°	25 Silver	Salida	Pcs	285580 900 140



STUB AXLES



Without brake

      									
Description	kg	Studs		A mm	B mm	57 07562+Ax mm	L mm	LH mm	Q mm
4004 NF	600	4xM12	4	60	100	124988	200		Ø35 30204/30206
	575	4xM12	4	60	100	124971	202	150	40x40 6205/6006
4005 NF		5xM12	5	94	140	388731	100		
5006 NF	1550	6xM18	6	160	205	124667	500	433	50x5030206/30209
6006 NF	2350	6xM18	6	160	205	124674	500	433	60x6030208/30211
7006 NF	3250	6xM18	6	160	205	124681	500	424	70x7030209/30213
8006 NF	4100	6xM18	6	160	205	124704	600	524	80x8030209/30214
8008 NF	4100	8xM22	8	220	275	124711	600	523	80x8032212/32215
9008 NF	5100	8xM22	8	220	275	124728	600	523	90x9032212/32216
1008 NF	6500	8xM22	8	221	275	403755	600	439	100x100
1010 NF	6500	10xM22	10	281	335	407210	600	439	100x100
1110 NF	8000	10xM22	10	281	335	408712	600	439	110x110
1210 NF	9500	10xM22	10	280	335	124773	600	512	120x12033017/33021

STUB AXLES

With brake

      									
Description	kg	Studs		A mm	B mm	57 07562+Ax mm	L mm	LH mm	Q mm
6006 FF 300x90	2500	6xM18	6	161	205	388755	305	195	60x60
7006 BI 300x90	3200	6xM18	6	161	205	408781	305		70x70
7006 FF 300x60		6xM18	6	160	205	124797	500	325	70x70
8006 FF 300x60		6xM18	6	160	205	124810	500	300	80x80
8008 FF 300x90		8xM20	8	221	275	388779	335	190	80x80
8008 FF 350x60	4100	8xM22	8	220	275	124827	600	474	80x8032212/32215
8008 FF 400x80	4100	8xM22	8	220	275	124834	600	478	80x8032212/32215
9008 BI 300x90	5100	8xM18	8	221	275	428611	370	200	90x90
9008 FF 350x60	5100	8xM22	8	220	275	124841	600	474	90x9032212/32216
9008 FF 400x80	5100	8xM22	8	220	275	124858	600	478	90x9032212/32216
1010 FF 400x80	6500	8xM22	8	221	275	403670	600	439	100x100
1110 FF 406x120		10xM22	10	280	335	388809	600	300	110x110
1210 FF 406x120	9500	10xM22	10	281	335	408729	600	439	120x120



AXLES

Rigid - Without brakes

Description	kg	Studs	A mm	B mm	57 07562+ Ax mm	L mm	LH mm	Q mm
6006 NF		6	161	205	388748	1500		60x60

AXLES


Rigid - With brakes

 KG     EAN-13  									
Description	kg	Studs		A mm	B mm	57 07562+ Ax mm	L mm	LH mm	Q mm
7006 FF 300x60	6500	6xM18	6	160	205	124599	1700	657	70x70
8006 MF 300x60	8000	6xM18	6	161	205	403281	1700	650	80x80
9008 FF 400x80	10200	8xM18	8	221	275	402796	1900	721	90x90
1008 FF 400x80	13000	8xM22	8	221	275	403137	2000	727	100x100
1010 FF 400x80	13000	10xM22	10	281	335	403236	2000	727	100x100
1210 FF 406x120		10xM22	10	280	335	388724	2200	375	120x120

AXLES

Steering - With brakes


Description	kg	Studs	A mm	B mm	57 07562+ Ax mm	L mm	LH mm	Q mm
1210 FF 406x120		10xM22	10	280	335	388717	2200	120x120



AXLE SHAFTS - FOR INTEGRAL WHEELS



For wheel dimension(s)	Fitting method	57 07562+	Ref.	C mm	D mm	D1 mm	Q mm	L mm	Lt mm
EK 1.50-3	Lock ring	144351	E-2	36	20	20	Ø25	100	140
EK 2.10-4 • EK 2.50x6 • EK 2.50x8	Lock ring	144368	E-3	67	20	25	Ø25	148	230
EG 1.50-3	Lock ring	144429	E-1	60	25		Ø25	88	155
EG 2.10-4 • EG 2.50x6 • EG 2.50x8	Lock ring	144436	E-1	85	25		Ø25	158	250
TK 2.50x8	Lock rings	144443	G-1	150	25		Ø25		300
	M12	144450	G-1	110	25		Ø25	151	191
TG 2.50x8	Lock rings	144474	G-2	150	25		Ø25		300
EK 2.10-4 • EK 2.50x6 • EK 2.50x8	Lock ring	144375	E-4	67	20	25	Ø30	148	230
	16 mm lock nut	144382	E-5	67	20	25	Ø30	97	190
EK 3.00x8 • EK 4.00x9 • EK 4.00x10	Lock ring	144399	E-4	80	20	25	Ø30	148	245
EK 3.00x8 • EK 4.00x9 • EK 4.00x13	5/8" lock nut	144405	E-5	80	20	25	Ø30	148	256
EK 3.00x8 • EK 4.00x9 • EK 4.00x14	16 mm lock nut	144412	E-5	80	25	30	Ø40	148	263
EK 7.00x8	16 mm lock nut	144498	E-5	98	20	25	Ø35	148	273
EK 4.50-6	M25x1.5	144481	E-5	83	25	35	Ø45	140	250



EK

EG

EG · ER

GK · GG

GK · GG

FORKS - FOR INTEGRAL WHEELS

Swivelling - Plate fitting

		 					
Description	For tyre dimension	C mm		57 07562+	mm	mm	mm
DGP 8"	2.50-3	85 M12		145679	275	100x100	65-80x65-80
DGP 10"	3.00-4	95 M12		145686	320	100x100	65-80x65-80
DGP 12"	4.00-4	120 M12		145693	355	100x100	65-80x65-80
DGP 13"	3.50-6	120 M16		145709	405	100x100	65-80x65-80
DGP 16"	4.00-8	120 M16		145716	480	100x100	65-80x65-80

FORKS - FOR INTEGRAL WHEELS

Swivelling - Stem fitting

		 					
Description	For tyre dimension	C mm		57 07562+	mm	mm	mm
DGT 8"	2.50-3	85 M12		145723		Ø25x100	
DGT 10"	3.00-4	95 M12		145730		Ø25x100	
DGT 12"	4.00-4	120 M12		145747		Ø25x100	
DGT 13"	3.50-6	120 M16		145754		Ø25x100	

FORKS - FOR INTEGRAL WHEELS

Fixed - Plate fitting

		 					
Description	For tyre dimension	C mm		57 07562+	mm	mm	mm
FGP 8"	2.50-3	85 M12		145761	275	100x100	65-80x65-80
FGP 10"	3.00-4	95 M12		145778	320	100x100	65-80x65-80
FGP 12"	4.00-4	120 M12		145785	355	100x100	65-80x65-80
FGP 13"	3.50-6	120 M16		145792	405	100x100	65-80x65-80
FGP 16"	4.00-8	120 M16		145808	480	100x100	65-80x65-80



BRAKES - FOR FORKS



Description			57 07562+
Brake DGP/DGT/FGP	DGP/DGT/FGP 8"/10"/12"	Pcs	412252

HOLLOW AXLES - FOR INTEGRAL WHEELS



Description	For wheel dimension(s)	C mm	D mm	mm	57 07562+
Ø13xØ20x85	GK 1.50-3	85	20	M12	144986
	GG 1.50-3	85	20	M12	145068
Ø13xØ20x95	GG	95	20	M12	145020
Ø13xØ20x120	GK	120	20	M12	145006
	GG	120	20	M12	145037
Ø17xØ25	GK	95	25	M16	145013
Ø17xØ25x95	GG	95	25	M16	145044
Ø17xØ25x120	GK	120	25	M16	144993
	GG	120	25	M16	145051

HOLLOW AXLES - FOR INTEGRAL WHEELS

Set incl. hollow axle, bolt and nuts



Description	For wheel dimension(s)	C mm	D mm	mm	57 07562+
Ø13xØ20x100	TG 2.50x8	100	13	M12	195728

BOLTS - FOR INTEGRAL WHEELS


Set incl. bolt and nut



Description			57 07562+
M12x130mm	12.7	M12	309330



Brake
DGP/DGT/FGP



Tyres - designations and dimensions.....	11.4
Conversion – metric to Imperial units.....	11.15
Conversion – Inflation pressure	11.15
Load Index / Speed Index.....	11.6
Load variation	11.7
General information - Warnings!.....	11.8
Tread patterns – overview.....	11.9-11.11
Index - Tyres by dimension	11.12-11.21
Conditions of sale.....	11.22
Fax ordering scheme.....	11.24
Symbols	11.25


TECHNICAL INFORMATION

SMALL TYRES FOR HORTICULTURE AND AGRICULTURE:

- ▶ **Small tyres for internal transport**
- ▶ **Tyres for ride on mowers**
- ▶ **Tyres with tractor pattern**
- ▶ **Tyres for tedders, forage harvesters etc.**

The measurements for diameter and section width indicate maximum diameter and width including the possible tyre growth, in use. The measurements refer to tyres fitted to the recommended wheel dimension.

Tolerances on these measurements are +7/-4%.



CONVERSION – TYRE DIMENSIONS

	180x45	7x1 3/4
	200x35	8x1 1/4
	200x50	8x2
	220x50	8 1/2x2
2.50-3	210x65	8x2.5
3.00-4	260x85	10x3
4.00-4		12x4
2.00-6		10x2
3.50-6		13x3
4.00-6		14x4
2.25-8		12.5x2.25
		12 1/2x2 1/4
4.00-8	400x100	16x4
5.00-8		18x5
6.00-9		21x6
18x8.00-10	195/50-10	
20.5x10.00-10	255/50-10	
24x8.00-14.5	200/60-14.5	

TYRE DESIGNATIONS

Dimension	Explanation
3.00-4	Our designation: Tyre width 3.00" – Rim diameter 4"
10x3	Former designation in inches: Tyre width 3" – Tyre diameter 10" (= 3" x 2 + 4")
260x85	Designation in millimetres: Tyre diameter 260 mm – Tyre width 85 mm The former designation in inches converted to mm: 10" x 25.4 = approx. 260 mm 3" x 25.4 = approx. 85 mm
85/100-4	This is how the designation would be, had it been a passenger car tyre. Tyre width 85 mm – Profile 100% – Rim diameter 4"
10x3.00-4	American designation, mainly used for low profile tyres: Tyre diameter 10" – Tyre width 3" – Rim diameter 4"

CONVERSION – METRIC TO IMPERIAL UNITS

Metric = Imperial		Imperial = Metric	
Weight	1 ton (t) (1000 kg) = 0.984 ton	1 ton = 1.016 ton	
	1 kilogram (kg) = 2.2 lbs (pounds)	1 lb (pound) = 0.455 kg	
Length/ distance	1 kilometer (km) = 0.621 mile	1 mile = 1.61 km	
	1 meter (m) = 1.094 yard	1 yard = 0.9144 m	
	1 centimeter (cm) = 0.39 inch	1 inch = 2.54 cm	
	1 millimeter (mm) = 0.039 inch	1 inch = 25.4 mm	
Volume	1 liter (l) = 0.22 gallon	1 gallon = 4.545 l	

CONVERSION – INFLATION PRESSURE

kPa	bar	kg/cm2	p.s.i.	kPa	bar	kg/cm2	p.s.i.	kPa	bar	kg/cm2	p.s.i.
10	0,1	0,1	1	160	1,6	1,6	23	320	3,2	3,3	46
20	0,2	0,2	3	170	1,7	1,7	25	340	3,4	3,5	49
30	0,3	0,3	4	180	1,8	1,8	26	360	3,6	3,7	52
40	0,4	0,4	6	190	1,9	1,9	28	380	3,8	3,9	55
50	0,5	0,5	7	200	2,0	2,0	29	400	4,0	4,1	58
60	0,6	0,6	9	210	2,1	2,1	30	450	4,5	4,6	65
70	0,7	0,7	10	220	2,2	2,2	32	500	5,0	5,1	72
80	0,8	0,8	12	230	2,3	2,3	33	600	6,0	6,1	87
90	0,9	0,9	13	240	2,4	2,4	35	700	7,0	7,1	101
100	1,0	1,0	14	250	2,5	2,6	36	800	8,0	8,2	116
110	1,1	1,1	16	260	2,6	2,7	38	900	9,0	9,2	130
120	1,2	1,2	17	270	2,7	2,8	39	1000	10,0	10,2	145
130	1,3	1,3	19	280	2,8	2,9	41				
140	1,4	1,4	20	290	2,9	3,0	42				
150	1,5	1,5	22	300	3,0	3,1	43				

TECHNICAL INFORMATION

LOAD CAPACITY

PR marking

Originally tyres were marked with the exact number of canvas layers (plies) built into the tyre. This was an indication of the strength of the tyre.

As stronger materials were developed, the number of layers could be reduced – maintaining the same strength of the tyre.

The designation "Ply Rating" therefore does not indicate the actual number of layers (plies) in the tyre, but the number of layers originally required to give the desired load capacity.

When working with PR marked tyres, the actual manufacturers data must be used to determine the load capacity in kg (or pounds).

Load Index / Speed Index

LI = Load Index

SI = Speed Index

Load Index and Speed Index will gradually replace the PR marking.

Contrary to the PR marking, the LI and SI give unambiguous and comparable information on the load capacity – independent of manufacture and dimension – as the codes can be directly converted to actual values.

The tables give an overview of relevant LI and SI codes.

SPEED INDEX

SI	km/h	mph	SI	km/h	mph	SI	km/h	mph
A1	5	3	D	65	41	Q	160	100
A2	10	6	E	70	44	R	170	106
A3	15	9	F	80	50	S	180	113
A4	20	13	G	90	56	T	190	118
A5	25	16	J	100	63	U	200	124
A6	30	19	K	110	69	H	210	130
A7	35	22	L	120	75	V	240	150
A8	40	25	M	130	81	W	270	176
B	50	31	N	140	88	Y	300	189
C	60	38	P	150	94			

LOAD INDEX

LI	kg (lb)	LI	kg (lb)	LI	kg (lb)	LI	kg (lb)	LI	kg (lb)	LI	kg (lb)	LI	kg (lb)
0	45 (99)	31	109 (240)	62	265 (583)	93	650 (1430)	124	1600 (3520)	155	3870 (8514)	186	9500 (20900)
1	46,2 (102)	32	112 (246)	63	272 (598)	94	670 (1474)	125	1650 (3630)	156	4000 (8800)	187	9750 (21450)
2	47,5 (105)	33	115 (253)	64	280 (616)	95	690 (1518)	126	1700 (3740)	157	4120 (9064)	188	10000 (22000)
3	48,7 (107)	34	118 (260)	65	290 (638)	96	710 (1562)	127	1750 (3850)	158	4250 (9350)	189	10300 (22660)
4	50 (110)	35	121 (266)	66	300 (660)	97	730 (1606)	128	1800 (3960)	159	4370 (9614)	190	10600 (23320)
5	51,5 (113)	36	125 (275)	67	307 (675)	98	750 (1650)	129	1850 (4070)	160	4500 (9900)	191	10900 (23980)
6	53 (117)	37	128 (282)	68	315 (693)	99	775 (1705)	130	1900 (4180)	161	4620 (10164)	192	11200 (24640)
7	54,5 (120)	38	132 (290)	69	325 (715)	100	800 (1760)	131	1950 (4290)	162	4750 (10450)	193	11500 (25300)
8	56 (123)	39	136 (299)	70	335 (737)	101	825 (1815)	132	2000 (4400)	163	4870 (10714)	194	11800 (25960)
9	58 (128)	40	140 (308)	71	345 (759)	102	850 (1870)	133	2060 (4532)	164	5000 (11000)	195	12150 (26620)
10	60 (132)	41	145 (319)	72	355 (781)	103	875 (1925)	134	2120 (4664)	165	5150 (11330)	196	12500 (27500)
11	61,5 (135)	42	150 (330)	73	365 (803)	104	900 (1980)	135	2180 (4796)	166	5300 (11660)	197	12850 (28160)
12	63 (139)	43	155 (341)	74	375 (825)	105	925 (2035)	136	2240 (4928)	167	5450 (11990)	198	13200 (29040)
13	65 (143)	44	160 (352)	75	387 (851)	106	950 (2090)	137	2300 (5060)	168	5600 (12620)	199	13600 (29920)
14	67 (147)	45	165 (363)	76	400 (880)	107	975 (2145)	138	2360 (5192)	169	5800 (12760)	200	14000 (30800)
15	69 (152)	46	170 (374)	77	412 (906)	108	1000 (2200)	139	2430 (5346)	170	6000 (13200)	201	14500 (31900)
16	71 (156)	47	175 (385)	78	425 (935)	109	1030 (2266)	140	2500 (5500)	171	6150 (13530)	202	15000 (33000)
17	73 (161)	48	180 (396)	79	437 (961)	110	1060 (2332)	141	2570 (5654)	172	6300 (13860)	203	15500 (34100)
18	75 (165)	49	185 (407)	80	450 (990)	111	1090 (2398)	142	2650 (5830)	173	6500 (14300)	204	16000 (35200)
19	77,5 (171)	50	190 (418)	81	462 (1016)	112	1120 (2464)	143	2720 (5984)	174	6700 (14740)	205	16500 (36300)
20	80 (176)	51	195 (429)	82	475 (1045)	113	1150 (2530)	144	2800 (6160)	175	6900 (15180)	206	17000 (37400)
21	82,5 (182)	52	200 (440)	83	487 (1071)	114	1180 (2596)	145	2900 (6380)	176	7100 (15620)	207	17500 (38500)
22	85 (187)	53	206 (453)	84	500 (1100)	115	1215 (2662)	146	3000 (6600)	177	7300 (16060)	208	18000 (39600)
23	87,5 (193)	54	212 (466)	85	515 (1133)	116	1250 (2750)	147	3070 (6754)	178	7500 (16500)	209	18500 (40700)
24	90 (198)	55	218 (480)	86	530 (1166)	117	1285 (2816)	148	3150 (6930)	179	7750 (17050)	210	19000 (41800)
25	92,5 (204)	56	224 (493)	87	545 (1199)	118	1320 (2904)	149	3250 (7150)	180	8000 (17600)	211	19500 (42900)
26	95 (209)	57	230 (506)	88	560 (1232)	119	1360 (2992)	150	3350 (7370)	181	8250 (18150)	212	20000 (44000)
27	97,5 (215)	58	236 (519)	89	580 (1276)	120	1400 (3080)	151	3450 (7590)	182	8500 (18700)	213	20600 (45320)
28	100 (220)	59	243 (535)	90	600 (1320)	121	1450 (3190)	152	3550 (7810)	183	8750 (19250)	214	21200 (46640)
29	103 (227)	60	250 (550)	91	615 (1353)	122	1500 (3300)	153	3650 (8030)	184	9000 (19800)	215	21800 (47960)
30	106 (233)	61	257 (565)	92	630 (1386)	123	1550 (3410)	154	3750 (8250)	185	9250 (20350)	216	22400 (49280)

LOAD VARIATION

Variation in load carrying capacity with speed.

	km/h →	0	10	15	20	25	30	35	40	45
A4 LLV	% →	+65	+20	+12	0	-2	-5			
A4 HLV	% →	+98	+44	+34	+20	+17	+14			
A6 LLV	% →	+65	+29	+21	+14	+7	0	-5	-10	
A6 HLV	% →	+98	+55	+45	+37	+28	+20	+14	+8	
A8 LLV	% →	+65	+40	+33	+26	+19	+12	+5	0	-5
A8 HLV	% →	+98	+68	+60	+51	+43	+34	+26	+20	+14

LLV = Low Load Variation

HLV = High Load Variation

Source: ETRTO

Ag./Impl.

Variations in load carrying capacity with speed and inflation pressure compensation.

	km/h →	0	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150
J	% →	+150	+80	+50	+25	+15	+12	+10	+7	+4	+2	0					
Bar/psi	% →	+40	+30	+21	+13	+10	+8	+6	+2	0							
L	% →	+110	+75	+50	+35	+25	+20	+15	+12.5	+10	+7.5	+5	+2.5	0			
M	% →	+110	+75	+50	+35	+25	+20	+15	+12.5	+10	+7.5	+5	+2.5	0	0		
N	% →	+110	+75	+50	+35	+25	+20	+15	+12.5	+10	+7.5	+5	+2.5	0	0	0	
P	% →	+110	+75	+50	+35	+25	+20	+15	+12.5	+10	+7.5	+5	+2.5	0	0	0	0
Bar/psi	% →	+40	+35	+30	+30	+30	+25	+18	+15	+12	+9	+6	+2	0	0	0	0

Bar/psi = Inflation pressure compensation (%)

Source: ETRTO

C-tyres (single)



HLV = High Load Variation

For applications with a great variation in tyre loads. Eg. trailers that cycle between laden and unladen condition.

Specifically, the tyre load when laden must be at least twice of that when unladen. When load figures for a specific tyre are stated as HLV, the figure indicates the maximum load when fully laden.

LLV = Low Load Variation

For applications with no or rather small variation in tyre loads. Eg. agricultural implements.

Specifically, the tyre load when maximum laden would not exceed double of the tyre load when minimum laden.

Rules apply for each individual tyre

On a given machine, tyres on different axles could be running on different load cycles - i.e. one axle could be HLV whereas another could be LLV.

As examples, this goes for forklift trucks and many loaders etc., where the front axle (next to forklifts or shuffle) could be HLV and the rear axle would be LLV.



LOAD, INFLATION PRESSURE AND SPEED

General information - Warnings!

Technical specifications in this catalogue are mainly based on manufacturers data or the ETRTO or STRO standards, and serve as general, basic information.

For every specific tyre and/or wheel, instructions and figures on load, inflation pressure, speed etc. stated on the product itself, or by the manufacturer, must be complied with.

For complete wheels, the maximum load, cold inflation pressure and speed is always determined by the part (tyre or rim/wheel) having the lowest capacity.
E.g. the load, cold inflation pressure and speed imposed on the rim or wheel must never exceed the rim and wheel manufacturers recommendations, even though the tyre might be approved for a higher load, inflation pressure or speed.

Tyres, tubes and wheels must be used for the intended area of use only, unless otherwise specified or permitted.

If any doubt, please consult the ETRTO or STRO technical manuals, or contact us.

Do not mount, inflate or use any tyre/wheel combination, until all possible doubts have been eliminated.

The STARCO Group will accept no liability due to errors, omissions or faulty information in this catalogue.
All figures are subject to change without further notice.

Manufacturer's, ETRTO or STRO specifications are final.

TYRES OVERALL DIAMETER AND SECTION WIDTH

General information - Warnings!

The tyre diameter and tyre section width increase naturally during normal service. It is therefore important that the intended vehicle is checked for sufficient clearance to allow for growth - if in any doubt, consult STARCO for details.

TREAD PATTERNS – OVERVIEW

STARCO	Kenda	Deestone	Deli	Carlisle	Trelleborg	Duro Hwa Fong	Cheng Shin	Kings Tyre	
ST-11	K301	D601	S-379		T510	HF-207	C-179	KT-501	
ST-14	K363	D603	S-302 / 235						
ST-15	K311		S-320		T991				
ST-16	K312A	D269/602	S-369						
ST-17	K353A	D289	S-389				C-189		
ST-19		OI1008	S-168			HF-180/216	C-177		
ST-20	K303		S-238				C-253	KT-928	
ST-21	K304/306		S-233			HF-203/205			
ST-26						HF-202			
ST-28	K373	D257	S-310		T533		C-248	KT-605	Vredestein V-76/Extra, Conti 652
ST-29	K352	D256	S-356			HF-201		KT-602	
ST-30	K402/404		S-390/399	Smooth	T522	HF-237	C-190	KT-735	Vredestein V-50, Nankang N800
ST-31	K401	D837	S-317	Turf Glide		HF-217	C-737	KT-303	Vredestein V-61, Conti M3
ST-32	K406	D401	S-318			HF-257		KT-802	Conti T-7
ST-33	K401		S-319	Hi-Flotation I-1	T448/464				
ST-34									Mitas TF03, BKT TF-8181
ST-40	K357/361		S-237/247		T63	HF-252B	C-138/327	KT-804/809	Vredestein V-67, Sava B12
ST-41	K365	D413				HF-253		KT-801	Sava B16
ST-44		D303/402/403						KT-807/811	Sava B17
ST-45	K359	D316/405, 7, 8				HF-252D/255	C-312/328	KT-801	
ST-46					Traction	DI-1005			Mitas TR-08
ST-47	K378								
ST-48	K376					HF-251			
ST-49	K398A			Snow Hog		HF-270		KT-805	
ST-50	K358/372	D-265	S-365/366			HF-224/236T	C-165/9266	KT-302	
ST-52	K358/367	D-265 / 266	S-366K	Ultra Trac		HF-236S / 224	C-769	KT-301	
ST-54									BKT LG-307
ST-55	K-500/505								BKT LG-306
ST-56	K383		S-373A		T537			KT-307	
ST-57	K384								Conti B-3
ST-58	K375/382			Super Trac				KT-306	Carlisle Turf Saver II
ST-59					T539	HF-213			
ST-60	K395	D304	S-371	HD2000					
ST-65		D305	S-371	Trac Loader					
ST-70		D308							Mitas MPT-01, BKT MP-600/05-504
ST-71									Mitas MPT-02
ST-72									BKT MP-567, Mitas MPT-03
ST-73									BKT MP-570
ST-75									BKT MP-585, Mitas MPT-05
ST-80	K364/371	D901	S-252/253/259			HF-219	C816	KT-715, 16, 17, 23	Deli S-378
ST-81			S-256		T690	HF-267	C-178		
ST-82			S-255						
ST-83	Kargo Pro		KA-101					KT-765	Compass CT7000
ST-84	KR01						UE-168		
ST-89	K385					HF-269			
ST-91		D301							Armour L-1/PLT328
ST-93									CBX, Gstar, Excalibur
ST-155			S-315/316		AW/AF				Alliance 320, Mitas IM04, BKT AW-702, 5, 8
ST-156					T306/478				
ST-182		D102, 3, 4, 6, 7						KT-718	
ST-183		D201/202						KT-7119	

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

TREAD PATTERNS – OVERVIEW



TREAD PATTERNS – OVERVIEW



Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
6x1 1/4	Wheelchairs - Mobility scooters etc. • Tyres	8.4
8 1/2x2	Wheelchairs - Mobility scooters etc. • Tyres	8.4
16x2.125	Wheelchairs - Mobility scooters etc. • Tyres	8.4
24x1 3/8	Wheelchairs - Mobility scooters etc. • Tyres	8.4
2.50-3	Materials handling - Industrial • Small tyres	4.8
	Wheelchairs - Mobility scooters etc. • Tyres	8.4
	Materials handling - Industrial • Small tyres	4.8
8x2.5	Materials handling - Industrial • Solid tyres	4.11
150x30	Wheelchairs - Mobility scooters etc. • Tyres	8.4
200x50	Materials handling - Industrial • Small tyres	4.8
	Wheelchairs - Mobility scooters etc. • Tyres	8.4
	Materials handling - Industrial • Small tyres	4.8
	Wheelchairs - Mobility scooters etc. • Tyres	8.4
	Materials handling - Industrial • Small tyres	4.8
2.50-4	Materials handling - Industrial • Small tyres	4.8
2.80/2.50-4	Materials handling - Industrial • Small tyres	4.8
3.00-4	Forklift Trucks • Solid tyres	3.12
	Materials handling - Industrial • Small tyres	4.8
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Materials handling - Industrial • Small tyres	4.8
4.00-4	Forklift Trucks • Solid tyres	3.12
	Materials handling - Industrial • Small tyres	4.8
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Ride-on karts - Toys - etc. • Tyres	7.18
	Materials handling - Industrial • Small tyres	4.8
	Ride-on karts - Toys - etc. • Tyres	7.18
	Materials handling - Industrial • Small tyres	4.8
4.10-4	Snow throwers - Small winter machinery • Tyres	5.25
	Materials handling - Industrial • Small tyres	4.8
4.10/3.50-4	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Materials handling - Industrial • Small tyres	4.8
	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Turf - Ground care • Slick tyres	5.23
	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
8x3.00-4	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Turf - Ground care • Slick tyres	5.23
9x3.50-4	STARCO FLEX Pro • Polyurethane tyres - Puncture proof	4.5
	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Turf - Ground care • Slick tyres	5.23
10x3	Materials handling - Industrial • Solid tyres	4.11
11x4.00-4	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Turf - Ground care • Rib tyres	5.22
	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
11x7.00-4	Turf - Ground care • Rib tyres	5.22
12x4	Materials handling - Industrial • Solid tyres	4.11
12x5.00-4	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
26-4C	STARCO FLEX Pro • Polyurethane tyres - Puncture proof	4.5
26-4D	STARCO FLEX Pro • Polyurethane tyres - Puncture proof	4.5
100/100-4	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
200x70	Materials handling - Industrial • Solid tyres	4.11
3.50-5	Forklift Trucks • Solid tyres	3.12
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
4.00-5	Materials handling - Industrial • Small tyres	4.8
4.10/3.50-5	Materials handling - Industrial • Small tyres	4.8
	Wheelchairs - Mobility scooters etc. • Tyres	8.4
	Go Kart - Leisure and fun • Tyres	7.18
5.00-5	Materials handling - Industrial • Small tyres	4.8
10x4.50-5	Go Kart - Leisure and fun • Tyres	7.18
11x3.60-5	Turf - Ground care • Slick tyres	5.23

>>>

Dimension	Category	Page
11x4.00-5	Turf - Ground care • Rib tyres	5.22
	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Turf - Ground care • Rib tyres	5.22
	Turf - Ground care • Slick tyres	5.23
	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Turf - Ground care • Slick tyres	5.23
11x6.00-5	Go Kart - Leisure and fun • Tyres	7.18
11x7.10-5	Go Kart - Leisure and fun • Tyres	7.18
12x4.00-5	Turf - Ground care • Slick tyres	5.23
350x135	Materials handling - Industrial • Small tyres	4.8
2.00-6	Materials handling - Industrial • Small tyres	4.9
	Wheelchairs - Mobility scooters etc. • Tyres	8.4
2.50-6	Materials handling - Industrial • Small tyres	4.9
3.50-6	Materials handling - Industrial • Small tyres	4.9
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
4.00-6	Materials handling - Industrial • Small tyres	4.9
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Materials handling - Industrial • Small tyres	4.9
4.10-6	Snow throwers - Small winter machinery • Tyres	5.25
4.10/3.50-6	Snow throwers - Small winter machinery • Tyres	5.25
	Materials handling - Industrial • Small tyres	4.9
	Turf - Ground care • Slick tyres	5.23
	Materials handling - Industrial • Small tyres	4.9
5.30/4.50-6	Materials handling - Industrial • Small tyres	4.9
6-6	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
6.00-6	Materials handling - Industrial • Small tyres	4.9
8.00-6	Golf carts • Turf tyres	5.21
12x6.00-6	Turf - Ground care • Slick tyres	5.23
13x4.00-6	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Snow throwers - Small winter machinery • Tyres	5.25
	Turf - Ground care • Slick tyres	5.23
13x5.00-6	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Snow throwers - Small winter machinery • Tyres	5.25
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Turf - Ground care • Rib tyres	5.22
	Turf - Ground care • Slick tyres	5.23
	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
	Turf - Ground care • Slick tyres	5.23
	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
13x6.00-6	Ride on mowers - Small horticultural machinery • Turf tyres	5.5
13x6.50-6	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Turf - Ground care • Rib tyres	5.22
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Turf - Ground care • Slick tyres	5.23
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
14x4.00-6	Snow throwers - Small winter machinery • Tyres	5.25
14x5.50-6	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
15x5.00-6	Snow throwers - Small winter machinery • Tyres	5.25
15x5.50-6	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
15x6.00-6	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Turf - Ground care • Rib tyres	5.22
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Turf - Ground care • Rib tyres	5.22
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Materials handling - Industrial • Small tyres	4.9
	Agricultural - Implements, Trailers etc. • Tyres	2.4
26-6C	STARCO FLEX Pro • Polyurethane tyres - Puncture proof	4.5
26-6D	STARCO FLEX Pro • Polyurethane tyres - Puncture proof	4.5

>>>

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
30-6D	STARCO FLEX Pro • Polyurethane tyres - Puncture proof	4.5
100/65-6	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
140-6	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Turf - Ground care • Rib tyres	5.22
	Materials handling - Industrial • Small tyres	4.9
145/70-6	ATV and Quad - Off road • Tyres	7.6
220/50-6	Agricultural - Implements, Trailers etc. • Tyres	2.4
3.50-7	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
4.00-7	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
7x1 3/4	Wheelchairs - Mobility scooters etc. • Tyres	8.4
16x7-7	ATV and Quad - Off road • Tyres	7.6
16x8-7	ATV and Quad - Off road • Tyres	7.6
16x8.00-7	ATV and Quad - Off road • Tyres	7.6
18x7.00-7	ATV and Quad - Off road • Tyres	7.6
2.25-8	Materials handling - Industrial • Small tyres	4.1
	Wheelchairs - Mobility scooters etc. • Tyres	8.4
2.50-8	Materials handling - Industrial • Small tyres	4.1
3.00-8	Wheelchairs - Mobility scooters etc. • Tyres	8.4
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Materials handling - Industrial • Small tyres	4.1
3.50-8	Materials handling - Industrial • Small tyres	4.1
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Trailers - Caravans etc. • Tyres	6.5
	Scooter - all year • Tyres	7.16
4.00-8	Forklift Trucks • Solid tyres	3.12
	Forklift Trucks • Solid tyres - Premium quality	3.7
	Materials handling - Industrial • Small tyres	4.1
	Scooter - all year • Tyres	7.16
	Forklift Trucks • Pneumatic tyres	3.6
	Materials handling - Industrial • Small tyres	4.1
4.80/4.00-8	Materials handling - Industrial • Small tyres	4.1
	Snow throwers - Small winter machinery • Tyres	5.25
	Materials handling - Industrial • Small tyres	4.1
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Materials handling - Industrial • Small tyres	4.1
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Turf - Ground care • Slick tyres	5.23
	Trailers - Caravans etc. • Tyres	6.5
	Materials handling - Industrial • Small tyres	4.1
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Trailers - Caravans etc. • Tyres	6.5
	Materials handling - Industrial • Small tyres	4.1
5.00-8	Materials handling - Industrial • Small tyres	4.1
	Forklift Trucks • Solid tyres - Premium quality	3.7
	Forklift Trucks • Solid tyres	3.12
	Turf - Ground care • Slick tyres	5.23
	Materials handling - Industrial • Small tyres	4.1
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Materials handling - Industrial • Small tyres	4.1
	Trailers - Caravans etc. • Tyres	6.5
	Materials handling - Industrial • Small tyres	4.1
	Forklift Trucks • Pneumatic tyres	3.6
	Materials handling - Industrial • Small tyres	4.1
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
	Trailers - Caravans etc. • Tyres	6.5
	Materials handling - Industrial • Small tyres	4.1

>>>

Dimension	Category	Page
5.70/5.00-8	Trailers - Caravans etc. • Tyres	6.5
12 1/2x2 1/4	Materials handling - Industrial • Small tyres	4.1
12 1/2x2.75	Scooter - all year • Tyres	7.16
13x5.00-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
13x6.00-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
15x4 1/2-8	Forklift Trucks • Solid tyres - Premium quality	3.7
	Forklift Trucks • Solid tyres	3.12
	Forklift Trucks • Pneumatic tyres	3.6
16x6-8	Forklift Trucks • Solid tyres - Premium quality	3.7
	Forklift Trucks • Solid tyres	3.12
16x6.00-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
16x6.50-8	Snow throwers - Small winter machinery • Tyres	5.25
	Turf - Ground care • Slick tyres	5.23
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Golf carts • Turf tyres	5.21
	Turf - Ground care • Rib tyres	5.22
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Turf - Ground care • Rib tyres	5.22
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Ride on mowers - Small horticultural machinery • Turf tyres	5.6
16x7.50-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
	Golf carts • Turf tyres	5.21
	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
	Professional mowers - Large horticultural machinery • Turf tyres	5.16
	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
16x9.50-8	Agricultural - Implements, Trailers etc. • Tyres	2.4
16.5x6.50-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
	Trailers - Caravans etc. • Tyres	6.5
	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
	Golf carts • Turf tyres	5.21
	Trailers - Caravans etc. • Tyres	6.5
17x8.00-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
	Ride-on karts - Toys - etc. • Tyres	7.18
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
18x6.50-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
	Snow throwers - Small winter machinery • Tyres	5.25
	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
	Golf carts • Turf tyres	5.21
	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
18x7-8	Forklift Trucks • Solid tyres - Premium quality	3.7
	Forklift Trucks • Solid tyres	3.12
	Forklift Trucks • Pneumatic tyres	3.6
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
18x7.00-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
18x7.50-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.7
18x8.00-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11

>>>

Agricultural
Industrial
Small tyres - Materials handling etc.
Turf - Ground care
Trailer and Caravan
Leisure and Fun
Various
Tubes etc.
Wheels - Axles etc.
Info & Technical

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
18x8.50-8	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Turf - Ground care • Rib tyres	5.22
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
	Golf carts • Turf tyres	5.21
	Turf - Ground care • Rib tyres	5.22
	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
	Golf carts • Turf tyres	5.21
	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
18x9.5-8	ATV and Quad - On road • Tyres	7.9
18x9.50-8	Ride-on karts - Toys - etc. • Tyres	7.18
	ATV and Quad - Off road • Tyres	7.6
	ATV and Quad - On road • Tyres	7.9
	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Turf - Ground care • Rib tyres	5.22
	Turf - Ground care • Slick tyres	5.23
	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
18.5x8.50-8	Trailers - Caravans etc. • Tyres	6.5
19x7-8	ATV and Quad - On road • Tyres	7.9
19x7.00-8	ATV and Quad - On road • Tyres	7.9
	ATV and Quad - Off road • Tyres	7.6
19x10.50-8	Turf - Ground care • Slick tyres	5.23
20x7-8	ATV and Quad - On road • Tyres	7.9
20x7.00-8	ATV and Quad - Off road • Tyres	7.6
20x8.00-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
20x10.00-8	ATV and Quad - Off road • Tyres	7.6
	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
20x11.00-8	ATV and Quad - Off road • Tyres	7.6
21x10-8	ATV and Quad - On road • Tyres	7.9
21x10.00-8	ATV and Quad - On road • Tyres	7.9
21x11.00-8	Compact tractors - Single axle tractors etc. • Traction tyres	2.11
21x12.00-8	Turf - Ground care • Slick tyres	5.23
	Ride-on karts - Toys - etc. • Tyres	7.18
AT21x12.00-8	Ride-on karts - Toys - etc. • Tyres	7.18
22x10-8	ATV and Quad - On road • Tyres	7.9
22x10.00-8	ATV and Quad - Off road • Tyres	7.6
22x11.00-8	ATV and Quad - Off road • Tyres	7.6
	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
22x12.00-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.8
	ATV and Quad - Off road • Tyres	7.6
22.5x10.00-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
34-8A	STARCO FLEX Pro • Polyurethane tyres - Puncture proof	4.5
37-8A	STARCO FLEX Pro • Polyurethane tyres - Puncture proof	4.5
39-8A	STARCO FLEX Pro • Polyurethane tyres - Puncture proof	4.5
155/50-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
165/60-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
190-8	Materials handling - Industrial • Small tyres	4.1
	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
	Materials handling - Industrial • Small tyres	4.1
	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
200/65-8	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
210/60D8	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
380/80-8	Materials handling - Industrial • Solid tyres	4.11

>>>

Dimension	Category	Page
6.00-9	Forklift Trucks • Solid tyres - Premium quality	3.7
	Forklift Trucks • Solid tyres	3.12
	Materials handling - Industrial • Small tyres	4.11
	Trailers - Caravans etc. • Tyres	6.5
	Materials handling - Industrial • Small tyres	4.11
	Trailers - Caravans etc. • Tyres	6.5
	Materials handling - Industrial • Small tyres	4.11
	Forklift Trucks • Pneumatic tyres	3.6
	Turf - Ground care • Slick tyres	5.23
	Materials handling - Industrial • Small tyres	4.11
	Trailers - Caravans etc. • Tyres	6.5
	Materials handling - Industrial • Small tyres	4.11
	Trailers - Caravans etc. • Tyres	6.5
	Materials handling - Industrial • Small tyres	4.11
20x10.00-9	ATV and Quad - Off road • Tyres	7.6
20x11-9	ATV and Quad - On road • Tyres	7.9
20x11.00-9	ATV and Quad - On road • Tyres	7.9
	ATV and Quad - Off road • Tyres	7.6
21x8-9	Forklift Trucks • Solid tyres - Premium quality	3.7
	Forklift Trucks • Pneumatic tyres	3.6
22x11.00-9	ATV and Quad - Off road • Tyres	7.6
22x12.00-9	ATV and Quad - Off road • Tyres	7.6
25x12.00-9	ATV and Quad - Off road • Tyres	7.6
	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
	ATV and Quad - Off road • Tyres	7.6
25x12.50-9	ATV and Quad - Off road • Tyres	7.6
25x13.00-9	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
2.50-10	Materials handling - Industrial • Small tyres	4.11
3.00-10	Scooter - all year • Tyres	7.16
3.50-10	Scooter - all year • Tyres	7.16
	Materials handling - Industrial • Small tyres	4.11
	Trailers - Caravans etc. • Tyres	6.5
4.00-10	Tractor - 2WD • Front tyres	2.15
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Trailers - Caravans etc. • Tyres	6.5
4.40-10	Trailers - Caravans etc. • Tyres	6.5
4.50-10	Trailers - Caravans etc. • Tyres	6.5
4.80-10	Trailers - Caravans etc. • Tyres	6.5
5.0-10	Small loaders - Dumpers etc. • Tyres	3.17
5.00-10	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Trailers - Caravans etc. • Tyres	6.5
5.20-10	Trailers - Caravans etc. • Tyres	6.5
6.50-10	Forklift Trucks • Solid tyres	3.12
	Forklift Trucks • Solid tyres - Premium quality	3.7
	Trailers - Caravans etc. • Tyres	6.5
	Forklift Trucks • Pneumatic tyres	3.6
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
7.50-10	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Materials handling - Industrial • Small tyres	4.11
	Forklift Trucks • Pneumatic tyres	3.6
	Materials handling - Industrial • Small tyres	4.11
	Trailers - Caravans etc. • Tyres	6.5
9.00-10	Materials handling - Industrial • Small tyres	4.11
16x6.00-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
18x8.00-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
18x8.50-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.9
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
18x10.50-10	Turf - Ground care • Slick tyres	5.23
	Ride on mowers - Small horticultural machinery • Turf tyres	5.9

>>>

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
20x8.00-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
	Professional mowers - Large horticultural machinery • Turf tyres	5.16
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
20x10.00-10	Turf - Ground care • Slick tyres	5.23
	Turf - Ground care • Rib tyres	5.22
	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
	Turf - Ground care • Slick tyres	5.23
	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
20x11.00-10	ATV and Quad - Off road • Tyres	7.6
20x12.00-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
20.5x8.0-10	Trailers - Caravans etc. • Tyres	6.5
20.5x8.00-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
21x7-10	ATV and Quad - On road • Tyres	7.9
	ATV and Quad - Off road • Tyres	7.6
21x7.00-10	ATV and Quad - Off road • Tyres	7.6
	ATV and Quad - On road • Tyres	7.9
	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
21x11.00-10	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
22x7-10	ATV and Quad - Off road • Tyres	7.6
22x8.00-10	ATV and Quad - Off road • Tyres	7.6
22x9-10	ATV and Quad - Off road • Tyres	7.6
22x9.00-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
22x9.50-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
	ATV and Quad - Off road • Tyres	7.7
	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
22x10-10	ATV and Quad - On road • Tyres	7.9
	ATV and Quad - Off road • Tyres	7.7
22x10.00-10	ATV and Quad - Off road • Tyres	7.7
	ATV and Quad - On road • Tyres	7.9
	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
22x11-10	ATV and Quad - Off road • Tyres	7.7
22x11.00-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
	ATV and Quad - Off road • Tyres	7.7
	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
22x12.00-10	ATV and Quad - Off road • Tyres	7.7
23x7.00-10	ATV and Quad - Off road • Tyres	7.7
23x9-10	Forklift Trucks • Solid tyres	3.12
	Forklift Trucks • Solid tyres - Premium quality	3.7
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
23x10.00-10	ATV and Quad - Off road • Tyres	7.7
24x9.50-10	ATV and Quad - Off road • Tyres	7.7
	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
24x10.50-10	ATV and Quad - Off road • Tyres	7.7
24x11.00-10	ATV and Quad - Off road • Tyres	7.7
24x12.00-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
25x12.00-10	ATV and Quad - Off road • Tyres	7.7
25x12.50-10	ATV and Quad - Off road • Tyres	7.7
90/90-10	Scooter - all year • Tyres	7.16
100/80-10	Scooter - all year • Tyres	7.16
100/90-10	Scooter - all year • Tyres	7.16
110/80-10	Scooter - all year • Tyres	7.16
120/90-10	Scooter - all year • Tyres	7.16
130/70-10	Scooter - all year • Tyres	7.16
130/90-10	Scooter - all year • Tyres	7.16
145R10	Trailers - Caravans etc. • Tyres	6.5
145/80B10	Trailers - Caravans etc. • Tyres	6.6
165/70-10	ATV and Quad - On road • Tyres	7.9
195/50B10	Trailers - Caravans etc. • Tyres	6.6
	Golf carts • Turf tyres	5.21
	Trailers - Caravans etc. • Tyres	6.6

>>>

Dimension	Category	Page
195/55R10C	Trailers - Caravans etc. • Tyres	6.6
200/50-10	Forklift Trucks • Solid tyres - Premium quality	3.7
205/50-10	Golf carts • Turf tyres	5.21
205/65-10	Trailers - Caravans etc. • Tyres	6.6
250/50-10	Ride on mowers - Small horticultural machinery • Turf tyres	5.1
255/50-10	Trailers - Caravans etc. • Tyres	6.6
23x8.00-11	ATV and Quad - Off road • Tyres	7.7
24x9.00-11	ATV and Quad - Off road • Tyres	7.7
24x10.00-11	ATV and Quad - Off road • Tyres	7.7
25x8.00-11	ATV and Quad - Off road • Tyres	7.7
25x10.00-11	ATV and Quad - Off road • Tyres	7.7
25x12.50-11	ATV and Quad - Off road • Tyres	7.7
3.00-12	Scooter - all year • Tyres	7.16
4.00-12	Tractor - 2WD • Front tyres	2.15
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Tractor - 2WD • Front tyres	2.15
	Trailers - Caravans etc. • Tyres	6.6
4.50-12	Trailers - Caravans etc. • Tyres	6.6
4.80-12	Trailers - Caravans etc. • Tyres	6.6
5-12	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
5.00-12	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
5.00R12	Trailers - Caravans etc. • Tyres	6.6
5.30-12	Trailers - Caravans etc. • Tyres	6.6
5.70-12	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Small loaders - Dumpers etc. • Tyres	3.17
6-12	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
6.00-12	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Trailers - Caravans etc. • Tyres	6.6
6.5/80-12	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
7.00-12	Forklift Trucks • Solid tyres - Premium quality	3.9
	Forklift Trucks • Solid tyres	3.12
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Small loaders - Dumpers etc. • Tyres	3.17
	Forklift Trucks • Pneumatic tyres	3.6
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
10.0/75-12	Agricultural - Implements, Trailers etc. • Tyres	2.4
10.0/80-12	Agricultural - Implements, Trailers etc. • Tyres	2.4
11.0/65-12	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
22x8.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
22x9.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
23x6.00-12	Agricultural - Implements, Trailers etc. • Tyres	2.4
23x8.00-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
23x8.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Skidsteer - Bobcat etc. • Tyres	3.14
	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Small loaders - Dumpers etc. • Tyres	3.17
	Skidsteer - Bobcat etc. • Tyres	3.14
	Small loaders - Dumpers etc. • Tyres	3.17
	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Skidsteer - Bobcat etc. • Tyres	3.14
23x9.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
23x10-12	Forklift Trucks • Solid tyres	3.12
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
23x10.00-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.11

>>>

Agricultural
Industrial
Small tyres - Materials handling etc.
Turf - Ground care
Trailer and Caravan
Leisure and Fun
Various
Tubes etc.
Wheels - Axles etc.
Info & Technical

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
23x10.50-12	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Snow throwers - Small winter machinery • Tyres	5.25
	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Small loaders - Dumpers etc. • Tyres	3.17
23x12.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
24x8-12	ATV and Quad - Off road • Tyres	7.8
24x8.00-12	ATV and Quad - Off road • Tyres	7.8
24x8.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
24x9.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.11
24x10.00-12	ATV and Quad - Off road • Tyres	7.8
24x10.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
24x11.50-12	Professional mowers - Large horticultural machinery • Turf tyres	5.16
24x12.00-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
24x13.00-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
	Turf - Ground care • Slick tyres	5.23
	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
24x13LL-12	Professional mowers - Large horticultural machinery • Turf tyres	5.16
25x8-12	ATV and Quad - On road • Tyres	7.9
25x8.00-12	ATV and Quad - Off road • Tyres	7.8
	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
	ATV and Quad - Off road • Tyres	7.8
25x9.00-12	ATV and Quad - Off road • Tyres	7.8
	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
25x10-12	ATV and Quad - On road • Tyres	7.9
25x10.00-12	ATV and Quad - Off road • Tyres	7.8
	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
	ATV and Quad - Off road • Tyres	7.8
AT25x10.00-12	ATV and Quad - Off road • Tyres	7.8
25x10.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
25x11.00-12	ATV and Quad - Off road • Tyres	7.8
	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
25x12.50-12	ATV and Quad - Off road • Tyres	7.8
26x9.00-12	ATV and Quad - Off road • Tyres	7.8
26x10.50-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.12
26x12.00-12	ATV and Quad - Off road • Tyres	7.8
	Ride on mowers - Small horticultural machinery • Turf tyres	5.13
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.13
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.13
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Ride on mowers - Small horticultural machinery • Turf tyres	5.13
	Compact tractors - Single axle tractors etc. • Traction tyres	2.12
	Small loaders - Dumpers etc. • Tyres	3.17
	Skidsteer - Bobcat etc. • Tyres	3.14
	Ride on mowers - Small horticultural machinery • Turf tyres	5.13
26.5x14.00-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.13
27x9-12	ATV and Quad - Off road • Tyres	7.8
27x10-12	Forklift Trucks • Solid tyres - Premium quality	3.9
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
27x10.00-12	ATV and Quad - Off road • Tyres	7.8

>>>

Dimension	Category	Page
27x12-12	ATV and Quad - Off road • Tyres	7.8
27x12.00-12	ATV and Quad - Off road • Tyres	7.8
110/70-12	Scooter - all year • Tyres	7.16
110/90-12	Scooter - all year • Tyres	7.16
120/70-12	Scooter - all year • Tyres	7.17
120/80-12	Scooter - all year • Tyres	7.17
125R12C	Trailers - Caravans etc. • Tyres	6.6
130/70-12	Scooter - all year • Tyres	7.17
130/80-12	Scooter - all year • Tyres	7.17
135/70R12	Trailers - Caravans etc. • Tyres	6.6
140/70-12	Scooter - all year • Tyres	7.17
140/70R12	Trailers - Caravans etc. • Tyres	6.6
140/70R12C	Trailers - Caravans etc. • Tyres	6.6
155R12C	Trailers - Caravans etc. • Tyres	6.6
155/70R12C	Trailers - Caravans etc. • Tyres	6.6
185/60R12C	Trailers - Caravans etc. • Tyres	6.6
195/60R12C	Trailers - Caravans etc. • Tyres	6.6
200/95-12	Agricultural - Implements, Trailers etc. • Tyres	2.4
205/80-12	ATV and Quad - On road • Tyres	7.9
215/70-12	Professional mowers - Large horticultural machinery • Turf tyres	5.16
220/55R12	Professional mowers - Large horticultural machinery • Turf tyres	5.16
220/60-12	Ride on mowers - Small horticultural machinery • Turf tyres	5.13
225/55B12	Trailers - Caravans etc. • Tyres	6.6
225/55R12	Trailers - Caravans etc. • Tyres	6.6
240/60R12	Professional mowers - Large horticultural machinery • Turf tyres	5.16
250/60-12	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Small loaders - Dumpers etc. • Tyres	3.17
	Professional mowers - Large horticultural machinery • Turf tyres	5.16
	Compact tractors - Property maintenance • Tyres	5.24
255/65-12	ATV and Quad - On road • Tyres	7.9
300/65-12	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Small loaders - Dumpers etc. • Tyres	3.17
	Professional mowers - Large horticultural machinery • Turf tyres	5.16
	Compact tractors - Property maintenance • Tyres	5.24
5.20-13	Trailers - Caravans etc. • Tyres	6.6
5.60-13	Trailers - Caravans etc. • Tyres	6.6
5.90-13	Trailers - Caravans etc. • Tyres	6.6
6.00-13	Trailers - Caravans etc. • Tyres	6.6
6.40-13	Trailers - Caravans etc. • Tyres	6.6
6.70-13	Trailers - Caravans etc. • Tyres	6.6
21x4	Forklift Trucks • Pneumatic tyres	3.6
23x5	Forklift Trucks • Solid tyres	3.12
	Forklift Trucks • Pneumatic tyres	3.6
130/60-13	Scooter - all year • Tyres	7.17
135/80R13	Trailers - Caravans etc. • Tyres	6.6
140/60-13	Scooter - all year • Tyres	7.17
145/70R13	Trailers - Caravans etc. • Tyres	6.7
145/80R13	Trailers - Caravans etc. • Tyres	6.8
155R13	Trailers - Caravans etc. • Tyres	6.8
155R13C	Trailers - Caravans etc. • Tyres	6.8
155/70R13	Trailers - Caravans etc. • Tyres	6.8
155/80R13	Trailers - Caravans etc. • Tyres	6.8
165R13C	Trailers - Caravans etc. • Tyres	6.8
165/70R13	Trailers - Caravans etc. • Tyres	6.8
175R13C	Trailers - Caravans etc. • Tyres	6.8
175/70R13	Trailers - Caravans etc. • Tyres	6.8
185/70R13	Trailers - Caravans etc. • Tyres	6.8
185/70R13C	Trailers - Caravans etc. • Tyres	6.8

>>>

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
195/50R13C	Trailers - Caravans etc. • Tyres	6.8
260/90-13	Agricultural - Implements, Trailers etc. • Tyres	2.4
4.50-14	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
5-14	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
6-14	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
6.00-14	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
	Trailers - Caravans etc. • Tyres	6.8
6.50-14	Trailers - Caravans etc. • Tyres	6.8
7-14	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
24x8.50-14	Professional mowers - Large horticultural machinery • Turf tyres	5.16
25x8.50-14	Professional mowers - Large horticultural machinery • Turf tyres	5.17
	Small loaders - Dumpers etc. • Tyres	3.17
	Professional mowers - Large horticultural machinery • Turf tyres	5.17
26x9-14	ATV and Quad - Off road • Tyres	7.8
26x10R14	ATV and Quad - Off road • Tyres	7.8
26x11-14	ATV and Quad - Off road • Tyres	7.8
26x12R14	ATV and Quad - Off road • Tyres	7.8
27x10-14	ATV and Quad - Off road • Tyres	7.8
27x12-14	ATV and Quad - Off road • Tyres	7.8
165R14C	Trailers - Caravans etc. • Tyres	6.8
175R14C	Trailers - Caravans etc. • Tyres	6.8
175/65R14	Trailers - Caravans etc. • Tyres	6.8
185R14C	Trailers - Caravans etc. • Tyres	6.8
185/65R14	Trailers - Caravans etc. • Tyres	6.8
195R14C	Trailers - Caravans etc. • Tyres	6.8
195/70R14	Trailers - Caravans etc. • Tyres	6.8
195/70R14C	Trailers - Caravans etc. • Tyres	6.8
205R14C	Trailers - Caravans etc. • Tyres	6.8
215R14C	Trailers - Caravans etc. • Tyres	6.8
215/60-14	Professional mowers - Large horticultural machinery • Turf tyres	5.17
215/65-14	Professional mowers - Large horticultural machinery • Turf tyres	5.17
250/60D14	Professional mowers - Large horticultural machinery • Turf tyres	5.17
9-14.5	Trucks - Military, Industrial etc. • Tyres	3.24
24x8.00-14.5	Agricultural - Implements, Trailers etc. • Tyres	2.4
200/60-14.5	Agricultural - Implements, Trailers etc. • Tyres	2.4
250/65-14.5	Agricultural - Implements, Trailers etc. • Tyres	2.4
300/55-14.5	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Professional mowers - Large horticultural machinery • Turf tyres	5.17
	Compact tractors - Property maintenance • Tyres	5.24
	Agricultural - Implements, Trailers etc. • Tyres	2.4
	Small loaders - Dumpers etc. • Tyres	3.17
	Compact tractors - Property maintenance • Tyres	5.24
5.00-15	Tractor - 2WD • Front tyres	2.15
	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
5.50-15	Forklift Trucks • Pneumatic tyres	3.6
5.60-15	Trailers - Caravans etc. • Tyres	6.8
5.90-15	Trailers - Caravans etc. • Tyres	6.8
6.00-15	Forklift Trucks • Pneumatic tyres	3.6
6.5/80-15	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
6.70-15C	Trucks - Military, Industrial etc. • Tyres	3.24
7.00-15	Forklift Trucks • Solid tyres	3.13
	Small loaders - Dumpers etc. • Tyres	3.17
	Trucks - Military, Industrial etc. • Tyres	3.24
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
7.50-15	Forklift Trucks • Solid tyres	3.13
	Trucks - Military, Industrial etc. • Tyres	3.24
	Forklift Trucks • Pneumatic tyres	3.6
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
7.5L-15	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
7.5L-15SL	Tractor - 2WD • Front tyres	2.15

>>>

Dimension	Category	Page
8.15-15	Forklift Trucks • Solid tyres	3.13
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
8.25-15	Forklift Trucks • Solid tyres - Premium quality	3.9
	Forklift Trucks • Pneumatic tyres	3.6
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
11L-15	Agricultural - Implements, Trailers etc. • Tyres	2.5
25x10.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
25x10.50LL-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
27x8.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
	Skidsteer - Bobcat etc. • Tyres	3.14
	Professional mowers - Large horticultural machinery • Turf tyres	5.17
	Skidsteer - Bobcat etc. • Tyres	3.14
27x10.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
	Skidsteer - Bobcat etc. • Tyres	3.14
27x10.50LL-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
27x12LL-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
27x14LL-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
28x8.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
	Small loaders - Dumpers etc. • Tyres	3.17
28x9-15	Forklift Trucks • Solid tyres	3.13
	Forklift Trucks • Solid tyres - Premium quality	3.9
29x12.00-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
29X12.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.17
	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
	Professional mowers - Large horticultural machinery • Turf tyres	5.17
	Compact tractors - Property maintenance • Tyres	5.24
	Professional mowers - Large horticultural machinery • Turf tyres	5.17
29x13.50-15	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
29x14.00-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
31X12.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
31x13.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
31x15.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
	Small loaders - Dumpers etc. • Tyres	3.17
	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
	Professional mowers - Large horticultural machinery • Turf tyres	5.18
	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
	Small loaders - Dumpers etc. • Tyres	3.17
33x12.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
33x14.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
33x15.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
35x15-15	Skidsteer - Bobcat etc. • Tyres	3.14
36x13.50-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
36x14.00-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
165-15	Agricultural - Implements, Trailers etc. • Tyres	2.5
185/65-15	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
195/65R15	Trailers - Caravans etc. • Tyres	6.8
195/70R15C	Trailers - Caravans etc. • Tyres	6.8
205/70R15C	Trailers - Caravans etc. • Tyres	6.8
212/80-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
212/80D15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
215/70-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18
240/70-15	Compact tractors - Single axle tractors etc. • Traction tyres	2.13
	Professional mowers - Large horticultural machinery • Turf tyres	5.18
250-15	Forklift Trucks • Solid tyres - Premium quality	3.9
	Forklift Trucks • Solid tyres	3.13
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
295/60-15	Professional mowers - Large horticultural machinery • Turf tyres	5.18

>>>

Agricultural
Industrial
Small tyres - Materials handling etc.
Tractor - Ground care
Trailer and Caravan
Leisure and Fun
Various
Tubes etc.
Wheels - Axles etc.
Info & Technical

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
300-15	Forklift Trucks - Solid tyres - Premium quality	3.9
	Forklift Trucks - Solid tyres	3.13
	Forklift Trucks - Pneumatic tyres - Premium quality	3.5
315/75-15	Professional mowers - Large horticultural machinery - Turf tyres	5.18
315/75D15	Professional mowers - Large horticultural machinery - Turf tyres	5.18
355/65-15	Forklift Trucks - Solid tyres - Premium quality	3.9
380/60-15	Professional mowers - Large horticultural machinery - Turf tyres	5.18
400/50-15	Compact tractors - Single axle tractors etc. - Traction tyres	2.13
	Small loaders - Dumpers etc. - Tyres	3.17
690x180-15	Compact tractors - Single axle tractors etc. - Traction tyres	2.13
10.0/75-15.3	Skidsteer - Bobcat etc. - Tyres	3.14
	Small loaders - Dumpers etc. - Tyres	3.17
	Professional mowers - Large horticultural machinery - Turf tyres	5.18
	Agricultural - Implements, Trailers etc. - Tyres	2.5
11.5/80-15.3	Skidsteer - Bobcat etc. - Tyres	3.14
	Small loaders - Dumpers etc. - Tyres	3.17
	Agricultural - Implements, Trailers etc. - Tyres	2.5
12.5/80-15.3	Agricultural - Implements, Trailers etc. - Tyres	2.5
255/75-15.3	Compact tractors - Single axle tractors etc. - Traction tyres	2.13
	Small loaders - Dumpers etc. - Tyres	3.17
260/75-15.3	Agricultural - Implements, Trailers etc. - Tyres	2.5
	Compact tractors - Property maintenance - Tyres	5.24
	Agricultural - Implements, Trailers etc. - Tyres	2.5
	Compact tractors - Property maintenance - Tyres	5.24
	Agricultural - Implements, Trailers etc. - Tyres	2.5
295/80-15.3	Compact tractors - Single axle tractors etc. - Traction tyres	2.13
	Small loaders - Dumpers etc. - Tyres	3.17
300/80-15.3	Agricultural - Implements, Trailers etc. - Tyres	2.5
	Compact tractors - Property maintenance - Tyres	5.24
	Agricultural - Implements, Trailers etc. - Tyres	2.5
280/60-15.5	Agricultural - Implements, Trailers etc. - Tyres	2.6
400/60-15.5	Agricultural - Implements, Trailers etc. - Tyres	2.6
	Professional mowers - Large horticultural machinery - Turf tyres	5.18
	Compact tractors - Property maintenance - Tyres	5.24
	Agricultural - Implements, Trailers etc. - Tyres	2.6
2 1/4-16	Moped - Tyres	7.17
2 1/2-16	Moped - Tyres	7.17
2 3/4-16	Moped - Tyres	7.17
4.00-16	Compact tractors - Single axle tractors etc. - Traction tyres	2.13
	Tractor - 2WD - Front tyres	2.15
4.50-16	Tractor - 2WD - Front tyres	2.15
5.00-16	Tractor - 2WD - Front tyres	2.15
5.50-16	Tractor - 2WD - Front tyres	2.15
6.00-16	Tractor - 2WD - Front tyres	2.15
	Compact tractors - Single axle tractors etc. - Traction tyres	2.13
	Tractor - 2WD - Front tyres	2.15
	Trucks - Military, Industrial etc. - Tyres	3.24
	Compact tractors - Single axle tractors etc. - Traction tyres	2.13
6.00-16C	Trucks - Military, Industrial etc. - Tyres	3.24
6.50-16	Diagonal tyres	2.2
	Tractor - 2WD - Front tyres	2.15
	Trucks - Military, Industrial etc. - Tyres	3.24
6.50R16LT	Trailers - Caravans etc. - Tyres	6.8
7-16	Compact tractors - Single axle tractors etc. - Traction tyres	2.13
7.00-16	Trucks - Military, Industrial etc. - Tyres	3.24
7.50-16	Tractor - 2WD - Front tyres	2.15
	Compact tractors - Single axle tractors etc. - Traction tyres	2.13
	Trucks - Military, Industrial etc. - Tyres	3.24
	Forklift Trucks - Pneumatic tyres - Premium quality	3.5
	Trucks - Military, Industrial etc. - Tyres	3.24
8-16	Compact tractors - Single axle tractors etc. - Traction tyres	2.13

>>>

Dimension	Category	Page
8.25-16	Trucks - Military, Industrial etc. - Tyres	3.24
9.00-16	Tractor - 2WD - Front tyres	2.15
9.5-16	Compact tractors - Single axle tractors etc. - Traction tyres	2.14
10.00-16	Tractor - 2WD - Front tyres	2.15
10.5/65-16	Agricultural - Implements, Trailers etc. - Tyres	2.6
11.00-16	Tractor - 2WD - Front tyres	2.15
12LL-16	Professional mowers - Large horticultural machinery - Turf tyres	5.18
12.4-16	Compact tractors - Single axle tractors etc. - Traction tyres	2.14
13.6-16	Professional mowers - Large horticultural machinery - Turf tyres	5.18
14.0/65-16	Agricultural - Implements, Trailers etc. - Tyres	2.6
175/75R16	Trailers - Caravans etc. - Tyres	6.8
180/90-16	Agricultural - Implements, Trailers etc. - Tyres	2.6
190/90-16	Agricultural - Implements, Trailers etc. - Tyres	2.6
200/90-16	Agricultural - Implements, Trailers etc. - Tyres	2.6
210/95-16	Agricultural - Implements, Trailers etc. - Tyres	2.6
225/75R16C	Trailers - Caravans etc. - Tyres	6.8
240/70R16	Radial tyres 70-series - Starmaxx TR-110	2.19
260/70-16	Agricultural - Implements, Trailers etc. - Tyres	2.6
260/70R16	Professional mowers - Large horticultural machinery - Turf tyres	5.19
	Radial tyres 70-series - Starmaxx TR-110	2.19
280/70R16	Professional mowers - Large horticultural machinery - Turf tyres	5.19
	Radial tyres 70-series - Starmaxx TR-110	2.19
315/80D16	Professional mowers - Large horticultural machinery - Turf tyres	5.19
340/55-16	Agricultural - Implements, Trailers etc. - Tyres	2.6
360/70-16	Agricultural - Implements, Trailers etc. - Tyres	2.6
18.4-16.1	Professional mowers - Large horticultural machinery - Turf tyres	5.19
21.5L-16.1	Professional mowers - Large horticultural machinery - Turf tyres	5.19
22.5LL-16.1	Professional mowers - Large horticultural machinery - Turf tyres	5.19
33x16LL-16.1	Professional mowers - Large horticultural machinery - Turf tyres	5.19
33x18LL-16.1	Professional mowers - Large horticultural machinery - Turf tyres	5.19
35x19.00-16.1	Compact tractors - Single axle tractors etc. - Traction tyres	2.14
41X18LL-16.1	Professional mowers - Large horticultural machinery - Turf tyres	5.19
10-16.5	Skidsteer - Bobcat etc. - Tyres	3.14
	Professional mowers - Large horticultural machinery - Turf tyres	5.19
	Skidsteer - Bobcat etc. - Tyres	3.14
12-16.5	Professional mowers - Large horticultural machinery - Turf tyres	5.19
	Skidsteer - Bobcat etc. - Tyres	3.15
	Professional mowers - Large horticultural machinery - Turf tyres	5.19
	Skidsteer - Bobcat etc. - Tyres	3.15
33x12.50-16.5	Professional mowers - Large horticultural machinery - Turf tyres	5.19
33x15.50-16.5	Professional mowers - Large horticultural machinery - Turf tyres	5.19
	Skidsteer - Bobcat etc. - Tyres	3.15
	Professional mowers - Large horticultural machinery - Turf tyres	5.19
35x12.00-16.5	Compact tractors - Single axle tractors etc. - Traction tyres	2.14
2-17	Moped - Tyres	7.17
2 1/4-17	Moped - Tyres	7.17
2 1/2-17	Moped - Tyres	7.17
2 3/4-17	Moped - Tyres	7.17
19.0/45-17	Compact tractors - Single axle tractors etc. - Traction tyres	2.14
380/55-17	Agricultural - Implements, Trailers etc. - Tyres	2.6
	Professional mowers - Large horticultural machinery - Turf tyres	5.19
	Compact tractors - Property maintenance - Tyres	5.24
	Agricultural - Implements, Trailers etc. - Tyres	2.6
	Compact tractors - Single axle tractors etc. - Traction tyres	2.14
	Small loaders - Dumpers etc. - Tyres	3.17
	Agricultural - Implements, Trailers etc. - Tyres	2.6
	Professional mowers - Large horticultural machinery - Turf tyres	5.19
	Compact tractors - Property maintenance - Tyres	5.24

>>>

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
480/45-17	Agricultural - Implements, Trailers etc. • Tyres	2.6
	Professional mowers - Large horticultural machinery • Turf tyres	5.19
	Compact tractors - Property maintenance • Tyres	5.24
500/50-17	Agricultural - Implements, Trailers etc. • Tyres	2.6
520/50-17	Agricultural - Implements, Trailers etc. • Tyres	2.6
	Professional mowers - Large horticultural machinery • Turf tyres	5.19
	Compact tractors - Property maintenance • Tyres	5.24
	Agricultural - Implements, Trailers etc. • Tyres	2.6
14-17.5	Skidsteer - Bobcat etc. • Tyres	3.15
215/75R17.5	Trailers - Caravans etc. • Tyres	6.8
7.50-18	Tractor - 2WD • Front tyres	2.15
	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
8-18	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
10.5-18	Small loaders - Dumpers etc. • Tyres	3.17
10.5/80-18	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Small loaders - Dumpers etc. • Tyres	3.17
	Agricultural - Implements, Trailers etc. • Tyres	2.6
12.5-18	Small loaders - Dumpers etc. • Tyres	3.17
12.5/80-18	Small loaders - Dumpers etc. • Tyres	3.17
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Skidsteer - Bobcat etc. • Tyres	3.15
	Telehandlers • Tyres	2.22
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Telehandlers • Tyres	3.22
	Agricultural - Implements, Trailers etc. • Tyres	2.6
13.0/65-18	Agricultural - Implements, Trailers etc. • Tyres	2.6
15.0/70-18	Agricultural - Implements, Trailers etc. • Tyres	2.6
280/70R18	Professional mowers - Large horticultural machinery • Turf tyres	5.19
	Radial tyres 70-series • Starmaxx TR-110	2.19
315/80-18	Agricultural - Implements, Trailers etc. • Tyres	2.6
	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
	Small loaders - Dumpers etc. • Tyres	3.18
	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
	Small loaders - Dumpers etc. • Tyres	3.18
320/80-18	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
425/50-18	Professional mowers - Large horticultural machinery • Turf tyres	5.19
	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
	Small loaders - Dumpers etc. • Tyres	3.18
425/70-18	Agricultural - Implements, Trailers etc. • Tyres	2.6
	Professional mowers - Large horticultural machinery • Turf tyres	5.19
	Compact tractors - Property maintenance • Tyres	5.24
4.00-19	Tractor - 2WD • Front tyres	2.15
6.00-19	Tractor - 2WD • Front tyres	2.15
15-19.5	Skidsteer - Bobcat etc. • Tyres	3.15
18-19.5	Small loaders - Dumpers etc. • Tyres	3.18
455/65-19.5	Telehandlers • Tyres	2.22
	Agricultural - Implements, Trailers etc. • Tyres	2.6
	Small loaders - Dumpers etc. • Tyres	3.18
	Telehandlers • Tyres	3.22
6.50-20	Tractor - 2WD • Front tyres	2.15
7.50-20	Tractor - 2WD • Front tyres	2.15
	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
8.00-20	Compact tractors - Single axle tractors etc. • Traction tyres	2.14

>>>

Dimension	Category	Page
8.25-20	Trucks - Military, Industrial etc. • Tyres	3.24
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Trucks - Military, Industrial etc. • Tyres	3.24
8.3-20	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
9.00-20	Trucks - Military, Industrial etc. • Tyres	3.24
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Trucks - Military, Industrial etc. • Tyres	3.24
9.5-20	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
10.00-20	Trucks - Military, Industrial etc. • Tyres	3.24
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
10.5-20	Small loaders - Dumpers etc. • Tyres	3.18
11.00-20	Trucks - Military, Industrial etc. • Tyres	3.24
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
12.00-20	Trucks - Military, Industrial etc. • Tyres	3.24
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
12.5-20	Small loaders - Dumpers etc. • Tyres	3.18
14.5-20	Small loaders - Dumpers etc. • Tyres	3.18
16.0/70-20	Agricultural - Implements, Trailers etc. • Tyres	2.7
38x14.00-20	Professional mowers - Large horticultural machinery • Turf tyres	5.2
41x14.00-20	Professional mowers - Large horticultural machinery • Turf tyres	5.2
43X16.00-20	Small loaders - Dumpers etc. • Tyres	3.18
44x18.00-20	Professional mowers - Large horticultural machinery • Turf tyres	5.2
280/70R20	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
280/85R20	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
300/70R20	Professional mowers - Large horticultural machinery • Turf tyres	5.2
320/70R20	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Radial tyres 70-series • Starmaxx TR-110	2.19
320/85R20	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
335/80R20	Small loaders - Dumpers etc. • Tyres	3.18
355/80D20	Professional mowers - Large horticultural machinery • Turf tyres	5.2
360/70R20	Radial tyres 70-series • Starmaxx TR-110	2.19
365/80R20	Small loaders - Dumpers etc. • Tyres	3.18
400/70-20	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
405/70-20	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
	Telehandlers • Tyres	2.22
	Small loaders - Dumpers etc. • Tyres	3.18
	Telehandlers • Tyres	3.22
475/65D20	Professional mowers - Large horticultural machinery • Turf tyres	5.2
9.5-22	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
15-22.5	Telehandlers • Tyres	2.22
18-22.5	Telehandlers • Tyres	2.22
41x18LL-22.5	Professional mowers - Large horticultural machinery • Turf tyres	5.2
280/75R22.5	Container and Terminal • Tyres	3.25
385/65R22.5	Agricultural - Implements, Trailers etc. • Tyres	2.7
500/60-22.5	Telehandlers • Tyres	2.22
	Agricultural - Implements, Trailers etc. • Tyres	2.7
	Small loaders - Dumpers etc. • Tyres	3.18
	Telehandlers • Tyres	3.22
	Small loaders - Dumpers etc. • Tyres	3.18
	Telehandlers • Tyres	3.22
550/45-22.5	Agricultural - Implements, Trailers etc. • Tyres	2.7
	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Compact tractors - Property maintenance • Tyres	5.24

>>>

Agricultural
Industrial
Small tyres - Materials handling etc.
Trailer and Caravan
Turf - Ground care
Leisure and Fun
Various
Tubes etc.
Wheels - Axles etc.
Info & Technical

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
550/55-22.5	Telehandlers • Tyres	2.22
	Agricultural - Implements, Trailers etc. • Tyres	2.7
	Small loaders - Dumpers etc. • Tyres	3.18
	Telehandlers • Tyres	3.22
550/60-22.5	Agricultural - Implements, Trailers etc. • Tyres	2.7
	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Compact tractors - Property maintenance • Tyres	5.24
600/40-22.5	Agricultural - Implements, Trailers etc. • Tyres	2.7
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
3.00-23	Moped • Tyres	7.17
8.3-24	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
9.5-24	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
11.2-24	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
	Diagonal tyres	2.2
12.00-24	Container and Terminal • Tyres	3.25
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
12.4-24	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
	Diagonal tyres	2.2
13.00-24	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Telehandlers • Tyres	2.22
13.6-24	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
	Diagonal tyres	2.2
14.00-24	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Forklift Trucks • Pneumatic tyres - Premium quality	3.5
	Container and Terminal • Tyres	3.25
14.9-24	Compact tractors - Single axle tractors etc. • Traction tyres	2.14
	Diagonal tyres	2.2
	Professional mowers - Large horticultural machinery • Turf tyres	5.2
15.5/80-24	Telehandlers • Tyres	2.22
	Small loaders - Dumpers etc. • Tyres	3.18
	Telehandlers • Tyres	3.22
16.5/85-24	Small loaders - Dumpers etc. • Tyres	3.18
16.9-24	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
17.5L-24	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Telehandlers • Tyres	2.22
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
19.5L-24	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
21L-24	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
250/85R24	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
280/85R24	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
320/70R24	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
320/85R24	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
340/85R24	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
360/70R24	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
	Radial tyres 70-series • Starmaxx TR-110	2.19
380/70R24	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Radial tyres 70-series • Starmaxx TR-110	2.19
380/85R24	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
405/70-24	Telehandlers • Tyres	2.22
	Small loaders - Dumpers etc. • Tyres	3.18
	Telehandlers • Tyres	3.22
420/70R24	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
	Professional mowers - Large horticultural machinery • Turf tyres	5.2

>>>

Dimension	Category	Page
420/85R24	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
440/65R24	Radial tyres 65-series • Starmaxx TR-110	2.19
480/65R24	Radial tyres 65-series • Starmaxx TR-110	2.19
540/65R24	Radial tyres 65-series • Starmaxx TR-110	2.19
15.5-25	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
	Telehandlers • Tyres	2.22
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
16.00R25	Container and Terminal • Tyres	3.25
17.5-25	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
17.5R25	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
18.00-25	Container and Terminal • Tyres	3.25
18.00R25	Container and Terminal • Tyres	3.25
20.5-25	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
20.5R25	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.2
23.5-25	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
23.5R25	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
26.5-25	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
26.5R25	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
18.4-26	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
	Diagonal tyres	2.2
23.1-26	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
	Agricultural - Implements, Trailers etc. • Tyres	2.7
480/80-26	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
11.2-28	Diagonal tyres	2.2
12.4-28	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Diagonal tyres	2.2
13.6-28	Professional mowers - Large horticultural machinery • Turf tyres	5.2
	Diagonal tyres	2.2
14.9-28	Diagonal tyres	2.2
16.9-28	Diagonal tyres	2.2
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
280/85R28	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
320/70R28	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
320/85R28	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
340/85R28	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
360/70R28	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
380/70R28	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
380/85R28	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
420/70R28	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
420/85R28	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
440/65R28	Radial tyres 65-series • Starmaxx TR-110	2.19
440/80-28	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
480/65R28	Radial tyres 65-series • Starmaxx TR-110	2.19
480/70R28	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
540/65R28	Radial tyres 65-series • Starmaxx TR-110	2.19
14.9-30	Diagonal tyres	2.21
16.9-30	Diagonal tyres	2.21
	Excavators - Loaders - Backhoes - Graders etc. • Tyres	3.21
18.4-30	Diagonal tyres	2.21
380/85R30	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
420/70R30	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
420/85R30	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
460/85R30	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
480/70R30	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
520/70R30	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
540/65R30	Radial tyres 65-series • Starmaxx TR-110	2.19
12.4-32	Diagonal tyres	2.21
320/85R32	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
18.00-33	Container and Terminal • Tyres	3.25

>>>

INDEX - TYRES BY DIMENSION

Dimension	Category	Page
16.9-34	Diagonal tyres	2.21
18.4-34	Diagonal tyres	2.21
380/85R34	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
420/85R34	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
460/85R34	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
480/70R34	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
	Radial tyres 70-series • Starmaxx TR-110	2.19
520/70R34	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
540/65R34	Radial tyres 65-series • Starmaxx TR-110	2.19
600/65R34	Radial tyres 65-series • Starmaxx TR-110	2.19
12.4-36	Diagonal tyres	2.21
13.6-36	Diagonal tyres	2.21
320/85R36	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
340/85R36	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
13.6-38	Diagonal tyres	2.21
16.9-38	Diagonal tyres	2.21
18.4-38	Diagonal tyres	2.21
340/85R38	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
380/80R38	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
420/85R38	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
460/85R38	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
480/70R38	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
520/70R38	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
520/85R38	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
540/65R38	Radial tyres 65-series • Starmaxx TR-110	2.19
580/70R38	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
600/65R38	Radial tyres 65-series • Starmaxx TR-110	2.19
650/65R38	Radial tyres 65-series • Starmaxx TR-110	2.19
710/70R38	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
320/80R42	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
480/80R42	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
520/85R42	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
710/70R42	Radial tyres 70-series • Galaxy Earth-Pro Radial R-1W	2.18
320/90R46	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
380/90R46	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
480/80R46	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16
520/85R46	Radial tyres 80- and 85-series • Galaxy Earth-Pro Radial R-1W	2.16

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

NOTES

[illegible]

Agricultural

Industrial

Small tyres - Materials handling etc.

Turf - Ground care

Trailer and Caravan

Leisure and Fun

Various

Tubes etc.

Wheels - Axles etc.

Info & Technical

NOTES

[illegible]



Ball bearings

Axle shaft



Built-in height



Fitting plate, dimensions



Fitting holes, distance



Axle, diameter



Item number

(conforming to EAN-13)



Tyre, diameter



Tyre, section width



Load, single tyre



Load, carrying wheel



Load, steering wheel



Speed



Inflation pressure



E-marked



Fuel efficiency



Wet grip



Exterior noise level



Load variation

(in relation to speed)



Measuring Rim Width

(other options are usually permitted)



Valve, type



No. per box



Single packed tubes



Studs, no.



DCB, Diameter Centre Bore (mm)



PCD, Pitch Circle Diameter



Bore



Hub length



Bolt, diameter



Bearings, type



Plain bearings



Roller bearings



Ball bearings



Direct bore, no bearings



Plain bearings

Axle shaft



KEEP MOVING

Blue 2014-I • RUS en 500 • STARCO InHouse

starco.com